

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.





BRIDGEMAN'S HIGH GRADE SEEDS 37 EAST 19TH STREET

NEW YORK CITY

Useful Tables for Gardener and Farmer

Seed for a Given Number of Plants

Cabbage 1 oz. 3,000 plants	Marrow Squash 1 oz. to 30 hills
Cauliflower	Asparagus
Celery 1 " 4,000 "	Beet
Eggplant 1 " 2,000 "	Carrot
Endive	0kra
Lettuce	Onion
Pepper	Onion Sets, Small 1 qt. to 50 "
Tomato 1 " 2,000 "	Parsley 1 oz. to 150 "
Pole Beans I gt. to 150 hills	Parsnip 1 " 200 "
Corn	Radish 1 " 100 "
Cucumber 1 oz. to 50 "	Salsify
Watermelon	Spinach 1 " 100 "
Muskmelon 1 " 60 "	Turnip
Pumpkin	Peas qt. 100 "
Early Squash	Dwarf Beans

Seed Usually Sown Upon One Acre

Artichoke, Jerusalem 4 bus.	Grass, Lawn 4 bus.
Royley broadcast	Grace Orchard
Barley, broadcast 2 to 3 bus.	Grass, Orchard 2 to 3 bus.
Beans, Dwarf, in drills 1½ bus.	Grass, Rye
Beans, Pole, in hills 8 to 10 qts.	Grass, Timothy ½ bus.
Beet, in drills 4 to 5 lbs.	Millet
Broom Com in hills	
Broom Corn, in hills 4 to 6 qts.	Mustard, broadcast 12 to 16 qts.
Buckwheat, broadcast 34 to 1 bus.	Oats, broadcast 2 to 3 bus.
Cabbage, to transplant	Onion, in drills 4 to 6 lbs.
Carrot, in drills 2 to 3 lbs	Parsnip, in drills 4 to 5 lbs.
Corn, in hills 8 qts.	Peas, Early, in drills 1½ bus.
Corn, for soiling 3 bus.	Peas, Marrowfat, in drills 134 bus.
Clover, Alsike 5 lbs.	Peas, broadcast 3 bus.
Clover, Red, alone 20 lbs.	Potatoes, cut tubers, in drills 10 bus.
Clover, Red, with Timothy and Redtop 10 lbs.	Radish, in drills 6 to 8 lbs.
Clare White 1	
Clover, White, alone 8 to 10 lbs.	Rye, broadcast 1½ to 2 bus.
Clover, White, with other seeds 4 lbs.	Salsify, in drills 6 to 8 lbs.
Clover, Lucerne, alone	Spinach, in drills 8 to 10 lbs.
Clover (together) Clover 10 lbs.	Turnip, in drills 1½ lbs.
Timothy \ for \ Timothy \% bus.	Turnip, broadcast 2 to 3 lbs.
Redtop . (one acre) . Redtop 1 bus.	Vetches, broadcast 2 to 3 bus.
Cucumber, in hills I to 2 lbs.	Wheat, broadcast 1½ to 2 bus.
Flax, broadcast 1 to 2 bus.	Wheat, in drills I bus.
Grees Hundarian 3/ bus	
Grass, Hungarian	

Plants or Trees for One Acre

Distance apart	Number	Distance apart	Number
6 inches by 6 inches	174,240	5 ft. by 5 ft	· · 1,742
I ft. by I ft	43,560	6 ft. by 6 ft	. I,210
1½ ft. by 1½ ft	19,360	8 ft. by 8 ft	680
2 ft. by 1 ft	21,780	9 ft. by 9 ft	537
2 ft by 2 ft			
2½ ft. by 2½ ft	6,970		
3 ft by 1 ft			
3 ft. by 2 ft			
3 ft. by 3 ft			
4 ft. by 4 ft			



BRIDGEMAN'S

HIGH-GRADE SEEDS

EDWARD A. PETH, Proprietor

37 East 19th Street

NEW YORK CITY



OR almost eighty-two years the Bridgeman seed business has been conducted with an eye single to efficiency and the preservation of a reputation early established for reliability and careful discrimination. The present owner of the house, associated until his death with the honored founder of the house, Mr. Alfred Bridgeman, has for over twenty years been zealously maintaining the standard long established.

In no business is there more properly value to experience and to reputation than in that of supplying to the cultivator the seeds upon

which he depends for the success of his season's efforts. No fear need be felt that the honorable estimation in which "Bridgeman's High-Grade Seeds" is held will be lowered in the least.

Great care is taken to select seeds of only such species and varieties as are really worthy of cultivation, to the exclusion of all sorts too frequently recommended and sold, to the serious loss and disappointment of planters. Supplies of all the leading kinds of seeds are raised annually by the most careful growers, from roots or seeds selected by the proprietor. Such seeds as are not successfully grown in our climate are imported from the most reliable seedsmen in Europe. The purity and germinating qualities of all important seeds are tested each year, under the proprietor's personal supervision. The observance of such a system may be considered a guarantee that no seeds will be offered except such as are known to possess the most essential good qualities for general purposes.

To aid the amateur and others in making selections, some of the leading and most desirable kinds are marked with an asterisk, thus (*).

The proprietor can here enumerate only the leading articles in his collection; and, from a conviction that the seedsman's fair reputation is often unjustly defamed through failure of seeds, he would with brevity state some of the causes.

First—That some cultivators, through ignorance or forgetfulness of the fact that the products of a garden are natives of various soils and climates, and require peculiar management, sow their seeds at an improper season. To aid such, the most tender species, which should not be placed in the open ground until settled warm weather, are

PLEASE NOTE THAT WE EMPLOY NO AGENTS. ALL ORDERS WILL BE CAREFULLY AND PROMPTLY EXECUTED FROM OUR STOCK OF HIGH-GRADE TRUE-TO-NAME SEEDS

marked thus (†). The half-hardy, which are subject to risk if sown when frost prevails, are marked thus (‡). The early and most hardy species and varieties should not be planted until the ground can be brought into good condition, as some species of plants that in an advanced state of growth will stand a hard winter are often cut off by a very slight frost while young, especially if exposed to the heat of the sun after a frosty night. To guard against disappointment, reserve some of the seed for a later sowing.

Second—That some species of seeds, such as Beans, Beets, Cabbage, Lettuce, Radishes, Salsify, Turnips, etc., being, from their nature, apt to vegetate quickly, are often liable to be devoured by insects within forty-eight hours after they are sown, and before a plant is seen above ground, unless a suitable remedy is applied in time to destroy them.

Third—That some species, such as Carrots, Celery, Leeks, Onions, Parsley, Parsnips, Spinach, etc., being naturally of tardy growth—taking (in unfavorable seasons) from two to four weeks to vegetate—are apt to perish through incrustation of the soil, or other circumstances which cannot always be controlled.

Fourth—That failures often occur through seeds being deposited too deep in the ground, or left too near the surface; sometimes, for want of sufficient seed in a given spot, solitary plants perish, lacking strength to open the pores of the earth; and very often injudicious management in manuring and preparing the soil will cause failures. To insure a fair chance, plant your seeds moderately thick, and thin out the surplus plants while young. In planting seeds in drills (which is the most desirable plan), the size of the seed and strength of its germ should be considered; large seeds, producing vigorous roots, require deeper planting than diminutive seeds, producing delicate roots and slender stalks; the smallest seeds should not be covered more than a quarter of an inch. For instructions on these and other subjects of gardening, the reader is referred to Bridgeman's Book on Gardening, and other works by celebrated authors, of which a list will be found in this Catalogue.

Notwithstanding the great care used to supply every article true to name and of good quality, nothing is warranted.

It is requested that explicit directions for marking and forwarding packages accompany each order. All goods will be legibly marked as directed and delivered to vessels in port, and railroad and express offices in the city of New York, free of expense. After shipment, they will be at the risk of the purchaser.

Catalogue of Vegetable, Flower, Grass, Herb and Miscellaneous Seeds, with brief directions for their care and treatment. (This one.) Ready in January.

Catalogue of Dutch Bulbous Roots. Ready in September.

Address all orders plainly to

BRIDGEMAN'S SEED WAREHOUSE

37 East 19th Street, near Broadway

Borough of Manhattan

NEW YORK CITY

Specialties in Flower Seeds

CHOICE NEW ASTERS

Hohenzollern Crown Prince. The color of this magnificent novelty is a brilliant carminered of really striking beauty, quite unique, in fact, among Asters. Pkt. 25 cts.

Midsummer Triumph. Dark scarlet. The Midsummer Triumph Aster, which comes absolutely true from seed, will certainly prove a gem for every lover of this favorite flower and be especially welcomed by florists, as making a delightful, early-blooming pot-plant. Pkt. 25c.

Bridesmaid. A new color of the Comet group. The flowers open white and change to a charming lilac-rose; remarkably free-flowering; excellent as a pot-plant. Pkt. 25 cts.

Pearl. This charming new Aster grows about 1½ feet high and presents a strikingly graceful appearance, bearing about twenty flowers on slender stalks 8 to 12 inches long. Valuable for cutting as well as for culture in pots. Colors mixed. Pkt. 25 cts.

Aquilegia Stuarti

A splendid Columbine, the result of a cross between A. glandulosa and A. Wilmanni. The flowers are 4 inches in diameter, and are of a fine rich blue. Pkt. 25 cts.

Chrysanthemum, "Golden Wheel" (Carinatum radiatum aureum)

In this new and pretty group of annual Chrysanthemums the flowers assume a peculiar form, the quill-shaped ray florets standing out all around the disc like the spokes of a wheel. The flowers of this novelty are golden yellow with purple center. Pkt. 15 cts.

Celosia spicata (Argentea linearis)

This lovely Celosia is an annual from the East Indies. The straight and tender pyramidal plants grow to be about $2\frac{1}{2}$ feet high, with 20 to 30 side branches, every branch ending in a somewhat cylinder-shaped flower-spike, which is 3 to 4 inches long and is at first light pink, changing later into a silver-white color. Useful for bedding out as well as a pot-plant. Pkt. 10c.

Candytuft, Little Prince

New. Grows 4 to 6 inches high, with spikes of large, pure white flowers. As a pot-plant this novelty will be of grand service, and will also prove invaluable for borders and for cutting. Pkt. 10 cts.

Dianthus Heddewigi, Snowdrift

The robust and freely branching plants grow about 1 foot high, bearing large flowers 3 to 4 inches across. Very double, with finely laciniated petals of the purest white. A valuable summer Dianthus. Pkt. 25 cts.

Nicotiana Sanderae

A charming new annual. Grows about 2 feet high, freely branched from base to summit and covered with brilliant carmine-red flowers. A valuable acquisition to the flower garden. Pkt. 25 cts.

Stokesia Cyanea (Cornflower Aster)

A beautiful hardy perennial. Grows from 18 to 24 inches high and produces the centaurea-like 4- to 5-inch in diameter lavender-blue flowers from early in July until late in October. Valuable as a cut-flower. Pkt. 20 cts.

Stock, "Beauty of Nice"

A new winter-flowering stock. Grows from 2 to 2½ feet high, producing large double flesh-pink flowers on spikes 8 to 12 inches long. Very fragrant. Pkt. 15 cts.

Mathiola, Empress Elizabeth


A new large-flowering double winter Stock; grows about 18 inches high, with flowers of the brightest carmine-rose; excellent for pots and cutting. Pkt. 25 cts.



NICOTIANA SANDERÆ.

POPPIES

Dwarf Shirley. Charming dwarf varieties of the universally esteemed Shirley Poppy. The seedlings grow into bushy little plants about 18 inches high, with bright green laciniated foliage, and all ablaze with innumerable fine flowers of rose, chamois, scarlet and salmon,



MISS SHERWOOD POPPY.

some having a distinct light bordering to the petals, all with yellow stamens and all thrown well up above the foliage. Pkt. 15 cts.

Miss Sherwood. Sturdy plants 2½ feet high, with noble foliage, bearing in profusion large, single flowers of a shining satiny white, the upper half of the corolla being a silky chamois-rose. This is a combination of color quite virginal in its delicacy, and we are convinced that this beautiful Poppy, which comes quite true from seed, will be found one of the finest of single-blooming varieties, more especially as a cut-flower, and quickly meet with the appreciation it deserves. Pkt. 10 cts.

Petunia hybrida gigantea fl. pl.

A splendid new class of giant double Petunias of the most beautiful variety of colors. Pkt. 50 cts.

Heuchera alba

New. A valuable variety of the well-known *H. sanguinea*. The long, slender flower-stalks are thickly clothed with pure white, long-lasting flowers, which through their elegant appearance are highly effective in the border, and also very useful for bouquets. Pkt. 25c

Hollyhock, Allegheny

A decided improvement over the old-fashioned variety. Flowers fringed, chrysanthemum-shaped, 5 to 7 inches across; flowers until frost. Finest mixed. Pkt. 10 cts.

Imperial Japanese Morning-Glory

A new class of Morning-Glory from Japan. The flowers are of exquisite beauty in form and coloring, and of enormous size, often 5 to 6 inches in diameter. They are easily cultivated, and grow rapidly to a height of 30 or 40 feet. The colors are striped, penciled and bordered in infinite variety and diversity. The foliage, also, is often prettily variegated. Pkt. 10 cts.

Dwarf Salvia Splendens, "Lord Fauntleroy"

It will at once be seen that for bedding this new Salvia is fully as suitable as geraniums in respect to height and compactness, while in brilliancy of color it eclipses anything in nature. We have counted over one hundred spikes of bloom on a single plant. The foliage is of a very rich dark green color, beginning right at the ground and rising no more than 10 inches above, while the 8-inch flower-spikes stand erect and clear above the foliage. For bedding in masses alone, or with plants of equal height, or for borders around beds of taller plants, we know nothing that will be so effective. Pkt. 25 cts.

Sunflower, Hardy Red

A valuable plant for the hardy garden. Grows 5 to 6 feet high, with large red flowers of lasting qualities, retaining their beauty for several weeks. Pkt. 25 cts.



JAPANESE MORNING-GLORIES.

Specialties in Vegetable Seeds

BEANS

Wonder Bush Lima. The most productive of all Bush Limas. The plants grow dwarf, upright and compact, and are completely covered with large pods, many of which contain four beans, which are fully as large as the largest of the Pole Limas. Qt. 40 cts.

Valentine Wax. This is an improved Extra-Early Valentine Bean with round wax pods. It grows about 15 inches high, with a strong stalk and an abundance of foliage remarkably free from rust. Beans planted June 18 produced pods 4 inches long by July 21. The pods are very meaty and almost stringless. Qt. 30 cts., pk. \$1.75.

Stringless Green Pod. This valuable variety is superior to any other green podded Bean grown. It ripens fully a week earlier than the Valentine. The pods are round, long and fleshy, remaining tender longer than any other variety. Qt. 35 cts., pk. \$2.

BEETS

Columbian Turnip. A round, smooth-skinned variety, with deep blood-red flesh. Very early and of the finest quality. Oz. 10 cts., lb. 60 cts.

Extra-Early Eclipse. The tops are very small, root smooth and globe-shaped; flesh deep crimson, very finegrained and remarkably sweet. Oz. 10 cts., lb. 60 cts.

Carrot, Half-Long Red Carentan

A slender-growing variety; very short top, entirely without core; useful for forcing. Oz. 15 cts., lb. \$1.

Cauliflower, Erfurt Extra=Early Dwarf

The best for forcing and general purposes as an early variety; hardy, dwarf and compact, with solid white heads of superior quality. Pkt. 50 cts., oz. \$6.

Celery, Fin de Siecle

A green winter Celery deserving special notice. After growing to a great size it lends itself to the blanching process, assuming a rich yellow tinge in the heart, and presenting a very attractive appearance. It has also proved to be the largest, hardiest, solidest, crispest, best keeping and shipping winter Celery known. Oz. 25 cts.



COLUMBIAN TURNIP BEET.

CORN, SWEET

Champion. This Corn is without doubt the earliest large Corn ever introduced. Ears nearly as large as the Mammoth, with a medium-sized white cob; kernels plump, pearly white, very sweet, tender and full of milk. Qt. 25 cts., pk. \$1.

Squantum, or Potter's Sugar. Of a rich, delicate flavor, and pronounced by connoisseurs to be the best grown. It is a very promising variety, and likely to displace older


sorts that are less worthy. Qt. 25c., pk. \$1.

Upland Cress

This hardy perennial thrives on any soil, and has the identical flavor of true water cress. Grows quickly from seed. Oz. 25c.

Cucumber, Tailby's Hybrid


A White-Spined crossed with an English Frame variety. It grows larger than White-Spined, and is one of the most valuable in its class for open-air cultivation. Oz. 15c., lb. \$1.



HALF-LONG RED CARENTAN CARROT.

LETTUCE

Buttercup. A cabbage variety; excellent for forcing or for summer use; remarkable for its beauty of foliage, solid golden head, tenderness and delicacy of flavor. Oz. 20 cts., lb. \$1.50.



PAUL ROSE MUSKMELON.

May King. A new Cabbage Lettuce. The heads are globular, extra large and very solid, light green outside with clear yellow heart, very tender and of finest flavor. Its most valuable characteristic is its extremely rapid growth, its large heads being developed quicker than any other, either in frames or out-of-doors. Oz. 30 cts.

Salamander, or Satisfaction. One of the best summer kinds. Of dwarf habit; makes a solid head; quality extra good. Oz. 20 cts., lb. \$1.50.

MUSKMELONS

Paul Rose. One of the best' of the salmon-fleshed varieties. Of delicious flavor and a long keeper. New, but already a favorite. Oz. 15c., lb. \$1.

Rocky Ford. Size medium, nutmeg-shaped and finely

netted. Flesh green, very sweet and delicious. Of extra quality for table use. Oz. 15c., lb. \$1.

Mustard, Chinese

An excellent plant for greens, producing an enormous amount of herbage. The leaves have an agreeable flavor when cooked like ordinary spinach. Oz. 10 cts., lb. 75 cts.

PEAS

Gradus. An extra-early wrinkled variety; grows about 2½ feet high, and produces large pods well filled with peas of superior quality. The vines are healthy, thrifty and bear fine crops of well-filled pods. The flavor is sweet and delicious. Qt. 50 cts., pk. \$3.

Bridgeman's Extra-Early. The earliest of the early White Peas; unsurpassed either for market or family use; of excellent quality; unusually productive for so early a variety. Vines 2½ feet high. Qt. 30 cts., pk. \$1.50.

Heroine. This is a medium early, and grows uniformly from 2 to 2½ feet high. It comes in between Advancer and Champion of England, and hears a profusion of large.

comes in between Advancer and Champion of England, and bears a profusion of large, long, slightly curved, pointed pods, containing nine or ten large peas of the finest quality. Qt. 30 cts., pk. \$1.50.

The Queen. A new wrinkled variety; pods very large, produced mostly in pairs. The

peas are large and of delicious flavor. Qt. 30 cts., pk. \$1.50.

Radish, Crimson Giant

A remarkable feature of this Radish is that it will grow double the size of other round red forcing Radishes and still remain solid, not showing the least sign of becoming hollow. In shape round to oval, and very attractive, the skin being a rich crimson color and flesh pure white, crisp, mild and tender. Oz. 15 cts., lb. \$1.

SPINACH

Victoria. This new variety is distinguished for its exceedingly dark, black-green color, and also for its very long-standing qualities. Leaves thick; good for spring sowing. Lb. 40c. Long Standing. Thick, dark green leaves of compact growth, standing longer than any other sort before running to seed. Lb. 40 cts.

Tomato, Earliana

A wonderfully early and exceeding prolific medium-sized, uniform, smooth and attractively shaped, bright scarlet Tomato, of great solidity and fine flavor. It is the earliest Tomato grown, fruits averaging 21/2 inches through, nearly all ripening up remarkably early and evenly. Oz. 30 cts.

COLLECTIONS OF

Select Vegetable Garden Seeds

STANDARD SORTS	No. 1	No. 2	No. 3	No. 4	No. 5
For Family Use, in quantities to suit Small or	\$5	\$9	\$12	\$16	\$20
Large Gardens, as follows:	Contains	Contains	Contains	Contains	Contains
Beans Early Valentine Bush:	½ pt.	ı pt.	ı qt.	ı qt.	2 qts.
" Black Wax Bush	½ pt.	ı pt.	ı qt.	2 qts.	2 qts.
" Refugee Bush	½ pt.	ı pt.	ı qt.	ı qt.	2 qts.
" Large White Lima Pole	ı pt.	ı pt.	ı qt.	3 qts.	2 qts.
Beet Extra-Early Turnip	I OZ.	2 OZ,	4 OZ.	4 OZ.	8 oz.
" Early Blood Turnip	I OZ.	2 OZ.	4 OZ.	8 oz.	8 oz.
Cabbage Early Oxheart	pkt.	½ OZ.	1/2 OZ.	½ OZ.	I OZ.
"Early Winnigstadt	pkt.	½ OZ.	½ OZ.	I OZ.	I OZ.
Large Late Drunnlead	pkt.	½ OZ.	I OZ.	I OZ.	I OZ.
Drumnead Savoy	pkt.	½ oz.	½ OZ.	½ OZ.	I OZ.
" Red, or Pickling.	pkt.	pkt.	pkt,	½ OZ.	I OZ.
Cauliflower Extra-Early Paris	pkt.	¼ oz.	½ OZ.	½ OZ.	I OZ.
Carrot Early Orange, or Horn	I OZ.	2 OZ.	2 OZ.	4 oz.	8 oz.
"Long Orange	I OZ.	2 OZ.	4 OZ.	8 oz.	8 oz.
Cress Curled, or Pepper Grass	I OZ.	2 OZ.	2 OZ.	2 OZ.	4 OZ.
Corn Extra-Early Cory	½ pt.	ı pt.	ı qt.	ı qt.	2 qts.
" Mammoth Sugar	½ pt.	ı pt.	r qt.	2 qts.	2 qts.
"Stowell's Evergreen	½ pt.	ı pt.	ı qt.	2 qts.	2 qts.
Celery Early White Plume	pkt.	½ OZ.	I OZ.	I OZ,	I OZ.
CucumberEarly Russian	pkt.	I OZ.	I OZ.	2 OZ.	4 OZ.
"Long Green	I OZ.	I OZ.	2 OZ.	2 OZ.	4 OZ.
Eggplant Improved New York Purple	pkt	¼ oz.	¼ oz.	½ OZ.	1/2 OZ.
EndiveGreen Curled	pkt.	½ oz.	½ OZ.	I OZ.	I OZ.
Kohlrabi Early White Vienna	pkt.	¼ oz.	1/2 OZ.	I OZ.	I OZ.
Kale Green Curled Scotch	pkt.	I OZ.	I OZ.	I OZ.	I OZ.
Lettuce Early Curled Silesia	pkt.	½ OZ.	½ OZ.	I OZ.	I OZ.
" Early Tennisball	pkt.	½ OZ.	I OZ.	I OZ.	I OZ.
" Large Butter-Head	pkt.	1/2 OZ.	I OZ.	I OZ.	2 OZ.
LeekLarge Flag	pkt.	1/2 OZ.	I OZ.	I OZ.	2 OZ.
Melon Orange Christina.	pkt.	½ OZ.	I OZ.	2 OZ.	4 OZ.
" Rocky Ford (green flesh).	pkt.	I OZ.	I OZ.	2 OZ.	4 oz.
" Mountain Sweet, Water	I OZ.	I OZ.	2 OZ.	4 oz.	4 oz.
Onion Extra-Early Red	½ pt.	I OZ.	2 OZ.	2 OZ.	4 oz.
" White Portugal	½ pt.	I OZ.	2 OZ.	Ž OZ.	4 OZ.
Peas Carter's "First Crop"	ı pt.	ı qt.	2 qts.	2 qts.	2 qts.
" Laxton's Alpha	ı pt.	ı qt.	ı qt.	2 qts.	2 qts.
" McLean's Little Gem	ı pt.	ı qt.	ı qt.	ı qt.	2 qts.
" McLean's Advancer	ı pt.	ı qt.	ı qt.	ı qt.	2 qts.
" Champion of England	ı pt.	ı qt.	2 qts.	2 qts.	2 qts.
Parsley Extra Curled	pkt.	· i oz.	I OZ.	2 OZ.	2 OZ.
Pepper Sweet Mountain	pkt.	¼ oz.	½ OZ.	I OZ.	I OZ.
Parsnip Cup, or Guernsey	I OZ.	· I OZ.	2 OZ.	4 Oz.	8 oz.
Radish Long Scarlet.	pkt.	2 OZ.	2 OZ.	4 oz.	4 Oz.
Radish Long Scarlet. " Red Turnip, or Cherry	pkt.	2 OZ.	4 OZ.	4 OZ.	8 oz.
": Chinese Winter	pkt.	I OZ.	2 OZ.	2 OZ,	2 OZ.
Salsify Long White	½ OZ.	½ OZ.	I OZ.	2 OZ.	4 oz.
Squash Early Bush	I OZ.	I OZ.	2 OZ.	2 0%,	4 OZ.
" Hubbard Winter	I OZ.	I OZ.	2 OZ.	4 oz.	4 oz.
SpinachRound-Leaved	4 OZ.	6 oz.	8 oz.	8 oz.	i lb.
TomatoEarly Red Smooth	pkt.	√2 OZ.	½ OZ.	I OZ.	I OZ.
"The Trophy	pkt.	½ oz.	½ OZ.	I OZ.	I OZ.
Turnip' White Dutch	i oz.	2 OZ.	4 OZ.	8 oz.	8 oz.
"Yellow Stone	I OZ.	2 OZ,	4 oz.	8 oz.	8 oz.

Vegetable Seeds

EXPLANATION OF TERMS

A * denotes leading and most desirable kinds.


A † denotes tender species, which should not be placed in the open ground until settled warm weather.

A ‡ denotes half-hardy sorts, which are subject to risk when frost prevails.

The names printed in smaller Roman type are identically the same, or similar varieties to those immediately preceding, printed in heavy-faced type.

For price-list by the pound, bushel or barrel, see pages 26 to 28.

For New Vegetable Seeds, etc., see pages 5 and 6.



PALMETTO ASPARAGUS.

‡Artichoke

Artichaut, Fr. Artijchocke, Ger. Alcachofa, Sp. Sow early in spring, in deep, rich soil, and when large enough transplant into rows 4 feet apart and 2 feet between the rows. Should

be protected in winter by a covering of litter.

Per oz. Qt.

French, or Green Globe....... \$0 40

Jerusalempk. \$1.50.. \$0 30

Asparagus

Asperge, Fr. Spargel, Ger. Esparrago, Sp. Seeds should be sown in the spring, or roots planted in the spring or autumn.

Palmetto \$0 10 \$0 25

Conover's Colossal. Produces
very large, thick, tender,
luscious stalks in great quantities.... lb. 50 cts... 10 20

ASPARAGUS ROOTS

A saving of one to two years is effected by planting roots. Those offered below are

strong, 2-year-old roots. For private use, the beds should be formed 5 feet wide, with three rows planted in each, one in the middle and one on each side a foot from the edge; distance between the plants in the rows, o inches.

			Per	100	1,0	000
Palmetto.	2 years	old	\$ 0	75	\$6	00
Conover's	Colossal.	2 years old.		75	6	00

Beans

Haricot, Fr. Bohnen, Ger. Frijole nano, Sp.

†DWARF GREEN PODDED

Plant from the middle of April to August for successional crops, in drills 2 inches deep and from 2 to 3 feet apart.

 One quart will plant 100 feet of drill.
 Per qt.
 Pk.

 *Extra-Early Valentine.
 \$0 30 \$1 75

 *Long Yellow Six Weeks.
 30 1 75

 *Early Mohawk
 30 1 75

 Early Longfellow
 35 2 00

 *Extra-Early Refugee
 30 1 75

 *Refugee, or 1,000-to-1
 30 1 75



HENDERSON BUSH LIMA BEAN.



STRINGLESS GREEN POD BEANS.

Dwarf Green-Podded	beans, con		
	Per o		ζ.
White Kidney, or Royal.	\$0 3	o \$1	75
Stringless Green Pod	3	5 2	00
White Marrowfat	2	25 1	25
*Wonder of France Flageolet Improved Green	4	10 2	50
Canadian Wonder		O I	75
Dwarf Horticultural			75
*Burpee's Bush Lima	_		00
Dreer's Bush Lima			00
Henderson Bush Lima	4	10 2	00
WAX-PODDED	VARIE?	FIES	
	Per		k.
*Valentine Wax			k. 75
*Valentine Wax*Yosemite Mammoth Wax	\$0 3	30 \$1	
	\$0 3	30 \$1 30 I	75
*Yosemite Mammoth Wax	\$0 3	30 \$1 30 I	75 75
*Yosemite Mammoth Wax Crystal White Wax	\$0 3	30 \$1 30 I 30 I	75 75 75
*Yosemite Mammoth Wax Crystal White Wax *Black Wax	\$0 3	30 \$1 30 I 30 I 30 2	75 75 75 00
*Yosemite Mammoth Wax Crystal White Wax *Black Wax *Golden Wax Improved	\$0 3	30 \$1 30 I 30 I 30 I 30 I	75 75 75 00 75
*Yosemite Mammoth Wax Crystal White Wax *Black Wax *Golden Wax Improved *Wardwell's Kidney Wax	\$0 3	30 \$1 30 I 30 I 30 2 30 I 30 I	75 75 75 75 00 75 75
*Yosemite Mammoth Wax Crystal White Wax *Black Wax *Golden Wax Improved *Wardwell's Kidney Wax Flageolet Wax	\$0 3	30 \$1 30 I 30 I 30 I 30 I 30 I	75 75 75 00 75 75 75
*Yosemite Mammoth Wax Crystal White Wax *Black Wax *Golden Wax Improved *Wardwell's Kidney Wax Flageolet Wax Refugee Wax	shel, see pa	30 \$1 30 I 30 I 30 2 30 I 30 I 30 I ge 26.	75 75 75 00 75 75 75

Féve de Marais, Fr. Garten Bohnen, Ger. Haba Commun, Sp.

Plant as early as practicable in spring, 4 inches apart and 2 inches deep, in drills 4 feet apart.

		qt.		
*Sword Long Pod	.\$o	30	\$1	50
Long Turkey.	-		.,	~
*Broad Windsor (Taylor's)		30	I	50
Green Mazagan		25	1	25
English Horse Bean.				
Green Nonpareil		25	I	25

+ POLE, or RUNNING BEANS

Haricot à Rames, Fr. Stangen Bohnen, Ger. Frijole Vassago, Sp.

Pole Beans are more tender, and require rather more care in culture than the Bush Beans. They succeed best in a rich, sandy loam.

Plant from the middle of May to July, in hills about 4 feet apart each way.

One quart will plant 150 hills.	
Per qt.	Pk.
*Extra-Early Lima\$0 40	\$2 00
*Dreer's Improved Lima 40	2 00
*Large White Lima 40	2 00
*King of the Garden Lima 40	2 00
Challenger Lima 40	2 00
Early Golden Cluster Wax 40	2 00
*Horticultural, or Wren's Egg 30	I 75
White Dutch Case-Knife 30	I 75
*Mont d'Or, or Golden Butter 40	2 00
Old Homestead40	2 00
Indian Chief (yellow pods) 30 Black German Wax, or Algerian.	I 75
White Dutch Runner 30	I 75
Scarlet-Flowering Runner 30	I 75
Asparagus, or Yard Long 1 00	



ECLIPSE CRIMSON TURNIP BEET.

Beets

Betterave, Fr. Runelrüben, Ger. Remolacha, Sp.

Sow during April for early, May and June for winter use, in drills about 2 inches deep and 16 inches apart.

Per oz.	4 ozs
*Extra-Early Turnip \$0 10 Early Bassano, or Sugar.	\$0 25
*Eclipse Crimson Turnip 10	25
Extra-Early Electric 10	25
Egyptian Blood Turnip 10	25
*Early Blood Turnip 10	25
Dewing's Blood Turnip 10	25
*Edmand's Early Blood Turnip 10	25
Columbia Turnip 10	25
VLong Dark Red	25
*Half-Long Dark, or Pear-Shaped 15	30
Silver Swiss Chard 10	25
Victoria Blood-Red Swiss Chard 15 See Kale Beet, for greens.	30
For prices per lb., see page 26.	

MANGEL=WURZEL AND SUGAR BEETS

Sow in May and June, in rows about 2 feet apart; thin out to 10 inches apart in the rows.

Six to eight pounds to the acre.

	Per 4	ozs.	Lb.
Long Red	. \$ 0	15	\$0 40
*Mammoth Long Red		15	40

	Per 4	ozs.	L	b.
*Norbiton Giant Red	\$o	15	\$ 0	50
Champion Yellow Globe		15		35
*Golden Tankard		15		40
White Imperial Sugar		15		40
White French Sugar		15		40
White Silesian, or Field.		_		

‡ Broccoli

Chou Brocolis, Fr. Brocoli, Spargel-Rohl, Ger. Broculi, Sp.

Sow in May or June. This should be transplanted in July, in rows about 2 feet apart each way.

*Extra-Early White\$0 60 \$2 00

*Early Purple Cape\$0 2 00

White Cape, or Cauliflower\$0 150

Walcheren (true)\$0 150

‡Brussels Sprouts

Chou de Bruxelles, Fr. Grüner Sprossen, Ger. Breton de Bruselas, Sp.

Sow in May, transplant in July; cultivate same as cabbage. This is a perfectly hardy winter vegetable, and one of the best that can be grown. When properly cooked, the small, tender heads melt in the mouth like fine cauliflower.


	Pe	r oz.	40	ZS.
*Improved Dwarf. Tree, or Miniature Cabbage.	\$ 0	25	\$ 0	75
Roseberry, or French		25		75

Burnet

Pimpernelle petite, Fr. Bimpernell, Ger. Pimpinela, Sp.

Sow in rows early in spring. Useful for salads and soups.

Garden. Oz. 25 cts., 4 ozs. 50 cts.



EGYPTIAN BLOOD TURNIP BEET.



SUCCESSION CABBAGE.

‡ Cabbage

Chou pommè ou Cabus, Fr. Ropffohl, Ger. Repello, Sp.

Sow the early varieties in protecting frames in September, or in hotbeds early in the spring; sow late kinds about the middle of May; transplant in July, in fresh, rich ground, in rows about 2½ feet apart, and from 1 to 2 feet apart in the row.

feet apart in the row.		
•	Per oz.	4 ozs
Early York, Or May	\$ 0 2 0	\$0 50
*Early Oxheart French, Heart-Shaped.	20	50
*Early Winnigstadt, or Cone	. 20	50
Early Flat Dutch. Early Summer, or Henderson's.	30	75
*Early Jersey Wakefield Early Nonpareil, Early Becalan.	30	1 00
*Selected All Seasons	25	75
Early Dutch Drumhead	20	50
*Large Late Flat Dutch	25	75
Large Late Drumhead Large Late Brunswick, or Fottler's		75

Pere	oz. 4 ozs
*Henderson's Succession\$0	30 \$1 00
*Autumn King	40 I 00
*Dwarf Early Ulm Savoy	25 75
*Late Drumhead Savoy	25 75
Perfection Curled Savoy	25 75
Large Red Drumhead	25 75
Red Dutch, or Pickling	25 75
Marblehead Mammoth	20 50
Danish Ball Head Winter 2	5 75
Pomeranian, or Felderkraut	20 50
For prices per lb., see page	e 26.


Cardoon

Cardon, Fr. Carbon, Ger.

Sow early in spring, and transplant in trenches of well-manured ground. When full-size, bind the plants together and earth up same as celery.

Large Solid. Oz. 30 cts., 4 ozs. 75 cts.

For Specialties in Vegetable and Flower Seeds, see pages 3, 4, 5 and 6, where the best new and choice old strains of seeds are illustrated and fully described.



EARLY DWARF SNOWBALL CAULIFLOWER.

Carrots

Carotte, Fr. Möhren, Ger. Zanahoria, Sp. Sow in April for early, middle of June for winter use, in drills about 15 inches apart.

winter use, in drins about 13 menes ap	att.
Per oz.	4 ozs
*Extra-Early Forcing \$0 15	\$0 30
Orange Turnip-Rooted.	
*Early Orange Horn (pointed) 15	30
*Half-Long Red (stump-rooted) 15	30
Scarlet Carentan (coreless) 15	30
*Oxheart, or Guerande 15	30
Danvers Orange Intermediate 10	25
*Long Orange 10	25
Long Scarlet, or Surry, Altringham.	Ī
Long White 10	25
Large White Belgian.	
For prices per lb., see page 26.	
84.4	



s a rule early Cauliflower is a very

Choufleur, Fr. Blumentohl, Ger. Coliflor, Sp.

‡Cauliflower

As a rule, early Cauliflower is a very uncertain crop. Seed sown about the middle of May and transplanted early in July is more likely to produce good heads. Sow for early and late, same as cabbage.

Per pkt.	Oz.
*Erfurt Extra-Early Dwarf \$0 50	\$6 oo
Carrara Rock 50	
*Early Dwarf Snowball 25	4 00
Per oz.	4 ozs.
*Extra-Early Paris (fine)\$0 75	\$2 25
Half-Early Paris Nonpareil 60	2 00
*Lenormand's Short-Stemmed 75 Carter's Extra Dwarf Mammoth.	2 25
Early London, or Dutch 40	I 00
Large Late Stadtholder 40	I 00
*Large Algiers (fine late) 75	2 25
Italian, or Autumn Giant 50	I 50

†Chervil

Cerfeuil, Fr. Rerbel, Ger. Perifollo, Sp.

Collard, or Colewort

Chou, Fr. Blätter-Rohl, Ger.

Sow from May to July for succession, in rows a foot apart, and treat same as cabbage. **Georgia-Grown Collards.** Oz. 20 cts., 4 ozs. 50 cts.

Celery


Céleri, Fr. Sellerie, Ger. Apio, Sp.

Sow very early in spring, in moist, rich ground; when the plants are from 4 to 6 inches high transplant into trenches 4 inches deep and 9 inches wide, and 3 feet from trench to trench. Set the plants 6 inches

trenen to trenen. Set the plants	0	mei	162
apart in the rows.	oz.	A. C	ZS.
*Early White Plume			
*Early Dwarf White	25		75
Incomparable Dwarf.			, 0
*Golden Heart, Half-Dwarf	25		75
Golden Self-Blanching	40	1	25
*Perfection Heartwell	25		75
*Boston Market Dwarf White	25		75
*Giant Pascal	25		75
*Fin de Siecle	25		75
Pink Plume	25		75
*Early Dwarf Red	30		75
Dwarf Crimson, Rose-Colored.			
London Large Red	30		75
Turnip-Rooted Celery	25		75
Early Erfurt Celeriac.			
Celery Seed (for flavoring)			
Lb. 60 cts	10		20



GIANT PASCAL CELERY.



VARIETIES OF SWEET CORN.

Sugar Corn

Mais, Fr. Welschforn, Ger. Maiz, Sp.

Plant from the middle of May to July for successional crops, in hills about 3 feet apart. One quart will plant about 200 hills.

EXTRA EARLY

Per qt,	F	k.					
Extra-Early Minnesota\$0 25	\$ 1	00					
Extra-Early Cory 25	1	00					
— Perry's Hybrid 25	I	00					
Dwarf Champion 25	1	00					
*Metropolitan25	I	00					
SECOND EARLY							
Crosby's Early (fine)	I	00					
Triumph Early Sugar 25	I	00					
-Moore's Early Concord 25	1	00					
Potter's Excelsior 25	I	00					
*Squantum	1	00					
Ne Plus Ultra 25	I	00					
GENERAL CROP							
*Stowell's Evergreen 25	I	CO					
*Country Gentleman25	I	00					
Mammoth Sugar (extra fine) 25	I	СО					
Excelsior, Asylum, or Burr's.							
Egyptian, or Washington Market 25	I	00					
Large Eight-Rowed Sugar 25	I	00					
Roslyn Hybrid 25	Ĭ	00					
Black Mexican Sugar 25	1	25					
Per bus.							
Sweet Fodder (best for soiling)							
For prices per bushel, see page	26.						

Bdy



Corn-Salad, or Fetticus

Mâche, Fr. Aderialat, Ger. Canonigos, Sp. Sow in September, in drills ¼ inch deep and 6 inches apart. Manage same as spinach.

											Per	r oz.	4 0	zs.
Small	Seeded									٠.	\$ 0	Io	\$ 0	25
Large	Seeded		٠				•					Io		25



STOWELL'S EVERGREEN CORN. (See page 13.)

POP CORN

Pop, or Parching Qt. 25 cts., 8 qts. \$1.

†FIELD CORN

1
About per bus.
Early Yellow Canada\$1 75
Long White Sanford 1 75
Longfellow (Yellow Flint) 1 75
King Philip (Early, deep yellow) 1 75
Queen of the Prairie (Dent) 1 75
Golden Beauty (Dent) 1 75
We can furnish, also, other Field varieties.



SHORT GREEN CUCUMBER.

†Cucumbers

Concombre, Fr. Gurfen, Ger. Pepino, Sp. Sow for early in hotbeds or frames; open ground from the middle of May to August for successional crops.

	Per oz.	4 ozs.
Extra Early Russian	.\$0 15	\$0 30
❤Early White Spined	15	30
Short Green, or Boston Pickling	. IO	25
Green Prolific, or Pickling	15	30
Early Green Cluster Early Short Prickly, Early Frame	15	30
√Improved Long Green	15	30
♥Everbearing	15	30
√Japan Climbing	20	60
√Long White Spined	15	30
New Jersey Hybrid		



IMPROVED LONG GREEN CUCUMBER.

CUCUMBERS, Continued.

		4 OZS.		
*Tailby's Hybrid\$0	15	\$0 30		
Long Green Turkey	10	25		
W. I. Gherkin, or Burr	20	60		
Cool and Crisp	15	30		
Nichol's Medium Green	10	25		
For prices per lb., see pag	ge 27			

ENGLISH FRAME CUCUMBERS

Per p	kt.
General Grant \$0	25
Telegraph	25
Duke of Edinburgh	25
Giant of Arnstadt	25
Also several other English long varieties	
for forcing; each	25

‡Cress, or Peppergrass

Cresson, Fr. Rreffe, Ger. Mastuerzo, Sp. Sow at short intervals, spring and fall.

*Upland Cress	Per \$0	oz. 50	4 ozs. \$1 50
*Extra Curled		10	25
Australian, or Golden		10	25
True Water Cress	٠.,	50	I 50


†Egg=Plant

Aubergine, Fr. Gierpflanze, Ger. Berengena, Sp.

Sow in hotbed or under glass, early in spring; about the end of May transplant to the open ground.



IMPROVED N. Y. PURPLE EGG-PLANT.



GREEN CURLED SUMMER ENDIVE

Per oz.	4 ozs.
Early Long Purple\$0 30	\$1 00
*Improved New York Purple50 Large Oval Purple, Round Purple.	I 25
*Early Black Pekin 40	
. P	er pkt.
Long White Chinese	\$0 10
Scarlet Chinese	10
Striped, or Guadaloupe	10
White Egg-Shaped	10

‡ Endive

Chicorée-Endive, Fr. Endivie, Ger. Endibia, Sp.

Sow from April to July for succession; transplant in rich ground; manage same as lettuce.

Per oz. 4 ozs.

iettuce.	Per	oz.	4 ozs.
*Green Curled Summer	.\$0	20	\$0 50
White Curled		20	50
French, or Moss Curled		20	50
*Broad-Leaved		20	50
Batavian or Escarolle.			
Brussels Chicory (Witloof)		15	25
Wild (Barbe de Capucin)		15	30
(Chicory, or Succory, per lb.,	\$ 1.		

Garlic

Ail, Fr. Anoblauch, Ger. Ajo, Sp.

Plant early in spring, in rows 10 inches apart and 2 inches deep.

Garlic Sets Lb. 50 cts.



GREEN CURLED SCOTCH KALE.

‡Kale, or Borecole

Chou-vert, Fr. Grüner-Rohl, Ger. Breton, Sp.

Sow spring sprouts during March and April. Sow Curled Siberian Kale during September and October; manage same as spinach. Sow all other kinds from April to June. Manage same as cabbage.

Per	OZ.	4 ozs•
*Green Curled Scotch\$0	15	\$ 0 30
*Dwarf Green Erfurt	15	30
Brown, or Purple-Curled		. 30
*Curled Siberian Lb. 60 cts Hardy German Greens, or Winter Sprou	Io ts.	25
*Striped Garnishing	25	75
Sea Kale (Crambe maritima)	25	75
Spring Sprouts (for greens)		10

‡Kohl-Rabi

(Turnip=Rooted Cabbage)

Chou-rave, Fr. Rohlrabi, Ger. Col de Nabo, Sp.

Sow from March to June for transplanting in succession.

Per oz. 4 ozs.

*Early White Vienna. \$0 30 \$1 00

Early Purple Vienna 30 1 00




DEACON LETTUCE.

‡Lettuce

Laitue, Fr. Lattid, Ger. Lechuga, Sp.

Sow for early in hotbeds; open ground April to June, for succession; transplant in very rich ground. Sow hardy kinds in September, and plant in protecting frames for winter use.

winter use.	Per	oz.	4 ozs.
*German Early Head	.\$0	25	\$ 0 75
*Grand Rapids Forcing		20	50
*Buttercup (fine for forcing)		20	50
*Big Boston (fine for forcing)		20	50
*Simpson's Curled Silesia Early Cut Salad.	• • •	20	50
Black-Seeded Simpson		15	40
*Early Tennisball (fine) Early Boston Market.	•••	20	50
*Golden Stone Head (fine) Yellow-Seeded Butter.		25	75



EARLY TENNISBALL LETTUCE.

*Deacon (solid head) 20	50
Mignonette. Russet color 25	75
Black-Seeded Large Butter 20 Turkish Cabbage, or Russian.	50
*Golden Queen. Forcing 25	75
*D	
Arerpignan, or Summer 20	50
New York Cabbage 20	50
Ice Drumhead (fine) 15	40
Royal Cabbage, or Malta.	
White Summer Cabbage 20	50
Stone Cabbage, or Winter Butter.	
American Gathering 15	40
Victoria Cabbage 15	40
Red-Edged Cabbage.	4-
*Salamander, or Satisfaction 20	50
*All-the-Year-Round 20	50
Hanson's Cabbage 20	50
Shotwell's Brownhead 20	50
Market-Gardeners' Private Stock 20	50
White Paris, or Ice Cos 20	50
Green Paris Cos (Romaine) 20	50
Trianon Self-Closing Cos 20	50
For Prices per lb., see page 27.	



PAUL ROSE MUSKMELON.

Leeks

Poireau, Fr. Lauch, Ger. Puerro, Sp.

Sow very early in the spring in drills 6 inches apart and 1 inch deep. Thin out to 1 inch. When about 6 inches high, transplant them in rows 12 inches apart.

							4 0	
*Large	American	Flag	 	 	\$0	30	\$ 0	75
Large	Carentan	(fine)	 ٠.	 		20		60

Mustard

Sinapis, Lin. Moutarde, Fr. Senf, Ger.

A small pungent salad used with cress; the seed is also used for flavoring pickles, pepper-sauce, etc. Sow in April in rows I foot apart, and thin out to 3 inches apart when 2 inches high.

		4 OZS.
White, or Yellow	\$0 05	\$0 15
Black, or Brown	05	15
Chinese (for salad)	IO	30


†Muskmelons

Meion, Fr. Melonen, Ger. Melon, Sp.


Sow in frames for early; open ground in May and June, in hills 6 feet apart each way.

	Per oz.	4 ozs.
*Rocky Ford (green flesh)	\$0 15	\$0 30
*Early Christina (orange fles	h) 15	30
*Emerald Gem (orange flesh)	T5	20

	oz,	4 ozs.
*Large Nutmeg (green flesh)\$0	15	\$0 30
*Long Island Beauty	15	30
The Banquet (rich salmon)	15	30
*Early Jenny Lind (green flesh)	15	30
Delmonico (large; orange flesh).	15	30
*Improved Hackensack	15	30
Bay View (extra large)	15	30
Surprise (orange flesh)	15	30
Excelsior Nutmeg (green flesh)	15	30
*Golden Perfection (yellow flesh)	15	30
*Paul Rose (rich orange flesh)	15	30
*Golden Netted Gem	15	30
*Montreal Market (green flesh)	15	30
Green Citron (netted)	15	30
Also, English varieties for culture		
in frames per pkt. 20c		



IMPROVED HACKENSACK MUSKMELON.



MAMMOTH IRONCLAD WATERMELON.

†Watermelons

Melon d'Eau, Fr. Wassermelonen, Ger. Sandia, Sp.

Sow in frames for early; open ground May and June, in hills 8 feet apart each way.

	Per oz.	4 ozs.
*Early Mountain Sweet	0 10	\$0 25
Kolb's Gem	. Io	. 25
Icing, or Ice Rind (red flesh) White-Seeded Ice Cream Strawberry	. 10	25
*Black Spanish (red flesh)	. 10	25
*Cole's Early	IO	25
Phinney's Early (red flesh)	. Io	25
*Jordan's Gray Monarch	. 15	30
Flórida Favorite	10	2 5
*Hungarian Honey	. 15	30
*Scaly Bark (crimson flesh)	. 10	25
*Vick's Early (red flesh)	. 15	30
The Volga (red flesh)	. IO	25
Orange (scarlet flesh)	. Io	25
Mammoth Ironclad		25
*Striped Gypsy (fine late)		25
Citron (for preserves)	. Io	25
+Montynia		

†Martynia

Gemsenhorn, Ger.

Sow in May in open ground, 3 feet apart each way.

Craniolaria (for pickles). Oz. 30 cts., 4 ozs. 75 cts.

Mushrooms


Champignon, Fr. Champignonbrut, Ger. Seta, Sp.

English Spawn. Lb. 15 cts., 8 lbs. \$1. French, in boxes of 3 lbs. each, \$1.25.

Printed pamphlets on Mushroom culture sent with all orders for spawn.

‡Nasturtiums

Capucine grande, Fr. Rreffen Indianische, Ger. Maranuela, Sp.




STRIPED GYPSY WATERMELON.



Onions

Oignon, Fr. Zwiebeln, Ger. Cebollo, Sp. Sow seed in rich ground early in spring, in drills I foot apart, and thin to 2 inches apart.

arms r root apart, and time to 2 me	nes apart.
Per	oz. 4 ozs.
Extra-Early Flat Red\$0	25 \$0 75
Large Red Wethersfield	25 75
Large Red Globe	25 75
*Southport White Globe	
Yellow Dutch, or Strasburg	20 50
- *Yellow Danvers, or Globe	
*White Portugal	30 85
New England White Silver Skin	



SOUTHPORT WHITE GLOBE ONION.

LE SEEDS, CRASS SEEDS	10
D •	
Per oz.	
Queen (new early white) \$0 30	so 85
*Prizetaker (straw-color) 30	85
White Italian Tripoli 25	75
Naples Giant Rocco (late) 20	5C
For prices per lb., see page 29.	
A ONION SETS, ETC.	
About per at.	Pk.
ONION SETS, ETC. About, per qt. 80 30 \$	5I 50
*White Onion Sets 30	1 50
Yellow Onion Sets 25	I 50
White Potato Onions 30	I 75
Yellow Potato Onions 30	I 75
Okra	
Gombo, Fr. Effbarer hibiscus, Ger	
Quimbombo, Sp.	
Sow after the middle of May, or ear	ly in
- 1 11 1 1 1	

June, in rich ground, in drills about an inch deep and 3 feet apart; thin out to 8 inches.

	Per oz.	4 ozs.
Dwarf White Velvet	. \$0 10	\$0 25
Early Dwarf Green	10	25
Improved Dwarf Prolific.		
Extra Long Green	10	25



EXTRA LONG GREEN OKRA.

Parsnips

Panais, Fr. Baftinaten, Ger. Pastinaca, Sp, Sow from March to June, in deep, rich soil; thin out to 6 inches apart in the rows.

	Per	OZ.	40	ZE.
*Long White, or Guernsey.	‡ 0	IO	\$0	25
Cup, Hollow-Crowned, or Sugar.				
Sutton's Student		CI		25

Parsley

Persil, Fr. Beterfilie, Ger. Perejil, Sp. Sow from March till June, in drills an inch deep and I foot apart. Per oz. *Curled, or Double.. \$0 10 \$0 25 *Carter's Fern-Leaved 10 25 Hamburg, or Rooted..... 10 25

†Pumpkins


Potiron, Fr. Kürbiffe, Ger. Calabaza, Sp. Sow in May or June, in hills 6 by 8 feet Per oz. *Large Cheese, or Pie \$0 10 West India Mammoth 25 75 Mammoth, or Large Tours..... 20 60 Jonathan. 10 25 Bus. Connecticut Field (grown for stock).....\$0 25 \$4 00

†Peppers

Piment, Fr. Spanischer Pfeffers, Ger. Pimiento, Sp.

Sow in hotbeds in February and March, in open ground in May and June, transplanting to 18 inches apart each way.

		4 ozs.
Squash, or Tomato \$0	25	\$0 75
*Large Bell, or Bull Nose	25	75
*Sweet Spanish (for salad)	25	75
*Sweet Mountain (for mangoes)	25	75



MAMMOTH, OR LARGE TOURS PUMPKIN.



RUBY KING PEPPERS.

	Per	oz.	4 (ozs.
*Celestial				
Red Cherry				00
Small Chili (red; very hot)				00
Long Red Cayenne				СО
Ruby King (for mangoes)			1	00
Golden Dawn				75
For prices per lb see				

Peas


Pois, Fr. Erbsen, Ger. Guisante, Sp.

Plant for early use as early in spring as practicable, and for succession every two or three weeks until July. Plant in single or double rows 3 to 5 feet apart, according to height, and 4 inches deep.

One quart will plant 100 feet of drill. Those marked thus (*) are the wrinkled varieties.

EXTRA-EARLY SORTS

	Ft.	Per qt.	Pk.
Bridgeman's Extra-Early	.21/2.	.\$0 30	\$1 50
Carter's First Crop Sutton's Ringleader, First and			1 50
✓Daniel O'Rourke			1 50
Philadelphia Extra-Early			1 50
Laxton's Alpha (fine)	3	30	1 50
Surprise			2 00
Maska	. 21/2 .	30	1 50
Wott's Excelsior			2 00
Kontish Invicta (fine)	2 1/2.	30	1 50
Gradus (finest-quality)			3 00
Carter's Premium Gem			2 00
Duke of York			1 50
American Wonder			2.00



A ROWFOF NOTT'S EXCELSIOR PEAS.

SECOND EARLY PEAS

	Ft.	Per	qt.	Pl	۲.
Heroine	21/2.	. \$0	30	\$r	50
McLean's Advancer	.21/2.		30	I	50
Shropshire Hero	.3 .		30	I	50
Laxton Fillbasket	.3 .		30	I	50
Horsford's Market-Garden	.21/2.		30	I	50
Dwarf Champion	2 .		30	1	50
Abundance (sow thin)	. I ½		30	1	50
McLean's Little Gem	. I .		40	2	00
McLean's Blue Peter	.ı ·.		30	·I	50
Admiral	. 31/2 .		25	I	50

MAIN CROP AND LATE PEAS

MAIN CROI AND	LA	1 12			YO
		Per	qt.	Pl	ĸ.
Champion of England	.5	\$ 0	25	\$1	25
Yorkshire Hero	3		25	1	25
Ne Plus Ultra	.5		25	I	25
Juno. Large, straight pods	5.2		30	I	50
Everbearing (sow thin)	2 1/2		25	I	25
Pride of the Market	. 2		30	I	50
Carter's Telephone	.5		30	I	50
Culverwell's Telegraph	.4		30	I	50
Carter's Stratagem	. 2		30	I	50
Queen (finest flavor)					50
Blue Imperial	.21/2		25	I.	25
White Marrowfat	• 3		25	I	25
Black-Eyed Marrow	•3		25	1	25
Peruvian Marrow.					

SUGAR PEAS


Ft. Per qt. Pk.

Melting Sugar (edible pods)..5..\$0 30 \$1 75


Wrinkled Sugar (edible pods)..4 ... 40 2 00

Dwarf Sugar (edible pods)...2 ... 40 2 00

Pror prices per bushel, see page 30.



Those marked thus (*) are the wrinkled varieties.



BEAUTY OF HEBRON POTATO.

Potatoes

Pomme de Terre, Fr. Rartoffeln, Ger.

The soil best suited for the Potato is a rich, sandy loam; being a gross feeder, requires a liberal application of manure. Plant as early in the spring as the ground can be thoroughly worked, in rows 3 feet apart and 1 foot in the rows. Our Potatoes are all specially "northern-grown," for seed purposes.

Prices subject to variation.

	Bb1.
2 00	\$4 25
2 00	4 25
2 00	4 25
2 00	4 25
2 CO	4 25
2 25	4 50
2 25	4 50
2 00	4 25
2 00	4 25
2 00	4 25
2 00	4 25
2 00	4 25
2 00	4 25
	er bus. \$2 00 2 00 2 00 2 00 2 00 2 2 5 2 25 2 00 2 00

‡Radishes

Radis, Rave, Fr. Rettige, Ger. Rabanos Rabonitas, Sp.

Sow for successional crops at short intervals, from March till September, in drills an inch deep and a foot apart.

*Scarlet Globe Turnip \$6	15	\$0 30
*Triumph (globe-shaped)	-	30
*French Breakfast (fine)	10	25

*Early Scarlet Turnip (fine)\$0 Red Turnip, or Cherry.	oz. IO	4 ozs. \$0 25
*Early Round Dark Red	10	25
White-Tipped Scarlet Turnip	ю	25
*Golden Olive-Shaped	15	30
Early White Olive-Shaped	10	25
Early Scarlet Olive-Shaped	10	25
*Long Scarlet Short-Top	IO	25
Beckert's Chartier Long Red	10	25
*Golden Globe (fine)	IO	25
Yellow Summer Turnip	IO	25
*White Summer Turnip	ю	25
Long White Icicle (for forcing)	IO	25
Purple Summer Turnip	10	25
*Long Black Spanish	10	25
*Round Black Spanish	10	25
White Spanish, or Fall	15	30
*Scarlet Chinese Winter	IO	25
Long White Naples	10	25
For prices per lb., see page 30.		

To be crisp and tender, Radishes must grow quickly and have plenty of water.



WHITE SUMMER TURNIP RADISH.



LARGE-LEAVED SORREL.

Rhubarb

Rhubarbe, Fr. Mhabarber, Ger. Ruibarbo, Sp.

Sow seed or plant roots in rich ground during April or May.

Per oz. 4 ozs.

Myatt's Victoria	\$ 0	20	\$ 0	50
rie riant, wine riant.	Ea	ch.	Per d	oz.
Roots (large)	\$o	15	\$1	50

Sage

Sauge, Fr. Salbei, Ger.

Sow during the spring.

Common (Salvia officinalis). Oz. 25 cts., 4 ozs., 75 cts.

Salsify, or Oyster Plant

Salsifis, Fr. Bodsbart, Ger. Ostra Vegetal, Sp. Sow from April to June in drills 12 inches apart, and thin out to 6 inches apart in rows.

Per	OZ.	40	zs.
Long White\$0	15	\$ 0	30
Mammoth Sandwich Island	20		50
Scolymus (Salsify Spinach)	25		60

Savory

Bohnenfraut, Ger.

*Summer......\$0 25 \$0 75 Winter......40 1 00

Scorzonera

Scorsonére, Fr. Storzonere, Ger. Escorconera, Sp.

Sow from April till June. Cultivate the same as salsify.

Black Salsify. Oz. 25 cts., 4 ozs. 75 cts.

Skirret

Chervis, Fr. Zuderwurzel, Ger. Cherivia, Sp.

Sow in drills ½-inch deep, a foot apart; thin out to 8 inches in the row. Is eaten like scorzonera or salsify.

Sium Sisarum. Oz. 30 cts., 4 ozs. 75 cts.

Sorrel

Oseille, Fr. Sauerampfer, Ger. Acedera, Sp. Sow in spring in drills 18 inches apart. Cooked precisely like spinach.

	~	A			
			Per	oz.	4 ozs.
*Large-Leaved		Lb. \$1.25	\$0	15	\$0 40
Garden Patien	ce Do	ck		30	60

Swiss Chard

Used as greens; the ribs of the leaves are cooked and served as asparagus. Oz. 10 cts., 4 ozs. 25 cts.

Sweet Marjoram

Marjolaine, Fr. Marjoran, Ger. Sow during the spring.

Sweet. Oz. 30 cts., 4 ozs. \$1.

Spinach

Epinard, Fr. Spinat, Ger. Espinaca, Sp. Sow early in the spring, in very rich ground.

Also during September and October for winter use, in drills 12 inches apart and half an inch deep.

Per 4 ozs.

Lb.

*Round-Leaved\$0	15	\$ 0	40
*Long-Standing			40
Victoria (dark green)	15		40
*Large Viroflay Large Round, Thick-Leaved.	15		40
Savoy-Leaved	15		40
Prickly-Leaved	15		40
New ZealandOz. 15 cts		I	00
Holland, or OrachOz. 20 cts French, or Mountain Spinach.	50	I	СО



NEW ZEALAND SPINACH.



GOLDEN CUSTARD BUSH SQUASH.

†Squashes

Courge, Fr. Kürbiğ, Ger. Calabozo, Tontanero, Sp.

Sow in hills from the middle of April till the last of June. Bush kinds about 4 feet apart, other kinds 8 feet apart.

· 1	Per	oz.	4 075.
*Early White Bush	\$о	10	\$0 25
Scallop, or Pattypan.			
Long Island White Bush		10	25
Silver Custard Bush		10	25
Early Golden Bush		IO	25
*Summer Crookneck Bush		IO	25
Golden Custard Bush		10	25
Early Orange Marrow		10	25
Boston Marrow		15	30
*Hubbard, or Winter		15	30
Pike's Peak		10	25
Marblehead Marrow		10	25
*Essex Hybrid		IO	25
*Winter Crookneck		15	30
*Delicata		15	30
Fordhook (Long Keeper)		10	25
*Perfect Gem (Late-Running)		10	25
Butman (Winter)		10	25
English Vegetable Marrow		20	50
Mammoth Chili (extra size)		20	50
Patagonia			_
Seven Years' Custard, or Butter.	• •	20	50
Bay State (winter sort)		IO	25
For prices per lb., see pag			

Thyme

Thym, Fr. Thymian, Ger.

Sow during the spring.	Per	oz.	4 0	zs.
*English				
French (small-leaved)		40	I	25

†Tomatoes

(Love-Apples)

Tomate, Fr. Liebesapfel, Ger. Tomate, Sp.

Sow in hotbeds for early; open ground, April and May; transplant in rows 3 or 4 feet apart. Per oz. 4 ozs *Ponderosa \$0 50 \$1 25 *Livingston's Perfection 25 *Freedom (bright scarlet) 25 7.5 The Lorillard 25 Crimson Cushion (extra large) ... 50 I 25 *Mikado (early, large, red) 25 Turner's Hybrid. *The Trophy (selected). 25 75 *Dwarf Champion 25 75 *Acme (smooth, dark red) 25 75 Livingston's Beauty..... 25 75 *Livingston's Favorite 25 75 *Early Ruby (dwarf, compact).... 25 75 Red Cherry, or Gem..... 25 75 Large Golden Yellow 30 75 Red Pear-Shaped, or Fig. 25 75 Yellow Plum 30 75 *Cardinal (brilliant red) 25 75 *Stone (very large scarlet) 25 75 *Table Queen (rich crimson)..... 25 Sutton's Best of All..... 50 I 25

Tobacco Seed

75

Strawberry, or Winter..... 30

For prices per lb., see page 30.

(Nicotiana tabacum)

	Per	OZ.	40	zs.
Connecticut Seed-Leaf	 .\$0	30	\$ 1	00
Imported Havana	 	50	I	50



LIVINGSTON'S BEAUTY TOMATO.



EARLY FLAT DUTCH AND RED TOP STRAP-LEAVED TURNIPS

Turnips

Navet, Fr. Rüben, Ger. Nabo commun, Sp. All varieties 10 cents per ounce.

season.		Per	ozs.		Lb
*Extra-Early	Milan	\$0	25	\$0	75
Early Flat D White Stra	utchp-Leaved.	••••	20		50
Early White Early Snow	Stone		20		60

	Per 4	ozs.	L	b.
Early Purple Top Munich	.\$o	20	\$0	50
Early Yellow Teltow		25		75
Small Berlin, or Marrow.				, ,
*Red Top Strap-Leaved		20		50
Red Top White Globe :		20		50
*White Egg-Shaped (fine late) .		20		50
*Yellow Stone, or Globe		20		50
Yellow Aberdeen		20		50
Scotch Yellow.				
*Robinson's Golden Ball		20		50
Orange Jelly.				
White French, or Rock		20		50
Russian, Hanover, Sweet German.				
*Purple Top Rutabaga		20		50
Improved Yellow Swede, or Russi	an.			
White Rutabaga		20		50
White Swede. or Russia.				
Long White, or Cow Horn		20		50

Sweet, Pot and Medicinal Herbs

Per packet, 5 to 10 cents.

Sow under glass early in spring; about the end of May transplant to open ground.

Per oz.		Per oz.
Anise (Pimpinella Anisum) \$0 15	Hoarhound (Marrubium)	\$0 30
Basil, Sweet (Ocymum bascilicum) 40	Hyssop (Hyssopus officinalis)	30
Borage (Borago officinalis). For bees 20	Lavender (Lavendula spica)	30
Balm (Melissa officinalis) 40	Marjoram, Sweet (Origanum)	30
Bene. For dysenterylb. \$1.25 20	Rue (Ruta graveolens)	20
Coriander (Coriandrum sativum) 15	Rosemary (Rosemarinus officinalis)	50
Castor Oil Plant (Ricinus)lb. 50c 10	Saffron (Carthamus)	15
Caraway (Carum carui) 15	Sage, Common (Salvia officinalis)	25
Catnip (Nepeta cataria) 40	Savory, Summer (Satureja hortensis)	25
Dandelion (Leontodon taraxacum) 40	Savory, Winter (Satureja montana)	40
Dill (Anethum graveolens) lb. \$1 15	Tansy (Tanacetum vulgaris)	. 50
Eucalyptus, or Fever Plant 35	Thyme, English (Thymus vulgaris)	50
Fennel, Sweet (Anethum) 15	Thyme, French	40
Hop Seed (Humulus) 50	Wormwood (Artemisia absinthium)	30

GRASS AND CLOVER SEEDS AND OTHER IMPORTANT REQUISITES

Grass Seeds About,	About, per bus.
Timothy. 45 lbs. to bus	English Rye Grass. 24 lbs. to bus\$2 00
Phleum pratense.	Wood Meadow Grass. 14 lbs. to bus 5 00
Creeping Bent Grass. 15 lbs. to bus 4 50 Agrostis stolonifera.	Poa nemoralis.
Red Top Grass. 14 lbs. to bus 1 75	Kentucky Blue. Best excleaned; 14 lbs. 2 00
" " Exrecleaned; 32 lbs 6 00	Central Park Lawn Grass. 15 lbs. to bus. 3 50 Extra Finest Mixed Lawn Grass. 15 lbs 4 50
Agrostis vulgaris.	Golf Link Mixture. 20 lbs. to bus 3 50
Rhode Island Bent Grass. 14 lbs. to bus 4 50 Agrostis canina.	Putting Green Mixture. 24 lb. to bus 5 00
Sweet Vernal Grasslb. 75 cts. Anthoxanthum odoratum.	Permanent Pasture Grass. 14 lbs. to bus. 3 75
Meadow Fescue. 22 lbs. to bus 3 50 Festuca pratensis.	Clovers
Meadow Fox-Tail Grass. 7 lbs. to bus 2 75 Alopecurus pratensis.	Red Clover. Price variable\$0 20
Tall Meadow Oat Grass. 10 lbs. to bus 2 50	White Clover. " " 40
Avena elatior.	Crimson Clover. 15 lbs. per acre 12
Orchard Grass. Choice; 14 lbs. to bus 3 00 Dactylis glomerata.	Trifolium incarnatum.
Sheep's Fescue Grass. 12 lbs. to bus 3 00	Yellow Clover, or Trefoil
Festuca ovina. Hungarian Grass. 48 lbs. to bus. Market price.	Alsike Clover, or Swedish
Panicum Germanicum.	Bokhara Clover 30
Red or Creeping Fescue. 14 lbs. to bus. 3 50 Festuca rubra.	
Italian Rye Grass. 18 lbs. to bus 2 00	Bird Seeds, Etc.
Lolium Italicum.	Canary (best Sicily) \$0 20 \$4 00
	Mixed Bird Seed
	Hemp Seed 10 2 00
	White Millet
	White Millet. 30 4 00 Yellow Millet. 15 3 00
	White Millet. 30 4 00 Yellow Millet. 15 3 co English Rape (large-seeded) 20 4 00
	White Millet. 30 4 00 Yellow Millet. 15 3 co English Rape (large-seeded) 20 4 00 German Rape (small-seeded) 20 4 00
	White Millet. 30 4 00 Yellow Millet. 15 3 00 English Rape (large-seeded) 20 4 00 German Rape (small-seeded) 20 4 00 Sunflower 10 2 50
	White Millet. 30 4 00 Yellow Millet. 15 3 co English Rape (large-seeded) 20 4 00 German Rape (small-seeded) 20 4 00 Sunflower 10 2 50 Bird Gravel (for cages) 10 2 00
	White Millet. 30 4 00 Yellow Millet. 15 3 00 English Rape (large-seeded) 20 4 00 German Rape (small-seeded) 20 4 00 Sunflower 10 2 50 Bird Gravel (for cages) 10 2 00
	White Millet. 30 4 00 Yellow Millet. 15 3 co English Rape (large-seeded) 20 4 00 German Rape (small-seeded) 20 4 00 Sunflower 10 2 50 Bird Gravel (for cages) 10 2 00 Rough Rice 15 3 50 Maw, or Poppy 1b. 30 cts 30 Bird Lettuce 1b. 50 cts 30
	White Millet. 30 4 00 Yellow Millet. 15 3 co English Rape (large-seeded) 20 4 00 German Rape (small-seeded) 20 4 00 Sunflower 10 2 50 Bird Gravel (for cages) 10 2 00 Rough Rice 15 3 50 Maw, or Poppy 1b. 30 cts 30 Bird Lettuce 1b. 50 cts 15 Imperial Egg Food 1b. 50 cts 10
	White Millet. 30 4 00 Yellow Millet. 15 3 co English Rape (large-seeded) 20 4 00 German Rape (small-seeded) 20 4 00 Sunflower 10 2 50 Bird Gravel (for cages) 10 2 00 Rough Rice 15 3 50 Maw, or Poppy 1b. 30 cts 30 Bird Lettuce 1b. 50 cts 15 Imperial Egg Food 1b. 50 cts 10 Mocking Bird Food bottle 40 cts 10
	White Millet. 30 4 00 Yellow Millet. 15 3 co English Rape (large-seeded) 20 4 00 German Rape (small-seeded) 20 4 00 Sunflower 10 2 50 Bird Gravel (for cages) 10 2 00 Rough Rice 15 3 50 Maw, or Poppy 1b. 30 cts 30 Bird Lettuce 1b. 50 cts 10 Imperial Egg Food 1b. 50 cts 10 Mocking Bird Food 10 bottle 40 cts 10 Song Restorer 10 bottle 25 cts 10
	White Millet. 30 4 00 Yellow Millet. 15 3 co English Rape (large-seeded) 20 4 00 German Rape (small-seeded) 20 4 00 Sunflower 10 2 50 Bird Gravel (for cages) 10 2 00 Rough Rice 15 3 50 Maw, or Poppy 1b. 30 cts 30 Bird Lettuce 1b. 50 cts 15 Imperial Egg Food 1b. 50 cts 10 Mocking Bird Food bottle 40 cts 10
	White Millet. 30 4 00 Yellow Millet. 15 3 co English Rape (large-seeded) 20 4 00 German Rape (small-seeded) 20 4 00 Sunflower 10 2 50 Bird Gravel (for cages) 10 2 00 Rough Rice 15 3 50 Maw, or Poppy 1b 30 cts. Bird Lettuce 1b 50 cts. Imperial Egg Food 1b 50 cts. Mocking Bird Food bottle 40 cts. Song Restorer. bottle 25 cts. Prices variable.
	White Millet. 30 4 00 Yellow Millet. 15 3 co English Rape (large-seeded) 20 4 00 German Rape (small-seeded) 20 4 00 Sunllower 10 2 50 Bird Gravel (for cages) 10 2 00 Rough Rice 15 3 50 Maw, or Poppy 1b. 30 cts 15 Bird Lettuce 1b. 50 cts 15 Imperial Egg Food 1b. 50 cts 10 Mocking Bird Food bottle 40 cts 10 Song Restorer bottle 25 cts 10 Fruit Seeds Per Ib
	White Millet. 30 4 00 Yellow Millet. 15 3 co English Rape (large-seeded) 20 4 00 German Rape (small-seeded) 20 4 00 Sunllower 10 2 50 Bird Gravel (for cages) 10 2 00 Rough Rice 15 3 50 Maw, or Poppy 1b 30 cts. Bird Lettuce 1b 50 cts. Imperial Egg Food 1b 50 cts. Mocking Bird Food bottle 40 cts. Song Restorer bottle 25 cts. Fruit Seeds Apple Seed 50 30 Cherry Pits, Mahaleb 30
	White Millet. 30 4 00 Yellow Millet. 15 3 co English Rape (large-seeded) 20 4 00 German Rape (small-seeded) 20 4 00 Sunflower 10 2 50 Bird Gravel (for cages) 10 2 00 Rough Rice 15 3 50 Maw, or Poppy 1b. 30 cts 15 Bird Lettuce 1b. 50 cts 15 Imperial Egg Food 1b. 50 cts 10 Mocking Bird Food bottle 40 cts 25 cts Song Restorer bottle 25 cts 25 cts Prices variable \$0 30 Cherry Pits, Mahaleb 30 30 Pear Seed 1 50
	White Millet. 30 4 00 Yellow Millet. 15 3 co English Rape (large-seeded) 20 4 00 German Rape (small-seeded) 20 4 00 Sunflower 10 2 50 Bird Gravel (for cages) 10 2 00 Rough Rice 15 3 50 Maw, or Poppy lb 30 cts Bird Lettuce lb 50 cts Imperial Egg Food lb 50 cts Mocking Bird Food bottle 40 cts cts Song Restorer bottle 25 cts cts Prices variable \$0 30 Cherry Pits, Mahaleb 30 Pear Seed 1 50 Quince Seed 1 50
	White Millet. 30 4 00 Yellow Millet. 15 3 co English Rape (large-seeded) 20 4 00 German Rape (small-seeded) 20 4 00 Sunflower 10 2 50 Bird Gravel (for cages) 10 2 00 Rough Rice 15 3 50 Maw, or Poppy 1b 30 cts. Bird Lettuce 1b 50 cts. Imperial Egg Food 1b 50 cts. Mocking Bird Food bottle 40 cts. Song Restorer bottle 25 cts. Prices variable. Fruit Seeds Apple Seed 5 30 Cherry Pits, Mahaleb 30 Pear Seed 1 50 Quince Seed 1 50
	White Millet. 30 4 90 Yellow Millet. 15 3 co English Rape (large-seeded) 20 4 90 German Rape (small-seeded) 20 4 90 Sunflower 10 2 50 Bird Gravel (for cages) 10 2 90 Rough Rice 15 3 50 Maw, or Poppy 1b 30 cts Bird Lettuce 1b 50 cts Imperial Egg Food 1b 50 cts Mocking Bird Food bottle 40 cts cts Song Restorer bottle 25 cts cts Per Ib \$0 30 Cherry Pits, Mahaleb 30 no Pear Seed 1 50 Quince Seed 1 50

LUCERNE, OF ALFALFA CLOVER.

Various Seeds	Fertilizers
Per qt. Bus.	Superphosphate of Lime
Flax Seed \$0 25 \$3 50	Ground Bone
Sunflower 10 2 50	Pure Ground Bone 35 00
Broom Corn	Potato Fertilizer 38 00
Vetches. For pigeons, etc 20 2 75	Sheep Manure (pulverized) 30 00
Dwarf Essex Rape	Nitrate of Soda100 lbs. \$3.75
Chinese Sugar Cane\$0 25	\$5.75
Yellow Locust (Robinia) 50	Round Seed, or Lily Pans
Honey Locust 50	Height. Width. Per doz.
Osage Orange (Maclura) 50	4 x 6 inches \$1 00
Wheat, Rye, Oats, Barley and Buckwheat; also	5 x 8 " 1 50
Tree, Shrub and Fruit Trees, supplied to order.	5 X 10 " 2 25 5 X 12 " 2 50
200, 02102 200 200 200 200 200 200 200 200 2	5 X 12
Insecticides	Standard Flower Pots
Bordeaux Mixture. For all fungoid diseases,	Per 100 1,000
such as mildew and various rots of grapes,	2½-inch Thumb \$0 80 \$6 50 3- ' Gill 9 00
etc. 1 qt. 50 cts	3- "Gill 1 25 9 00 4- "Half-pint 1 75 15 00
Kerosene Emulsion. For plant-lice of any	5- " Pint 2 75 25 00
kind, cabbage worms, scale insects on	6- " Quart 4 00 40 00
apple, pear, orange and other trees. I qt.	7- " Three-pint 6 50 60 00 8- " Half-gallon 9 00
50 cts., gal. \$1.50.	8- " Half-gallon 9 00 9- " Gallon 14 50
Lime, Sulphur and Salt Solution. For San	10- " Two-gallon20 00
José scale. Lime, sulphur and salt is the latest remedy found by the various state	
experimental stations to be the best yet	Wanting Items 1 Danks
tried for the destruction of the San José	Horticultural Books
scale. One gallon of the mixture (concentrated) will make from so to to gallons by	American Farm (revised). Allen\$2 00
trated) will make from 20 to 40 gallons by simply adding water. If it is desired to	American Fruit Culture. Thomas 2 50
put it on hot, this may be done by putting	Asparagus Culture. Barnes & Robinson. 50 Bulbs and Tuberous-rooted Plants.
the mixture in the barrel and pouring hot	Allen 1 50
water upon it. It must be used with a pump that has a good agitator, as the	House Plants and How to Succeed 1 50
ingredients are heavy and settle very	Fruit Garden. Barry
quickly. Qt. 50 cts., gal. \$1.25.	Gardening for Pleasure. Henderson. 1 50
Weed Exterminator. Reade. One single dress-	Gardening for Profit. Henderson 2 00
ing done according to directions will keep	Grape Grower's Guide. Foreign.
gutters, paths and roadways clear of weeds,	Charlton
poison ivy, grasses, mosses, dandelions, burdocks, etc., for two full years or more.	Grape Culturist. Fuller
Qt. 50 cts., gal. \$1.50.	Horticulturist's Rule Book. Bailey 75
Slug-Shot 5 lbs. 30c., 10 lbs. \$0 50	How Crops Grow. Johnson 2 00
Fir Tree 0ilpt. 75 cts., qt. \$1.25, gal. 4 00	Money in the Garden. Quinn 1 00 Mushrooms: How to Grow Them.
Nicotinept. 1 50	Falconer 1 00
Lemon Oil. For all insects and scales.	Practical Forestry, Fuller 1 50
••••• qt. 75	Practical Floriculture. Henderson I 50
Sulpho-Tobacco Soap8-oz. cake 20	Rose, Treatise on the. Ellwanger I 25 Success With House Plants I oo
Bug Death lb. 15 cts., 3 lbs. 50	Small Fruit Culturist. Fuller 1 00
Flowers of Sulphur " 10	The Forcing-Book. Complete instruc-
Pure Paris Green " 30	tions for all forcing operations. Bailey. 1 00
Hellebore. For all insects " 30	The Nursery Book. A Complete Guide to Multiplication of Plants. Bailey 1 oo
Whale-Oil Soap	The Principles of Fruit Growing.
Gishurst's Compound. For greenfly, mil-	Bailey. Illustrated, 508 pages 1 25
dew, thrip, mealy bug and scalebox 60	Violet Culture. Galloway 1 50
Tobacco Stems	Window Gardening. Heinrich 75 Water Garden. Tricker 2 co
Tobacco Dustlb. 10	New publications not listed supplied to order
Tobacco Whale-Oil Soapcake 25	at publisher's prices

Vegetable Seeds, Etc.

BY POUND, BUSHEL OR BARREL

Orders for less than Half Bushels and Half Pounds are liable to somewhat higher rates

Bush Beans	Cabbage Per lb.
Per bus.	Per lb.
Burpee's Bush Lima \$7 00	Early York, or May \$1 50 Large Early Oxheart 1 50
Dreer's Bush Lima 7 00 Extra-Early Valentine 6 00	Early Flat Dutch, or Summer 2 50
Long Yellow Six Weeks 6 00	Early Jersey Wakefield 3 00
Early Mohawk	All-Seasons 2 50
Early Longfellow 7 00	Henderson's Succession 3 00
Early Longfellow	Autumn King 3 00
Canadian Wonder 7 00	Early Winnigstadt 1 50
Wonder of France 8 00	Early Dutch, or Drumhead 1 50
White Kidney, or Royal 6 oo Green Pod Stringless 7 oo	Large Late Drumhead 2 50
White Marrowfat	Premium Late Flat Dutch 2 50 Dwarf Early Ulm Savoy 2 00
Dwarf Horticultural	Large Late Drumhead Savoy 2 00
Valentine Wax 6 50	Red Dutch, or Pickling 2 50
Flageolet Wax 6 50	
Yosemite Mammoth Wax 6 50	Carrots Per lb.
Black Wax 7 00	Per lb.
Crystal White Wax 7 00	Entitle Edity 1 of one growth to the transfer of
Refugee Wax 6 50 Golden Wax Improved 6 50	Scarlet Carentan (coreless) 1 00
Wardwell's Kidney Wax 6 50	Oxheart, or Guerande 1 00
Waldwell Sizidiley Wax	Early Orange Horn (pointed) I oo
Pole, or Running Beans	Half-Long Red Orange (stump-rooted). 1 00 Danvers Orange (true). 80
	Improved Long Orange 75
Per bus. Extra-Early Lima	75
Dreer's Improved Lima	Celery
Large White Lima (extra size) 7 00	Per lb.
King of the Garden Lima 7 00	Early Dwarf White\$2 50
Challenger Lima. 7 00	Early White Plume 3 00
Early Golden Cluster Wax 7 00	Boston Market Dwarf White 2 50
Horticultural, or Wren's Egg 6 50 White Dutch Case-Knife 6 50	Perfection Heartwell 2 50 Giant Pascal 2 00
Mont d'Or, or Golden Butter 7 co	Pink Plume 3 00
Giant Red Wax 7 00	Golden Heart Half Dwarf 2 50
Indian Chief (with vellow pods) 7 00	Fin de Siècle 2 50
White Dutch Runner 6 oo	Golden Self-Blanching 4 00
Scarlet Flowering Runner 6 50	Early Dwarf Red 2 50
	Turnip-Rooted Celery (Erfurt) 2 00
Beets	
Extra-Early Turnip	Chervil
Eclipse Crimson Turnip	Curled, or Double\$1 00
Early Blood Turnip 60	Curled, or Double
Egyptian Blood Turnip 60	
Dewing's Blood Turnip 60 Edmand's Early Blood Turnip 60	Sugar Corn
Edmand's Early Blood Turnip 60	Per bus.
Long Dark Red	Extra-Early Minnesota
Columbia Turnip	Perry's Hybrid 3 50
Silver Swiss Chard 75	Crosby's Early 3 50
Victoria Blood-Red Swiss Chard 75	Squantum 3 50
	Ne Plus Ultra 3 50
Cauliflower	Triumph Early 3 50
Fytra-Farly Paris #2 22	Country Gentleman 3 50
Extra-Early Paris	Large Sweet, or Sugar
Large Late Algiers 0 00	Egyptian, or Washington Market 3 50
Large Late Algiers	Mammoth Sugar (extra fine) 3 50
Early London, or Dutch 4 00	Sweet Fodder (best for soiling) 3 00

Corn Salad, or Fetticus	Muskmelons
Round-leaved Small-seeded\$0 75	Rocky Ford (green flesh) \$1 00
Round-leaved Large-seeded 75	Early Orange Christina (orange flesh) . 1 oo
Cress, or Pepper Grass	Large Nutmeg (green flesh) 1 00 Delmonico (large; orange flesh) 1 00
Per lb.	Improved Hackensack I oo
Extra Curled \$6 60 Australian, or Golden 60	Green Citron (netted) I oo
_	Bay View (extra large)
Cucumbers Per lb.	Montreal Market
Extra-Early Russian\$1 00	Long Island Beauty 1 00
Early White-Spined (pickling) 1 oo Early Green Cluster 1 oo	Watermelons
Early Short Green I oo	Early Mountain Sweet
Improved Long Green I oo Green Prolific (pickling) I oo	Icing, or Ice Rind (white-seeded) 75
Long White-Spined 1 oo	Phinney's Early 75 Striped Gipsy, or Jackson 75
Everbearing . I oo Tailby's Hybrid . I oo	Black Spanish 75
Nichol's Medium Green 1 00	Jordan's Gray Monarch 75
	Scaly Bark 75 Mammoth Ironclad. 75
Eggplants Per lb.	
Early Long Purple \$2 50 Improved New York Purple 4 50	Mustard Per lb.
Early Black Pekin 4 00	White, or Yellow\$0 40
Endive	Black, or Brown 40
Per lb.	Nasturtiums
Green Curled Summer	Tall (Indian Cress) Per lb. \$1 50
White Curled I 50 French, or Moss Curled I 50	Dwarf (Indian Cress)
Broad Leaved <u>I</u> 50 Wild, for flavoring coffee I oo	Okra
That, for havoring concess several 1 oc	Per lb. Early Dwarf Green\$0 75
Kale . Per lb.	Extra Long Green
Green Curled Scotch\$o 75	Dwarf White Velvet 75
Brown, or Purple Curled 1 00 Hardy Curled Siberian (Winter sprouts) 60	Onions
Spring Sprouts (English)	Prices may vary as the season advances.
Kohlrabi	Extra-Early Flat Red\$2 50
Per Ib.	Large Red Wethersfield
Early White Vienna	Large Red Globe 2 50
Daily Larpie Vicinia	White Portugal
Leeks Per 1b.	Prize Taker (straw-color) 3 00
Large American Flag, or Scotch \$2 00	Yellow Dutch, or Strasburg 2 00 Yellow Danvers, or Globe 2 00
Large Carentan 2 00	·
Lettuce	Parsley Per lb.
Buttercup (fine for forcing) \$1 50	Curled, or Double \$0 75
Big Boston (fine for forcing) 1 75	Champion Moss Curled (extra)
German Early Head 2 co Golden Stone Head (fine) 1 50	Hamburg, or Rooted
Grand Rapids Forcing 1 50	Parsnips
Simpson's Curled Silesia 1 25	Per lb.
Ice Drumhead, or Malta Early Tennisball, or Boston Market 1 25	Long White, or Guernsey\$0 60 Sutton's Student 60
Black-seeded Large Butter 1 25	Sutton's Student
Perpignan Head, or Summer 1 25 Salamander, or Satisfaction 1 50	Peppers Per lb.
White Summer Cabbage 1 50	Large Squash, or Tomato\$2 50
Deacon (solid head) 1 50	Large Bell, or Bull Nose 2 50
White Paris, or Ice Cos.	Sweet Spanish (for salad) 2 50 Sweet Mountain (for mangoes) 2 50
Green Paris Cos (Romaine) 1 50	Long Red Cayenne 2 50

Peas.	Per lb.
Per bus.	Early Scarlet Turnip\$9 75
Bridgeman's Extra Early \$6 00	Early Round Dark Red 75
Carter's First Crop	White-tipped Scarlet
Philadelphia Extra-Early 6 00	Golden Ölive-shaped
Bliss' Everbearing 4 50	Early Scarlet Olive-shaped
Alaska 5 00	Long Scarlet Short Top 75
Carter's Premium Gem 7 00	Beckert's Chartier Long Red
Laxton's Fillbasket 5 50	Golden Globe (fine)
Horsford's Market-Garden 5 50	Yellow Summer Turnip 60
Dwarf Champion 5 oo	White Summer Turnip 75
Abundance (sow thin) 5 oo	Purple Summer Turnip 60
Pride of the Market 6 oo	Long Black Spanish 75
Yorkshire Hero 4 50	Round Black Spanish 75
Kentish Invicta 5 oo	White Spanish, or Fall
McLean's Advancer 5 50	Scarlet Chinese Winter 75
Laxton's Alpha 5 50	
McLean's Little Gem 7 00	Salsify, or Oyster Plant
American Wonder 7 00	Per lb.
Carter's Telephone	Long White\$1 00
Carter's Stratagem 5 50	Mammoth Sandwich Island I 50
Heroine 5 50	Long Black (Scorzonera) 1 50
Queen (finest flavor) 5.50	0
Nott's Excelsior 7 00	Squashes Per lb.
Dwarf Blue Imperial 4 00	Early White Bush\$0 75
Champion of England 5 oo	Silver Custard Bush
This is the state of the state	
Black-Eyed Marrowfat 4 oo	Early Golden Bush 75
White Marrowfat	Early Golden Bush 75 Summer Crookneck 75
White Marrowfat4 00	Summer Crookneck 75 Boston Marrow 75
White Marrowfat	Summer Crookneck 75 Boston Marrow 75 Hubbard, or Winter 75
White Marrowfat 4 oo Pumpkins	Summer Crookneck 75 Boston Marrow 75 Hubbard, or Winter 75 Essex Hybrid, or Winter 75
Pumpkins 4 00 Pumpkins Per lb. Large Cheese, or Pie. \$6 60	Summer Crookneck 75 Boston Marrow 75 Hubbard, or Winter 75 Essex Hybrid, or Winter 75 Marblehead Marrow 75
Pumpkins 4 ∞ Pumpkins Per lb. Large Cheese, or Pie. \$0 60 Mammoth, or Large Tours 1 ∞	Summer Crookneck 75 Boston Marrow 75 Hubbard, or Winter 75 Essex Hybrid, or Winter 75 Marblehead Marrow 75 Perfect Gem. 75
Pumpkins 4 00 Pumpkins Per lb. Large Cheese, or Pie. \$6 60	Summer Crookneck 75 Boston Marrow 75 Hubbard, or Winter 75 Essex Hybrid, or Winter 75 Marblehead Marrow 75 Perfect Gem. 75 Winter Crookneck 75
Pumpkins 4 ∞ Pumpkins Per lb. Large Cheese, or Pie. \$0 60 Mammoth, or Large Tours 1 ∞	Summer Crookneck 75 Boston Marrow 75 Hubbard, or Winter 75 Essex Hybrid, or Winter 75 Marblehead Marrow 75 Perfect Gem 75 Winter Crookneck 75 Mammoth Chili (extra size) 1 50
Pumpkins 4 00 Pumpkins Per lb. Large Cheese, or Pie. \$0 60 Mammoth, or Large Tours 1 00 Connecticut Field. per bus. \$4	Summer Crookneck 75 Boston Marrow 75 Hubbard, or Winter 75 Essex Hybrid, or Winter 75 Marblehead Marrow 75 Perfect Gem. 75 Winter Crookneck 75
White Marrowfat	Summer Crookneck 75 Boston Marrow 75 Hubbard, or Winter 75 Essex Hybrid, or Winter 75 Marblehead Marrow 75 Perfect Gem 75 Winter Crookneck 75 Mammoth Chili (extra size) 1 50 English Vegetable Marrow 75
## White Marrowfat	Summer Crookneck 75 Boston Marrow 75 Hubbard, or Winter 75 Essex Hybrid, or Winter 75 Marblehead Marrow 75 Perfect Gem. 75 Winter Crookneck 75 Mammoth Chili (extra size) 1 50 English Vegetable Marrow 75
## White Marrowfat	Summer Crookneck 75 Boston Marrow 75 Hubbard, or Winter 75 Essex Hybrid, or Winter 75 Marblehead Marrow 75 Perfect Gem. 75 Winter Crookneck 75 Mammoth Chili (extra size) 1 50 English Vegetable Marrow 75 Tomatoes
## White Marrowfat	Summer Crookneck 75 Boston Marrow 75 Hubbard, or Winter 75 Essex Hybrid, or Winter 75 Marblehead Marrow 75 Perfect Gem. 75 Winter Crookneck 75 Mammoth Chili (extra size) 1 50 English Vegetable Marrow 75
## Pumpkins Pumpkins	Summer Crookneck 75 Boston Marrow 75 Hubbard, or Winter 75 Essex Hybrid, or Winter 75 Marblehead Marrow 75 Perfect Gem. 75 Winter Crookneck 75 Mammoth Chili (extra size) 1 50 English Vegetable Marrow 75 Tomatoes Livingston's Perfection \$2 50
## Pumpkins Pumpkins	Summer Crookneck 75 Boston Marrow 75 Hubbard, or Winter 75 Essex Hybrid, or Winter 75 Marblehead Marrow 75 Perfect Gem. 75 Winter Crookneck 75 Mammoth Chili (extra size) 1 50 English Vegetable Marrow 75 Tomatoes Livingston's Perfection \$2 50 Crimson Cushion 4 00 Acme (smooth, dark red) 2 50 Ponderosa 4 00
## White Marrowfat	Summer Crookneck 75 Boston Marrow 75 Hubbard, or Winter 75 Essex Hybrid, or Winter 75 Marblehead Marrow 75 Perfect Gem. 75 Winter Crookneck 75 Mammoth Chili (extra size) 1 50 English Vegetable Marrow 75 Tomatoes Livingston's Perfection \$2 50 Crimson Cushion 4 00 Acme (smooth, dark red) 2 50 Ponderosa 4 00 The Lorillard 2 50
## White Marrowfat 4 00 Pumpkins	Summer Crookneck 75 Boston Marrow 75 Hubbard, or Winter 75 Essex Hybrid, or Winter 75 Marblehead Marrow 75 Perfect Gem. 75 Winter Crookneck 75 Mammoth Chili (extra size) 1 50 English Vegetable Marrow 75 Tomatoes Livingston's Perfection \$2 50 Crimson Cushion 4 00 Acme (smooth, dark red) 2 50 Ponderosa 4 00 The Lorillard 2 50 The Trophy (selected) 2 50
## Pumpkins Pumpkins	Summer Crookneck 75 Boston Marrow 75 Hubbard, or Winter 75 Essex Hybrid, or Winter 75 Marblehead Marrow 75 Perfect Gem. 75 Winter Crookneck 75 Mammoth Chili (extra size) 1 50 English Vegetable Marrow 75 Tomatoes Livingston's Perfection \$2 50 Crimson Cushion 4 00 Acme (smooth, dark red) 2 50 Ponderosa 4 00 The Lorillard 2 50 The Trophy (selected) 2 50 Cardinal (brilliant red) 2 50
## Pumpkins Pumpkins	Summer Crookneck 75 Boston Marrow 75 Hubbard, or Winter 75 Essex Hybrid, or Winter 75 Marblehead Marrow 75 Perfect Gem. 75 Winter Crookneck 75 Mammoth Chili (extra size) 1 50 English Vegetable Marrow 75 Tomatoes Livingston's Perfection \$2 50 Crimson Cushion 4 00 Acme (smooth, dark red) 2 50 Ponderosa 4 00 The Lorillard 2 50 The Trophy (selected) 2 50 Cardinal (brilliant red) 2 50 Mikado 2 50
## Pumpkins Pumpkins	Summer Crookneck 75 Boston Marrow 75 Hubbard, or Winter 75 Essex Hybrid, or Winter 75 Marblehead Marrow 75 Perfect Gem. 75 Winter Crookneck 75 Mammoth Chili (extra size) 1 50 English Vegetable Marrow 75 Tomatoes Livingston's Perfection \$2 50 Crimson Cushion 4 00 Acme (smooth, dark red) 2 50 Ponderosa 4 00 The Lorillard 2 50 Cardinal (brilliant red) 2 50 Cardinal (brilliant red) 2 50 Mikado 2 50 Livingston's Beauty 2 50
Pumpkins Pumpkins Per lb. Large Cheese, or Pie. \$0 60 Mammoth, or Large Tours I 00 Connecticut Field. per bus. \$4 Potatoes Prices may vary as the season advances. About, per bbl. Beauty of Hebron \$4 25 Early Ohio. 4 25 Early Rose, or Vermont 4 25 Clark's No. I 4 25 Early Puritan 4 25 Early Norther 4 25 White Elephant (fine late) 4 25 Late Beauty of Hebron 4 25 Carman No. 3 4 25 Uncle Sam 4 50	Summer Crookneck 75 Boston Marrow 75 Hubbard, or Winter 75 Essex Hybrid, or Winter 75 Marblehead Marrow 75 Perfect Gem. 75 Winter Crookneck 75 Mammoth Chili (extra size) 1 50 English Vegetable Marrow 75 Tomatoes Livingston's Perfection \$2 50 Crimson Cushion 4 00 Acme (smooth, dark red) 2 50 Ponderosa 4 00 The Lorillard 2 50 The Trophy (selected) 2 50 Cardinal (brilliant red) 2 50 Mikado 2 50 Livingston's Beauty 2 50 Dwarf Champion 2 50
Pumpkins	Summer Crookneck 75 Boston Marrow 75 Hubbard, or Winter 75 Essex Hybrid, or Winter 75 Marblehead Marrow 75 Perfect Gem 75 Winter Crookneck 75 Mammoth Chili (extra size) 1 English Vegetable Marrow 75 Tomatoes Livingston's Perfection \$2 Crimson Cushion 4 Acme (smooth, dark red) 2 50 Ponderosa 4 00 The Lorillard 2 50 The Trophy (selected) 2 50 Cardinal (brilliant red) 2 50 Livingston's Beauty 2 50 Livingston's Favorite 2 50
Pumpkins Pumpkins Per lb. Large Cheese, or Pie. \$ 6 60 Mammoth, or Large Tours I 00 Connecticut Field. per bus. \$4 Potatoes Prices may vary as the season advances. About, per bbl. Beauty of Hebron 4 25 Early Rose, or Vermont 4 25 Early Bovee 4 25 Early Puritan 4 50 Early Norther 4 25 White Elephant (fine late) 4 25 Late Beauty of Hebron 4 25 Carman No. 3 4 25 Uncle Sam 4 50 Radishes	Summer Crookneck 75 Boston Marrow 75 Hubbard, or Winter 75 Essex Hybrid, or Winter 75 Marblehead Marrow 75 Perfect Gem. 75 Winter Crookneck 75 Mammoth Chili (extra size) 1 50 English Vegetable Marrow 75 Tomatoes Livingston's Perfection \$2 50 Crimson Cushion 4 00 Acme (smooth, dark red) 2 50 Ponderosa 4 00 The Lorillard 2 50 Cardinal (brilliant red) 2 50 Cardinal (brilliant red) 2 50 Livingston's Beauty 2 50 Livingston's Favorite 2 50 Stone Scarlet 2 00
Pumpkins	Summer Crookneck 75 Boston Marrow 75 Hubbard, or Winter 75 Essex Hybrid, or Winter 75 Marblehead Marrow 75 Perfect Gem. 75 Winter Crookneck 75 Mammoth Chili (extra size) I 50 English Vegetable Marrow 75 Tomatoes Livingston's Perfection \$2 50 Crimson Cushion 4 00 Acme (smooth, dark red) 2 50 Ponderosa 4 00 The Lorillard 2 50 The Trophy (selected) 2 50 Cardinal (brilliant red) 2 50 Livingston's Beauty 2 50 Livingston's Favorite 2 50

VEGETABLE PLANTS, ETC.

The following plants and roots will be furnished in their season at market rates:

Asparagus Roots, Jerusalem Artichoke Tubers, Cauliflower Plants, Cabbage and Celery Plants, Lettuce Plants,

Chives and Shallots, Eggplants, Pepper Plants, Hop Vine Plants, Horse-radish Sets, Mint and Tarragon Roots, Tomato Plants, Rhubarb Roots, Strawberry Plants, Sweet Potato Plants.



Flower Seeds

GENERAL DIRECTIONS FOR THE CULTIVATION OF ANNUAL, BIENNIAL AND PERENNIAL FLOWERS.

Plants are known and described generally as Annuals, Biennials and Perennials.

Annuals are those plants that flower and mature their seed within a year after they are sown, and then perish. This definition is in no way changed by the fact that many annuals may be managed as biennials, or, in other words, be sown in autumn for flowering early the following season.

Tender Annuals are those that require heat, and will not germinate in the open ground until settled warm weather.

Half-hardy Annuals are those which will bear a slight frost, and may be sown in the open ground a little earlier than tender annuals.

Hardy Annuals are usually those which require no artificial heat during any period of their growth. Every stage of their existence, from the time of sowing the seed to maturity, is passed in the open ground.

Blennials are those plants that flower the second and sometimes the third year after the seed is sown, and then perish.

Perennials are those plants which live and perpetuate their species throughout many years successively.

The last two classes are again divided in respect to their endurance of low temperature, as *Tender*, *Half-hardy* and *Hardy*.

Tender Biennials and Perennials are greenhouse or dwelling-house plants, requiring artificial heat to protect them from frost.

Half-hardy Biennials and Perennials are those that require a slight covering of straw or litter during cold weather.

Hardy Bicnnials and Perennials are those that will stand the coldest winter weather without protection.

Soils Most Suitable.—The soil best adapted to a majority of plants is a light, friable loam, containing a moderate quantity of vegetable matter, and enough sand to render it porous; but as it seldom happens that the amateur has a choice of soil, it is fortunate that most of them will succeed in any but such as is of an extremely dry or gravelly nature, or of a stiff, heavy, retentive quality.

Manures.—The use of strong, crude manures should be carefully avoided. In ordinarily good soil, an annual dressing of decomposed stable manure, dug in to the depth of about 10 inches, and thoroughly incorporated with the soil, will be all that is needed.

Time of Sowing.—With regard to the proper time of sowing flower seeds, much necessarily depends on the character of the season. As a general rule (near New York city) hardy kinds may be sown in the open ground about the middle of April, half-hardy kinds during the first week of May, and tender kinds after the middle of May.

The best method to obtain early flowers is to sow seeds of the most desirable tender and half-hardy species in pots early in March. If kept in a warm greenhouse or window, or plunged into a moderate hotbed, they will be ready to transplant to the open ground early in May. The season of blooming will be made fully three weeks earlier thereby.

Mode of Sowing.—Seeds may be sown in patches among the border plants in rows or groups where they are to remain, or in a nursery bed, and afterwards transplanted. As a

general rule, the surface soil should be rather dry than otherwise at the time of sowing; the operation must not be undertaken when the ground is very wet, especially at an early

period of spring.

The depth at which seeds should be sown will vary with their size. Large seeds, such as Lupins, Marvel of Peru, or Sweet Peas, should be sown about half an inch deep; medium size seeds, such as Balsams, Convolvulus or Thunbergia, about a quarter of an inch deep; while such as are very small require to be sown on the actual surface, a slight pressure being then sufficient to imbed them to a proper depth. If sown too deep, they are longer in germinating, and the smaller ones are liable to decay through want of strength to open the pores of the earth. In the absence of rain, water the seeds occasionally from a wateringpot with a very fine rose.

Transplanting.—As soon as the seedlings are an inch high, they may be transplanted to different parts of the garden. Remove the plants carefully with a small garden trowel, retaining as much of the soil to the roots as possible. Place the large-growing kinds in the rear, and the small in front; above all things, avoid crowding them. Transplanting should, if possible, be performed in cloudy weather, or towards evening: and, unless the soil is wet, the seedlings should be slightly watered, to settle the soil about the roots, shading them for a day or two afterwards, if necessary.

The risk and trouble of transplanting may be avoided by adopting the following method of sowing the seeds: Take a package of say twenty varieties, and number the bags from 1 to 20; then sow a small circle from each bag in the order in which they are numbered, and insert a short stick in the center of each circle as a mark. By this method the twenty varieties are distributed along the border in succession; and as each bag will be sufficient for about three circles, or three assortments of twenty varieties each, they may be sown in three different aspects of the garden, which will not only give the various flowers the best possible chance with regard to exposure, but show the varieties to the best possible advantage. By preserving the bags, the mere novice, by referring to the name and number on each, will become acquainted with the different varieties from the order in which they stand in the garden. This system may be practiced to advantage either on a large or small scale

Neatness is indispensable in a flower garden, and neither the variety nor beauty of the plants will compensate for its absence. As the plants advance in growth, frequent weeding and hoeing will be necessary, as well for the sake of neatness as to stimulate their growth. Tie the tall-growing kinds to neat rods or sticks, and train the vines or climbers on trellises, strings or poles.

EXPLANATION OF FLOWER SEED CATALOGUE.

The First Column gives the botanical or scientific names.

The dagger (†) indicates Everlasting flowers, which, if cut and dried (before maturity), will retain their color and beauty for several years.

The asterisk (*) denotes climbing plants.

The (") or (—) indicates in all cases a repetition.

The Second Column gives the common names, for Index of which see page 56.

The Third Column shows the color of the flower, abbreviated as follows, viz.:

b.—blue.	cr.—crimson.	l.—light.	r.—red.	sul.—sulphur.
blk.—black.	divdiverse.	li.—lilac.	ro.—rose.	tri.—three colored.
bord border	ed. da.—dark.	mar. – marbled.	sal.—salmon.	v.—violet.
br.—brown.	gn.—green.	or. —orange.	s.—scarlet.	va.—variegated.
bu. – buff.	gol.—golden.	pk.—pink.	spot.—spotted.	w.—white.
car carmine.	gy.—gray.	pur.—purple.	stri.—striped.	yel.—yellow.

The Fourth Column indicates the usual height in feet, under good cultivation; or the word (tra.) denotes trailing or lying on the ground.

The Fifth Column shows the hardiness and duration of each kind, viz.:

```
hB. - hardy biennial.
tA.—tender annual.
                             tP.—tender perennial, or greenhouse plant.
hhA.-half-hardy annual.
                             hhP.—half-hardy perennial.
hA.—hardy annual.
hhB. - half-hardy biennial.
                             hP. -hardy perennial.
```

The Sixth Column gives the price of each paper or packet.

Many kinds marked annuals are adapted to pot-culture in winter, and several kinds of biennial and perennial plants will flower the first year from seed, if started early in the season.

All the leading species and varieties of flower seeds may be had by weight, if desired; for prices, see list on page 54.

FLOWER SEEDS

The great interest manifested in the cultivation of flowers, and the increasing demand for new varieties, have induced us to give particular attention to this department. In addition to the many kinds grown here, we import annually from England, France and Germany all the standard kinds and novelties as they appear there; and no expense is spared to make the collection as select and varied as any to be found in this country.

For Ornamental Grasses, see page 54; Flower Seeds by Weight, page 56; Index of Common Names, etc., pages 58 and 59.

Flower Seeds forwarded by mail, free of postage, on receipt of prices annexed.

Botanical Names, etc.	Common Names, etc.	Color	Holght in Feet	Duration and Hardi- ness	Price per Paper
Abronia umbellata	Abronia, Umbel-flowered	rose	1/2	hhA	\$0 05
—grandiflora	Deep Rose	pink	1/2 1/2	hhA	10
Abutilon in varieties	Chinese Bell-flower	div.	div.	tP	25
Darwini	Crimson Bell-flower	crim.		tP	25
Acacia in varieties	Acacia, Fine Mixed	div.	div.	tP	10
Aconitum napellus	Monk's-hood	blue	2	hP	5
Acroclinium roseum†	Everlasting flower, Rose	rose	I	hhA	5
—album†	White	white	T	hhA	10
—flore pleno†	Double Rose	rose	I	hhA	10
Adlumia cirrhosa*	Mountain-fringe Vine	pink	IO	hP	10
Adonis æstivalis	Pheasant's Eye	scarlet	I	hA	
Ageratum Mexicanum	Ageratum, Blue	blue	2	hA	5
		blue		hA	5
nanum	Imperial Dwarf		1/2	hA	5
—album	Dwarf White	white	1/2	hP	5
Lasseauxi	Rose-flowered	rose	I		5
Agrostemma coronaria	Rose Campion	rose	2	hP	5
—alba	White Campion	white	1 1/2	hP	5
Alonsoa grandiflora	Alonsoa, Large-flowered	scarlet	I ½	hhA	5
linifolia	Roezl's	l. s.	I	hhA	10
Aloysia citriodora	Lemon-scented Verbena	white	2	hhP	10
Alstroemeria hybrida	Finest Hybrid	div.	2	tP	IO
Althaea alba fl. pl	Hollyhock, Double White	white	4	hB	IO
coccinea fl. pl	Double Scarlet	scarlet	4	hB	IO
rosea fl. pl	Double Rose	rose	4	hB	IO
lutea fl. pl	Double Yellow	yellow	4	hB	IO
varius fl. pl	Double Mixed	div.	4	hB	IO
Allegheny	Single Fringed	mixed	6	hB	IO
Collection	See page 53.				
Alyssum maritimum	Alyssum, Sweet	white	1/2	hA	5
—compacta	Tom Thumb	white	1/2	hA	5
saxatile	Golden	golden	ī	hP	5
Amarantus tricolor	Joseph's Coat	tri.	2 .	tA	5
caudatus†	Love-lies-bleeding	crim.	3	hhA	5
hypochondriacus†	Prince's Feather	crim.	3	hhA	5
Henderi	Amaranthus, Variegated	div.	3	hA	5
melancholicus	Blood-Red	red		hhA	5
bicolor ruber	Carmine and Yellow	car.&vl.	3 2	hhA	
salicifolius	Fountain Plant	br. & s.		hhA	5
nobilis pyramidalis			3	hhA	10
	Rose-spiked	rose	5	mix	10
COLLECTION	See page 53.	white	* I/	hA	_
Ammobium alatum†	Ammobium, Winged	white	1 1/2	hP	5
Ampelopsis Veitchii*	Japanese Ivy	green	50		10
Anemone coronaria	Wind-flower	div.	I	hP	5
pulsatilla	Pasque-flower	violet	I	hP	5
Angelonia grandiflora	Angelonia, Sweet-scented	blue	1 1/2	tP	15
Anoda Dilleniana	Blue Hibiscus	blue	2	hA	5
Antirrhinum nanum album	Snapdragon, Pure White		1 1/2	hP	5
hybridum	Fine Mixed	div.	I 1/2	hP	5
Aquilegia Sibirica	Columbine, Double Violet		I 1/2	hP	IO
chrysantha	Golden-spurred	yellow	2	hP	IO



COMET ASTER.



ANTIRRHINUM.



DWARF BOUQUET ASTER.




ASPARAGUS PLUMOSUS.



ARNEBIA CORNUTA.

Botanical Names, etc.	Common Names, etc.	Color.	Height in Foot	Duration and Hardi- ness	Price per Paper
Aquilegia cœrulea	Columbine, Large-flowered	b. & w.	2	hP	\$0 10
Skinneri	Scarlet and Yellow	sc. & yl.	1 1/2	hP	IO
Stuarti	Rich Blue		1 1/2	hP	25
varius	Vulgaris and Mixed	div.	2	hP	10
Collection	See page 53.				
Arabis alpina	Arabis, Sweet-scented	white	3/4	hP	. 10
Argemone grandiflora	Poppy, White Mexican	white	2	hA	5
speciosa	Yellow	yellow	2 1/2	hA	10
Aristolochia Sipho*	Dutchman's Pipe Vine	yl. & br.	15	hP	IO
Arnebia cornuta	Arabian Primrose	yellow	2	hA	25
Asclepias tuberosa	Swallow-wort	orange	2	'hP	. 5
Asparagus plumosus nanus*	Ornamental Asparagus	green	8	hP	10
Sprengeri	Emerald Feather	white	4.	tP	15
Asperula azurea setosa	Asperula, Light Blue	blue	I	hA	IO
odorata (Woodruff)	Sweet-scented	white	1/2	hP	10
Astar Chinensis	Comment			- 3 A	
Comet Rose	Comet	rose	2	hA	. 10
—Snow White	White	white	2	hA	10
—Bridesmaid	White passing to Rose		2	hA	25
—Lady	Rose and White	ro. & w.	2	hA	-25
Queen of the Market	TX7bit a	bita	_	1- 1	
—White	White	white	I	hA	10
-Rose	Rose	rose	I	hA	10
—Light Blue	Blue.	blue	I	hA	10
Truffaut's White	Pure White	white	1 1/2	hA	10
—Blood Red	Dark Red	red	1 1/2	hA	IO
—Deep Mauve	Diala blue	mauve	1 1/2	hA	10
—cœruleus	Black-blue.	blue div.	11/2	hA	IO
—Mixed Victoria White	Pæony-flowered	white	2	hA hA	10
-Rose	Dwarf White Dwarf Rose	rose	1 1/2	hA	10
Mixed	Mixed Victoria	div.	1 ½ . 2	hA	10
Mignon albiflora	Pure White Mignon	white	1 1/2	hA	15
—Mixed	Mignon, Mixed	div.	1 1/2	hA	10
Semple's Branching White	Late Blooming	white	2	hA	10
—Shell-Pink	Late Blooming Pink	pink	2	hA	10
—Lavender-Blue	Late Blooming Blue	blue	2	hA	10
—Crimson	Late Blooming Crimson	cr.	2	hA	10
—Mixed	Late Blooming Mixed	mixed	2	hA	10
Ball, or Jewell	Apple-blossom		2	hA	10
Snowball, or Princess	Pure White		I ½	hA	25
Cocardeau	Crown-flowered	div.	2	hA	10
Washington	Perfection	div.	2	hA	10
Eugenie	Imbricated Pompon	div.	2	hA	10
chrysanthemiflorus	Dwarf Bouquet	div.	1	hA	10
Ried's Mixed	German Quilled	div.	1 1/2	hA	5
varius	Mixed China	div.	2	hA	5
tenellus	Biennial Aster	blue	11/2	hhB	10
Collections	See page 52.				
Astragalus caryocarpus	Astragalus, Red-fruited	rose	2	hP	10
Athanasia annua	African Daisy	yellow	1	hA	10
Aubrietia deltoidea	Rock Plant	lilac	div.	hP	10
Azalea indica	Azalea, Fine Mixed	div.	div.	tP	25
Balsamina impatiens rosea	Lady's Slipper, Double Rose.	rose	I 1/2	tP	IO
-kermesina	Double Scarlet	scarlet	11/2	tA	10
-albiflora	Double White	white	1 1/2	tA	OI,
-violacea	Double Violet	violet	I 1/2	tA	10
—Victoria	Double Striped	striped	1 1/2	tA	10
-Solferino	Double Spotted	spotted	1 1/2	tA	10
—camelliæflora	Mixed Double	div.	2	tA	10
-varius	Mixed Paris	div.	1 1/2	tA	5
	Soo poro ra				
COLLECTIONS	See page 52.			1.70	
Baptisia australis. Bartonia aurea.	(Polydaria australis)	blue yellow	2 1 1/2	hP hA	5 5




Begonia hybrida			Foot	Hardi- ness	Price per Paper
flore plone	Begonia, S'gle Tuberous-rooted	div.	2	tP	\$0 25
—flore pleno	Double Tuberous-rooted	div.	2	tP	50
Vernon	For borders	red	I	tP	25
Bellis perennis	Daisy, Finest Double	div.	1/2	hhP	25
—Longfellow	Double Rose	rose	1/2	hhP	25
—alba	Double White	white	1/2	hhP	25.
Bidens atrosanguinea	Dahlia Zimpani	blk. bl.	2	hA	10
Bocconia Japonica	Bocconia, Oak-leaved	white	6	hP	10
Brachycome iberidifolia	Daisy, Blue Swan River	blue	3/4	hhA	10
In varieties	Mixed	div.	3/4	hhA tA	10
Browallia elata	Amethyst, Blue	blue white	1 1/2	tA	10
	Ornamental-fruited Vine	red	8	tA	10
Bryonopsis erythrocarpa*	Tassel-flower, Scarlet	scarlet	I	hA	10
aurantiaca.		orange	I	hA	5
Calampelis scaber*.	Orange (Eccremocarpus) Vine	orange	IO	tA	5
Calandrinia speciosa	Lindley's Calandrinia	red	I	hA	
—umbellata.	Umbel-flowered	crim.	I	hA	5
Calceolaria hybrida grandiflora	Calceolaria, Mixed	div.	2	tP	25
—punctata superba	Superb Spotted	div.	I 1/2	tP	25.
rugosa	Finest Shrubby	div.	2	tP	50
scabiosæfolia	Golden Slipperwort	vellow	I ½	hA	10
Calendula pluvialias	Marigold, Cape	white	1 1/2	hA	5
—officinalis	Double Pot	orange	I	hA	5
-Meteor .	Double Pot	golden	I	hA	5.
—Prince of Orange	New Double Pot	golden	I	hA	5.
Calliopsis tinctoria.	Coreopsis, Golden	y. & br.	2	hA	5
—coronata	Crowned	spotted	I 1/2	hA	5
—Golden Wave	Golden Yellow	yellow	I	hA	5
—astrosanguinea	Crimson	crim.	2	hA	IO
lanceolata	Yellow	yellow	3	hP	IO
Callirrhoe pedata	Poppy Mallow	red	2	hhA	IO
Campanula medium	Canterbury Bell, Blue	blue	2 1/2	hhB	5
—alba · · · · · · · · · · · · · · · · · · ·	White	white	2 1/2	hhB	5
—in varieties	Single Mixed	div.	2 1/2	hhB	5
—alba fl. pl	Double White	white	2 1/2	hhB	IO
—rosea fl. pl	Double Pink	pink	2	hhB	IO
—varius	Double Mixed	div.	2	hhB	10
speculum ,	Venus' Looking-glass	div.	3/4	hA hP	5
carpatica	Carpathian Bell-flower	div.	1/2		5
pyramidalis	Pyramidal Bell-flower	blue	4	hhP	5
Collection	See page 53.				
Canna indica	See Iberis. Indian Shot, Scarlet	scarlet	2	hhP	-
Nepalensis	Yellow	l. & v.		hhP	5
Madam Crozy	Scarlet, Yellow Border	1. & y.	3	hhP	IO
In varieties	Crozy's Finest	div.	3 1/2	hhA	10
Cannabis gigantea	Giant Hemp		10	tA	5
Canterbury Bells	See Campanula.		10	***	3
Cardiospermum halicaca'm*	Balloon Vine	white	IO	tA	5
Carduus benedictus	Ornamental Thistle		3	hA	10
Carnation	See Dianthus caryophyllus.	,			
Castilleja indivisa	Scarlet Castilleja	scarlet	1 1/2	hhA	25
Castor Oil Plant	See Ricinus.		7-		
Cedronella cana	Sweet-scented Cedronella.	purple	2	hP	10
Celosia cristata, in varieties†	Cockscomb, Mixed	div.	3	tA	5
—Japonica†	Japan, Scarlet	scarlet	2	tA	10
-All-aglow	New Dwarf	scarlet	I	tA	15
-Glasgow Prizet	Purple	purple	3/4	tA	10
aurea pyramidalis†	Golden	golden	2	tA	10
Triomphe d'Exposition†.	Crimson-plumed	crim.	3	tP	10
kermesina†	Crimson-feathered	crim.	2	tA	10
COLLECTION	See page 53.				
Centaurea moschata	Sweet Sultan, Purple	purple	2	hA	5




Botanical Names, etc.	Common Names, etc.	Color	Height In Foot	Duration and Hardi- ness	Price per Paper
Centaurea moschata alba	Sweet Sultan, White	white	2	hA .	\$0 05
—suaveolens	Yellow	yellow	1 1/2	hA	5
—in varieties	Mixed	div.	div.	hA	5
cyanus	Corn-bottle, or Mixed Blue	div.	2	hA	. 5
—flore pleno	Double Mixed	div. blue	2	hA hA	10
cœruleus	Blue-bottle	rose	2 2	hA	5
—rosea	Rose	lilac	3	hA	5 5
Clementei	White Cut-leaved	white	I	hhP	10
gymnocarpa	Silver Cut-leaved	purple	11/2	hhP	10
candidissima	White-leaved	white	I.	hhP	10
Centranthus macrosiphon	Long-tubed Centranthus	pink	I	hA	5
Chamaepeuce diacantha	Spine-leaved Chamæpeuce	var,	2	hP	IO
Cerastium Biebersteinii	Silver-leaved Rock Plant,		1/2	hP	IO
Cheiranthus cheiri	Wallflower, Bloody	b. & w.	2	hhB	5
—fl. pl	German Double	div.	div.	hhB	IO
Annual Mixed Chelone barbata	Single Annual	scarlet	1 1/2	hA hP	IO
Chorizema, in varieties	Finest Mixed	div.	div.	tP	10 25
Chrysanthemum Dunnetti	Chrysanthemum, Golden	vellow	I	hA	5
W. E. Gladstone	Brilliant Crimson	crim.	ī	hA	10
Lord Beaconsfield	Crimson-edged	crim.	1	hA	IO
The Sultan	Maroon, Gold-Ring	maro'n	I	hA	10
venustum	Crimson	crim.	2	hA	5
varius	Double Mixed	div.	div.	hA	5
frutescens	Paris Daisy (Marguerite)	white	I	hA	10
Japonicum	Finest Perennial	div.	div.	hP	25
indicum fl. pl	Chinese Artemisia	div.	div.	hhP	10
Cineraria hybrida grandiflora	See page 53. Cineraria, Hybrid	div.	2	tP	25
—nana in varieties	Dwarf Hybrid	div.	τ	tP	25 25
flore pleno	New Double	div.	1 1/2	hhP	50
maritima	Dusty Miller	yellow	2	tP	10
Clarkia pulchella	Clarkia, Lilac	lilac	1 ,	hA	5
pulcherrima	Crimson.	crim.	1 1/2	hA	10
—alba nana	White	white	3/4	hA	10
varius	Mixed	div.	div.	hA	_5
Clematis flammula *	Virgin's Bower	white div.	10	hP hhP	10
Cleome speciosa	Spiderwort or Spider-flower.	purple	10	hA	25 10
Clianthus puniceus*	Glory Vine, Crimson	crim.	4	tP	IO
Dampieri*	Dampier's.	scarlet	6	tP	10
Clintonia pulchella	Clintonia, Blue and White	bl. & w.	1/2	tA	IO
—alba	Pure White	white	1/2	tA	. 10
Coboea scandens*	Cobœa, Climbing	purple'	20	tP	10
alba*	White, Climbing	white	10 .	tP	15
Coccinea indica*	Scarlet-fruited Gourd	red .	6	tA	10
Cockscomb	See Celosia.	4:	A:	4D	
Coleus, in varieties	Fine Mixed Coleus Collinsia, Two-colored	div.	div.	hA	25
—alba	White	p. & w. white	I ·	hA hA	5
vera	White	sk-b&w.	I	hA	5
varius	Mixed.	div.	ī	hA	5 5
Collomia coccinea	Scarlet Collomia.	scarlet	I	hA	5
Convolvulus majus albus*	Morning-glory, White	white	10	hA	5
—kermesinus*	Scarlet	scarlet	10	hA	5
-azureus superbus *.	New Golden	yellow	8	hA	10
-varius*	Mixed	div.	10	hA	5
Imperial Japanese*	Japanese	div.	30	hA	10
	Convolvulus, Bright Blue	blue	tra.	hhP	IO
mauritanicus					
unicaulis	Upright White Dwarf	b. & pur.	I	hA hA	5
	Upright. White Dwarf. Large-flowering	white	tra.	hA hA	5 5

Botanical Names, etc.	Common Names, etc.	Color -	Holght in Foot	Duration and Hardi- ness	Price per Paper
Coreopsis	See Calliopsis.				
Cornflower	See Centaurea cyanus.				
Coronilla in varieties	Mixed Coronilla	yellow	div.	tP	\$0 25
Cosmidium Burridgeanum .	(Cosmidium bicolor)	cr. &br.	2	hA	10
Cosmos bipinnata purpurea	Cosmos, Purple	purple	4	hA	10
—alba	White.	white	4	hA	OI
—in varieties	Finest Mixed	div.	4	hA	IO
Tints of Dawn	Early-flowering Perennial Rock Plant	w.&pk.	4	hA	10
Cucumis flexuosus*	Snake Cucumber.	pink	1/2	hP tA	10
odoratissimus*	Melon Pomegranate	yellow	10	tA tA	10
perennis*	Cucumber Vine	ychow	15	tA	5
Cucurbita aurantiaca*	Gourd, Mock Orange	yellow	10	tA	5
melopepo*	Apple-shaped	yellow	10	tA	10
massue*	Hercules' Club	white	10	tA	. 5
lagenaria*	Bottle.		10	tA	5
Cuphea platycentra	Cigar Plant	tri.	I 1/2	tP	. 10
Cyclamen Persicum	Cyclamen, Mixed	w. &ro.	1/2	tP	25
—giganteum	Large-flowering	div.	1/2 1/2 6	tP	25
Cyclanthera pedata*	Climbing Cucumber	yellow	6	hA	10
Cynoglossum linifolium	Venus' Navelwort	white	1/2	hP	5
Cytisus scoparius	Scotch Broom	yellow	3	hA	10
Dahlia nanus in varieties Large Double	Dahlia, Single Dwarf Double, Large-flowering.	div.	3	hhP	IO
Datura cornucopia	Datura, Horn of Plenty	div.	4	tP	10
meteloides	Wright's.	w.&pu. y. & li.	3 2	hhA	10
humilis fl. pl	Double	yellow	2	hhA	10
Delphinium ajacis in varieties .	Larkspur, Mixed Rocket	div.	I	hA	5
consolida in varieties	Mixed Branching	div.	2	hA	5
imperialis fl. pl	Annual Double	blue	2	hA	10
Stock-flowered	Rose-scarlet Double	r. scar.	1/2	hA ·	15
Brunonianum	Musk-scented	1. blue	2	hP	25
Zulil	Sulphur Yellow	yellow	3	hP	15
Chinensis in varieties	Mixed Chinese	div.	2 1/2	hP	5
—formosum	Blue and White	b. & w.	3	hP	10
—cœlestinum	Celestial Blue	blue	2	hP	10
—album grandiflorum	Pure White	white	2	hP	IO
nudicauleelatum	New Scarlet Mixed Bee.	scarlet div.	1.1/2	hP hP	10
Collections.	See page 53.	div.	3	nr	5
Dianthus Chinensis alba	Indian Pink, Double White	white	3/4	hA	10
—atrosanguinea	Double Red	red	3/4	hA	10
-varius.	Fine Mixed	div.	div.	hA	5
—nanus in varieties	Double Dwarf	div.	1/2	hA	10
imperialis fl. pl	Pink, Double Imperial	div.	ī	hA	IO
—Heddewigii	Mixed Single Japan	div.	1	hA	10
-albo-marginatus fl. pl	Mourning Cloak	div.	1	hA	10
—diadematus fl. pl	Diadem (Splendid)	div.	I	hA	10
—laciniatus	Fringed Japan	div.	1 1/2	hA	10
—Queen of Holland	Pure White Japan		I 1/2	hA	10
deltoides	London Pride, or Maiden	pink	3/4	hP	5
plumarius.	Pheasant's-eye	div.	1	hP	5
caryophyllus in varieties	Carnation Pink, Mixed	div.	2 .	hhP hhP	10
—flore pleno —nanus.	Marguerite	div.	I	hhP	10
—nanus. —Grenadin fl. pl	Scarlet Compact.	scarlet	I I ½	hhP	10 25
—perpetual fl. pl	Tree, or Monthly	div.	2	hhP	25 25
—punctatus.	Mixed Picotee	div.	2	hhP	25 25
barbatus in varieties	Sweet-William, Mixed	div.	ī	hP	5
—flore pleno	Double Mixed	div.	ī	hP	10
COLLECTION	See page 53.				
	D ' 11 C 1		- 1/	1 0	
Dictamnus rubra.		red	1 1/2	hP	5
Dictamnus rubra	(Trachimene Hugelia)	blue white	2 3	hhA hP	5 10 5


Digitalis purpurea Foxglove, Purple. Spotted Spo	Duration						
punctata Gloxinia-flowered div. gloxiniaeflora Gloxinia-flowered div. glox invarieties Mixed div. glox invarieties Mixed div. glox div. hP Dichos lablab* Hyacinth Bean, Purple. purple to tA White white div. glox div. purple div. glox div. purple div. glox div. purple div. glox div. purple div. glox div. glox div. purple div. glox div.	Botanical Names, etc.	Common Names, etc.	Color	In	Hardl-	Price per Paper	
punctata Gloxinia-flowered div. gloxinia-flowered gloxiniaeflora Gloxinia-flowered div. glox invarieties Mixed div. glox div. hP Dichos lablab* Hyacinth Bean, Purple. purple 10 tA White white 10 tA Growth Mixed div. glox div.	Digitalis purpurea	Foxglove, Purple	purple	3	hP	\$0 05	
Dilchos lablab* Hyacinth Bean, Purple. —albus* White white div. Draccephalum Canariense. Echeveria in varieties Cordyline) Balm of Gilead Ii. & pur Link p				3	1 1	5	
Dolichos lablab*						5	
Dracaena in varieties (Cordyline) div. div. the Dracaena in varieties (Cordyline) div. the Dracaena in varieties (Cordyline) div. the Cheinocystis lobata* Wild Cucumber green div. div. the Epacris hybrida Mixed Hybrid Epacris div. div. the Erica in varieties Fine Mixed Heath div. div. the Erica in varieties Fine Mixed Heath div. div. the Erica in varieties Fine Mixed Heath div. div. the Erica in varieties Fine Mixed Heath div. div. the Erica in varieties Fine Mixed Heath div. div. the Erica in varieties Green div. div. div. div. div. div. div. div.		Mixed			1	5	
Dracacena in varieties Dracocephalum Canarieties Echinocystis lobata* Wild Cucumber Epacris hybrida Epica in varieties Erynigum Leavenworthi† Purple Everlasting-flower Erynigum Leavenworthi† Erynim Leavenworthi† Erynim Leavenworthi† Erynim Leavenworthi† Erynim Leavenwo					1	5	
Balm of Gilead						5	
Echeveria in varieties						25 10	
Echinocystis lobata*			div.			25	
Epacia in varieties Fine Mixed Heath. div. div. div. div. tP						10	
Purple Everlasting-flower		Mixed Hybrid Epacris		div.	tP	50	
Frysfinum Perofiskianum Hedge Mustard Corange Trythrina crista-galli Coral Plant Scarlet 4 TP				div.	1	25	
Coral Plant						10	
Chriseis, Californian yellow 1 hA						5	
-alba -rosea -rosea Crocea - Orange Mandarin -rosea Mandarin -varius - Eucalyptus globosus - Eucalyptus globosus - Eucalyptus globosus - Eucalyptus globosus - Eupatorium - Faseri - White Eupatorium - White Gileatorium - White Supatorium - Supatorium - White Su						25	
rosea crocea Orange orange I hA Orange and Scarlet. Orange I hA Orange I h						5	
Crocea Orange orange orange of the Mandarin Orange and Scarlet. Or. & sc. I hA or					1	5 5	
Mandarin Orange and Scarlet or. & SC. I hA div. I hA Eucalyptus globosus Fine mixed White Eupatorium Fraseri White Eupatorium. White Eupatorium Fraseri White Eupatorium. White Eupatorium Fraseri White Eupatorium. White Eupatorium White White Eupatorium White White I that Viscida Dark Blue Use I that Perns in varieties Fine Mixed Ferns div. I blue I that From White White I that		_				5	
Pine mixed Complete Complet						5	
Euphorbia marginata Snow-on-the-Mountain white 2 hhP Snow-on-the-Mountain w. & gr. 3 hhA Eutoca Wrangeliana Eutoca, Wrangel's. l. blue t tA Visicida Dark Blue blue t tA Fenzlia dianthiflora Three-colored Fenzlia l.cr.∨ ½ hhA Ferns in varieties Fine Mixed Ferns div. div. hhP Forget-me-not See Myosotis. Fuchsia in varieties Gaillardia picta Gaillardia, Painted cr. & y. 1 hhP Garliana acaulis Blue Gentiana div. div. tP Gentiana acaulis Blue Gentian blue yhP Gentiana acaulis Blue Gentian blue yhP Gilia tricolor Gilia, Three-colored 3-col. 1 hA Snow White white 1 hA Mixed Glaucium corniculatum Gloxinia, Emperor Frederick in varieties Godetia, Duchess of Albany Lady Satin Rose Lady Albemarle Gomphrena globosa alba† Godetia, White white 1 tA —nana compacta† in varieties† Godetia, White white 1 tA Grevillea robusta Gose Amaranth, White white 1 tA Mixed Grimson crim. 1½ hA Grevillea robusta Gose Amaranth, White white 1 tA Mixed Grimson crim. 14 tA	varius	71 0 1		I	hA	. 5	
Euphorbia marginata heterophylla Mexican Fire Plant car. 3 hhA heterophylla Mexican Fire Plant car. 3 hhA heterophylla Wexican Fire Plant car. 3 hhA heterophylla wiscida Dark Blue blue 1 tA Dark Blue blue 1 tA Dark Blue 1 tA Dark Blue 1 tA Dark Blue 1 tA Dark Blue 1 tA hhA Ferns in varieties 5 Fine Mixed Ferns div. div. div. hhP Forget-me-not 5 See Myosotis. Mixed Fuchsia div. div. div. hhP Forget-me-not 6 Gaillardia picta 6 Gaillardia, Painted 7 cr. & y. 1 hhA Double Mixed 1 div. 1½ hhP Greum coccineum fl. pl. Double Mixed div. 1½ hP Blauket Flower 1 div. 2 hP Blauket Flower 2 div. 2 hP Blauket Flower 3 div. div. 1½ hP Greum coccineum fl. pl. Double Geum 5 scarlet 1 div. 1½ hP Double Geum 6 div. 1½ hP Double Geum 6 div. 1½ hP Double Geum 6 div. 1 hA Azure Blue 1 hA Glaucium corniculatum 6 doxinia, Scarlet 1 scarlet 1 tP Finest Mixed div. 1 hA Godetia, Duchess of Albany Godetia, White white 1 hA Dark Crimson 7 crim. 1½ hA Godetia, White 1 hA Godetia, White 1 hA Dark Crimson 7 crim. 1½ hA Godetia, White 1 hA Godetia, White 1 thA Dark Crimson 7 crim. 1 tA Grevillea robusta 6 div. 1 tA Grevillea robusta 6 div. 1 tA Dark Crimson 7 crim. 1 tA Orange 7 crams 1 tA Dark Crimson 7 crim. 1 tA Grevillea robusta 8 div. 1 tA Dark Crimson 7 crim. 1 tA Orange 7 cramse 1 tA Dark Crimson 7 crim. 1 tA Grevillea robusta 8 div. 1 tA Silkoak 7 cramse 1 tA Dark Rose 7 crose 1 tA Dark Crimson 7 crim. 1 tA Grevillea robusta 8 div. 1 tA Silkoak 7 cramse 1 tA Dark Rose 7 crose	Eucalyptus globosus			10		10	
Mexican Fire Plant Car. 3 hhA				2		10	
Eutoca Wrangeliana viscida Dark Blue			U			5	
Dark Blue Three-colored Fenzlia dianthiflora Three-colored Fenzlia L.cr.∨ ½ hhA						IO	
Fenzlia dianthiflora Ferns in varieties Fine Mixed Ferns Gaillardia picta —Lorenziana grandiflora Geum coccineum fl. pl Gilia tricolor. Gilia, Three-colored Geum corniculatum Glaucium corniculatum Gloxinia, Emperor Frederick in varieties In varieties Godetia, Duchess of Albany Lady Satin Rose Lady Albemarle —kermesina† —kermesina† —kermesina† —nana compacta† in varieties† Grevillea robusta. Gilianthicolor Gilianthicolor Gilianthicolor Godetia, Duchess of Albany Lady Satin Rose Lady Albemarle —Silbe Amaranth, White —ermesina† Gorange Godetia, White —hermesina† Gorange Godetia, White —hermesina† Gorange Godetia, White —hermesina† Gorange Godetia, White —hermesina† Gorange Gorange Godetia, White Crimson Crimson Crimson Crimson Crimson Crimson Crimson Godetia, White Crimson Crimson Crimson Crimson Crimson Crimson Godetia, White Crimson Crimso						5	
Ferns in varieties Fine Mixed Ferns div. div. hhP Forget-me-not See Myosotis. Gaillardia picta Gaillardia, Painted cr. & y. I hhA						5 25	
Forget-me-not Fuchsia in varieties Gaillardia picta —Lorenziana grandiflora Gentiana acaulis. Geum coccineum fl. pl Geum coccineum fl. pl Gilia tricolor nivalis alba capitata in varieties Godetia, Duchess of Albany Lady Satin Rose Lady Albemarle. Gomphrena globosa alba† —kermesina† —aurea† —nana compacta† in varieties† Grevillea robusta Grevillea robusta Grevillea robusta Grevillea robusta Grevillea robusta Geren-centrochlorus fl. pl. —giganteum —centrochlorus fl. pl. —argophyllus fl. pl. —bree fuchsia. Gaillardia, Painted. —Cr. & y. I hhA div. div. phe blue fl. hA Annure Cr. & y. I hP Blanket Flower div. Alphy blue fl. pl. —bree colored div. phe blue fl. hA Silved Fuchsia div. phe blue fl. hA Silven Fuchsia div. phe blue fl. hA Silven Blaue div. phe blue fl.					1	25	
Gaillardia picta Gaillardia, Painted Cr. & y. 1 hhA						-3	
The provided mixed and the provided mixed mixed and the provided mixed and the provided mixed mixed mixed and the provided mixed mixed mixed and the provided mixed mi	Fuchsia in varieties	Mixed Fuchsia	div.	div.	tP	· 25	
grandiflora Blanket Flower Blue Gentiana acaulis Blue Gentian. Blue div. I hA Giv. I the Mite I the Godetia. Blue Gentian. Crim. Ithe Mite I the Gentian. Blue div. I the Godetia. Blue div. I the Godet	Gaillardia picta		cr. & y.	1	hhA	5	
Gentiana acaulis. Geum coccineum fl. pl. Gilia tricolor. nivalis alba capitata. in varieties. Glaucium corniculatum. Gloxinia, Emperor Frederick in varieties. Godetia, Duchess of Albany Lady Satin Rose Lady Albemarle. Gomphrena globosa alba† —-kermesina† —-aurea† —-nana compacta† in varieties† Greinlea robusta. Grevillea robusta. Grev						10	
Geum coccineum fl. pl Gilia tricolor. nivalis alba capitata. in varieties Glaucium corniculatum Gloxinia, Emperor Frederick in varieties Godetia, Duchess of Albany Lady Satin Rose Lady Albemarle. Gomphrena globosa alba† —hermesina† —aurea† —nana compacta† in varieties† Grevillea robusta. Grevillea robusta. Gorgange Gypsophila elegans muralis. Paniculata Brilliant Rose Dark Crimson. Crim. Crim. Gorange Orange Orange Godetia, White White I the Horned Poppy, White-leaved Gloxinia, Scarlet. Finest Mixed Gloxinia, Scarlet. Finest						10	
Gilia tricolor. nivalis alba capitata. in varieties. Glaucium corniculatum. Gloxinia, Emperor Frederick in varieties. Lady Satin Rose Lady Satin Rose Lady Albemarle. —kermesina†. —aurea† —nana compacta† in varieties† Grevillea robusta. Grysophila elegans paniculata. Gloxedia, White —berror Frederick in varieties. Godetia, White —bries Hoh Hoh Godetia, White —bries Hoh Hoh Godetia, White —bries Hoh Hoh Hoh Godetia, White —bries Hoh Hoh Hoh						10	
nivalis alba						5	
Azure Blue Mixed I hA div. I hA di				i e		5 5	
in varieties						5	
Gloxinia, Emperor Frederick in varieties		Mixed	div.		hA	5	
in varieties Finest Mixed div. I		Horned Poppy, White-leaved	yellow	1	hhP	10	
Godetia, Duchess of Albany Lady Satin Rose Lady Albemarle. Gomphrena globosa alba† —kermesina† —aurea† —nana compacta† in varieties† Gypsophila elegans muralis. —bay satin Rose Gypsophila elegans muralis. —bay satin Honeysuckle Hedysarum coronarium Hedysarum coronarium Hedysarum coronarium Hedysarum coronarium Hedysarum coronarium French Honeysuckle —erentrochlorus fl. pl. —argophyllus fl. pl. —argophyllus fl. pl. Codetia, White Brilliant Rose Dark Crimson. Crim. I tA Crimson. Orange I tA Crimson. Orange I tA Orange Orange I tA Orevillea robusta. Silk Oak Orange Silk Oak Orange Silv White I hA White I hA White I hA Dwarf Rose I yellow Vellow Vellow, Dark Center I yellow Vellow Vellow Vellow Vellow Silvery foliage. Striped Striped Striped Striped Sha				1		50	
Lady Satin Rose Lady Albemarle. Gomphrena globosa alba† —kermesina†. —aurea† —nana compacta† in varieties† Grevillea robusta. Glysophila elegans paniculata Hedysarum coronarium Helianthus annuus. —Oscar Wilde —giganteum —centrochlorus fl. pl. —argophyllus fl. pl. —argophyllus fl. pl. —cumerididade Brilliant Rose Dark Crimson. Crim. I tA white I tA Orange Orange I tA Wixed I tA Orevillea robusta Orange Silk Oak Orange Gypsophila, White I hA Dwarf Rose. Baby's Breath White I hA Dwarf Rose. I rose I/2 hA White I hA Dwarf Rose. I rose I/2 hA White I hA Dwarf Rose. I rose I/2 hA White I hA Dwarf Rose. I rose I/2 hA White I hA Dwarf Rose. I rose I/2 hA White I hA Dwarf Rose. I rose I/2 hA White I hA Dwarf Rose I rose I/2 hA Dwarf Rose I rose I/2 hA A White I hA Dwarf Rose I rose I/2 hA A White I hA Dwarf Rose I rose I/2 hA A Dwarf Rose I rose						25	
Lady Albemarle Gomphrena globosa alba†. —kermesina† —aurea† Orange Orange Rich Red French Honeysuckle Days Breath Baby's Breath Prench Honeysuckle Prench Honeysuckle —oscar Wilde —giganteum —centrochlorus fl. pl —argophyllus fl. pl Crim I tA LA LA LA LA LA LA LA LA LA				- 1		10	
Gomphrena globosa alba†. Clobe Amaranth, White. white I tA Crimson. crim. I tA Crimson. crim. I tA Orange orange I tA Rich Red red I tA Mixed div. I tA Mixed div. I tA Mixed orange StP Gypsophila elegans Gypsophila, White I hA muralis. Dwarf Rose. rose I the Mixed white I hA Baby's Breath Sunflower, Double Dwarf, Yellow Jark Center I gol. Yellow Jark Center Jark Jark Jark Jark Jark Jark Jark Jar						10	
kermesina†						IO	
-aurea† Orange orange I tA -nana compacta† Rich Red red ½ tA in varieties† div. I tA Grevillea robusta. Silk Oak orange 5 tP Gypsophila elegans Gypsophila, White white I hA muralis. Dwarf Rose. rose ½ hA paniculata. Baby's Breath white 2 hP French Honeysuckle. r. & w. 2 hB Helianthus annuus. Sunflower, Double Dwarf, yellow 4 -Oscar Wilde. Yellow, Dark Center gol. y. 4 -giganteum. Mammoth Russian yellow 9 hA -centrochlorus fl. pl. Green-centered y. & gr. 4 -argophyllus fl. pl. Silvery foliage. striped 5 hA cucumerifolius. Thousand-flowered. yellow 3 hA		_ ,			1	5 5	
-nana compacta† Rich Red red 1/2 tA mixed div. 1 tA Grevillea robusta. Silk Oak orange 5 tP Gypsophila elegans Gypsophila, White white 1 hA muralis. Dwarf Rose rose 1/2 hA paniculata Baby's Breath white 2 hP Hedysarum coronarium French Honeysuckle r. & w. 2 hB Helianthus annuus. Sunflower, Double Dwarf yellow 4 hA -Oscar Wilde Yellow, Dark Center gol. y. 4 hA -giganteum Mammoth Russian yellow 9 hA -centrochlorus fl. pl. Green-centered y. & gr. 4 hA -argophyllus fl. pl. Silvery foliage striped 5 hA cucumerifolius Thousand-flowered yellow 3 hA						5	
in varieties†.		Rich Red		1/2	tA	5	
Gypsophila elegans Gypsophila, White white I hA Dwarf Rose rose 1/2 hA Baby's Breath white I hA White I hA Baby's Breath white I hA White I hA Baby's Breath white I hA White I hA White I hA Baby's Breath white I hA White	in varieties†	Mixed	div.		tA	5	
muralis paniculata Baby's Breath French Honeysuckle Sunflower, Double Dwarf. Pellow, Dark Center Signateum Centrochlorus fl. pl. —argophyllus fl. pl. cucumerifolius. Dwarf Rose. Frose Baby's Breath French Honeysuckle French Honeysuckle Sunflower, Double Dwarf. Yellow, Dark Center Mammoth Russian Silvery foliage. Striped Thousand-flowered Striped Thousand-flowered Tose 1/2 h A h A yellow 9 h A Silvery foliage. Striped 5 h A Thousand-flowered. Thousand-flowered.				5		10	
paniculata Baby's Breath white 2 hP Hedysarum coronarium French Honeysuckle. r. & w. 2 hB Helianthus annuus Sunflower, Double Dwarf. yellow 4 hA —Oscar Wilde. Yellow, Dark Center. gol. y. 4 hA —giganteum. Mammoth Russian. yellow 9 hA —centrochlorus fl. pl. Green-centered y. & gr. 4 hA —argophyllus fl. pl. Silvery foliage. striped 5 hA cucumerifolius. Thousand-flowered. yellow 3 hA						5	
Hedysarum coronarium . French Honeysuckle		Dwart Kose				10	
Helianthus annuus Sunflower, Double Dwarf yellow de hA Yellow, Dark Center yellow gol. y. de hA yellow parteum Mammoth Russian yellow de hA yellow de hA Green-centered y. & gr. de hA Silvery foliage striped de hA hA de hA hA hA de hA		French Honeyenelde				5	
-Oscar Wilde						5	
—giganteum. Mammoth Russian. yellow 9 hA —centrochlorus fl. pl. Green-centered y. & gr. 4 hA —argophyllus fl. pl. Silvery foliage. striped 5 hA Cucumerifolius. Thousand-flowered. yellow 3 hA		Yellow, Dark Center				5	
-centrochlorus fl. pl. Green-centered y. & gr. 4 hA -argophyllus fl. pl. Silvery foliage. striped 5 hA cucumerifolius. Thousand-flowered. yellow 3 hA		Mammoth Russian				5	
—argophyllus fl. pl		Green-centered	-			5	
cucumerifolius. Thousand-flowered. yellow 3 hA		Silvery foliage				5 5 5	
	cucumerifolius.	Thousand-flowered	yellow			5	
		Eternal Flower, Yellow	yellow	2	hA	5	
-album† White white 2 hA	—album†	White	white	2	hA	5	



Botanical Names, etc.	Common Names, etc.	Color	Height in Foot	Duration and Hardi- ness	Price per Paper
Helichrysum macranthum†	Eternal Flower, Pink	pink	2	hA	\$0 05
monstrosum fl. pl†	Mixed Double	div.	2	hA	10
Heliotropium Peruvianum	Heliotrope Lemoine's Giant	div.	div.	tP	IO
Helipterum Sandfordit	Everlasting-flower	gol. y.	1 1/2	hhA	10
Hesperis matronalis	Sweet Rocket	pur.&w.	2	hB	5
Heuchera sanguinea	Scarlet Alum	crim.	2 .	hP	25
-alba	White	white	2	hP	25
Hibiscus Africanus	Bladder Ketmia	bu.&br.	1 1/2	hA	5
Crimson Eye	Marshmallow	wh.&cr.	4	hP	10
militaris.	Rose Mallow.	rose	4	hP	5
Hollyhock.	See Althea.	,		110	
Humea elegans	Amaranth, Feathers	red	6'	hhP	10
Humulus Japonicus*	Japan Hop.	green	25	hA	10
Iberis amara.	Candytuft, White	white	I	hA	5
coronaria	Little Prince	white	I	hA	10
odorata	Fragrant.	white	3/4	hA	5
Dunnettii	Dark Crimson	d. crim.	1	hA	5
lilacina	Rosy Lilac	lilac	3/4	hA h A	5
Empress	Large White	white	I	hA hA	IO
nana hybrida	Dwarf Mixed	div.	1/2	hA hA	10
in varieties	Mixed	div. white	I	hhP	5
Sempervirens	White Perennial	winte	I	nnr	Io
COLLECTION	See page 53.	red .	2	tA	. то
Impatiens glanduligera —Sultani	Touch-me-not	scarlet	2	hhP	10
Ipomoea quamoclit*	Cypress Vine, Scarlet	scarlet	10	tA	25
—alba*	White.	white	10	tA	5
coccinea*	Star Ipomœa, Scarlet	scarlet	10	hA	5
grandiflora alba*	Moon-flower	white	10	tA	5 10
bona-nox*	Good night	white	6	tA	
varius*	Mixed	div.	div.	tA	5
Learii*	Blue and Violet	b. & v.	8	tP	25
Kaulfussia amelloides	Kaulfussia, Blue	blue	ī	hA	5
kermesina	Crimson	crim.	3/4	hA	7 10
Kenilworth Ivy	See Linaria.		/4		10
Kennedya in varieties*	Mixed Kennedya	div.	8	tP	25
Lantana in varieties	Mixed Lantana	div.	div.	tP	10
Larkspur	See Delphinium.				
Lathryus odoratus albus*	Sweet Peas, White	white	5	hA	5
—Royal Robe*	Delicate Pink	pink	5	hA	5
—Blanche Burpee*	Superb, pure white		5	hA	5
-Butterfly*	White and lilac	wh.&li.	5	hA	5
—pictus*	Painted Lady	ro. & w.	5	hA	5
-Apple Blossom*	Pink and blush	pk.&bl.	5	hA	5
—Gray Friar*	Grayish lavender		5	hA	5
—Miss Blanche Ferry*	Rich red, white striped		5	hA	5
—purpureus*	Purple.	purple	5	hA	5
—niger*	Black.	black	5	hA	5
—Salopian*	Splendid brilliant scarlet		5	hA	5
—Firefly*	Scarlet; wings crim. scar.		5	hA	5
—Princess Beatrice*	Beautiful rose	rose	5	hA	5
. —Countess of Radnor* .	Delicate lavender	lav.	5	hA	5
—Primrose*	Pale primrose yellow.	yel.	5	hA	
—Royal Rose*	Fine deep rose-colored	rose	5	hA	5 5 5 5 5
-Katharine Tracy*	Bright pink		5	hA	5
-Countess of Cadogan*	Mauve, wings violet-blue	vb.	5	hA	5
—Eckford's*	Hybrid Mixed	div.	5	hA	5
-varius*	Finest Mlxed	div.	5	hA	5
latifolius*	Everlasting Peas	rose	5 8	hP	5
—albus*	White.	white	8	hP	IO
COLLECTION	See page 53.	1		1. 4	
Lavatera trimestris	Lavatera, Red	red .	2	hA	5
Lemon Verbena.	See Aloysia citriodora,				9




Botanical Names, etc.	Common Names, etc.	Color	Holght In Foot	Duration and Hardi- noss	Price per Paper
Liatris pycnostachya	Kansas Gay-feather	pink	3	hP	\$0 IO
Linaria maroccana	Rose Linaria	rose	3/4	hhA	5
cymbalaria	Kenilworth Ivy	lilac	tra.	hP	10
Linum grandiflorum rubrum	Flax, Crimson	crim.	I	hhA	IO
perenne	Perennial	blue	2	hP I	10
flavum	Yellow	vellow	3/4	hP	10
Loasa lateritia*	Orange Loasa Vine	orange	6	tA	IO
Lobelia gracilis.	Lobelia, Slender	1. blue	tra.	hhA	IO
—alba	White	white	tra.	hhA	IO
Prima Donna	Maroon	maro'n		hhA	10
erinus marmorata	Paxtoniana	div.	1/2	hhA	10
—Emperor William	Azure-blue	blue	1/2	hhA	10
-Crystal Palace	Blue.		I	hhP	IO
-Royal Purple	Deep Blue, White Eye		I	hhP	IO
speciosa compacta	Crystal Palace Dwarf	blue	1/2	hhA	25
Queen Victoria	Scarlet Cardinal Flower	scarlet	2	hP	25
Lophospermum in varieties*.	Mixed Lophospermum	div.	8	tP	10
Lunaria biennis in varieties.	Honesty, or Satin-flower	br. & w.	2	hB	5
Lupinus pilosus	Sun Dial, Large Rose	rose	2	hA	5
luteus.	Yellow	vellow	2	hA	5
hirsutus	Large Blue	blue	2	hA	5
albus	White.	white	2	hA	5
hybridus insignis	Dark Red.	d. red	2	hA	10
Cruikshankii	Dark Blue		3	hA	5
varius	Mixed	div.	div.	hA	5
polyphyllus	Mixed Perennial	div.	div.	hP	. 5
Lychnis chalcedonica	Lychnis, Scarlet	scarlet	3	hP	5
—alba	White.	white	3	hP	5
Malcolmia maritima	Virginian Stock	red	1/2	hA	5
Malope grandiflora	Large-flowered Malope	red	2	hA	5
Malva zebrina	Striped Mallow	w.&pur		hA	5
Marigold.	See Tagetes.				3
Mathiola annua in varieties	Stocks, Ten-Weeks, English	div.	I	hA	5
—fl. pl. Mixed	German, Large-flowering.	div.	I	hA	10
—Snowflake	Double White	white	I	hA	25
-Cut-and-Come-Again .	White Forcing	white	I	hA	15
glabrum albus	Wallflowered-leaved	white	I	hA	IO
—coccineus	Scarlet	scarlet	I	hA	IO
—varius	Mixed	div.	I	hA	IO
biennis	Buck's Stock Gilli, Intermediate	scarlet	1 1/4	hhB	IO
—simplicicaulis	White Brompton	white	2	hhB	IO
—Beauty of Nice	Exquisite flesh-pink	pink	2	hhB	15
-Empress Elizabeth.	Carmine-rose Brompton		1 1/2	hhB	25
CHOICE COLLECTIONS.	See page 53.				
Matricaria eximea	Matricaria, Quilled	white	I	hhB	5
grandiflora	Double White	white	I 1/2	hhB	5
Maurandya Barclayana*	Maurandya, Blue	blue	8	tA	IO
—rosea*	Rose	rose	8	tA	10
albiflora*	White	white	8	tA	IO
varius*	Mixed	div.	8	tA	IO
Mesembryanthemum cordifo-					
lium	Ice Plant, Annual	white	1/2	tA	5
-variegatum	Variegated foliage.	ro. & p.	1/2	hhP	10
glabrum	Dew Plant	red	1/2	hhA	5
Mignonette	See Reseda.				
Mimosa pudica	Sensitive Plant	pink	I	tA	5
Mimulus moschatus	Musk Plant	yellow	1/2	tA	10
Roezl's.	Monkey Flower, Yellow	yellow	1/2	hP	25
cupreus in varieties		div.	I	hP	10
hybridus tigrinus	Hybrid Mixed Spotted.	spot.	3/4	tP	10
Mina lobata*	Mexican Climbing Vine	wh.&r.	15	t:A	10
Mirabilis jalapa in varieties	Marvel of Peru, Mixed	div.	2	hA	5
	C 1 1	1: .	-	1 A	
—longiflora in varieties .	Scented	div.	2	hA	5



PETUNIA.

DOUBLE POPPIES.

Botanical Names, etc.	Common Names, etc.	Color	Helght In Foot	Duration and Hardi- ness	Price per Paper
Momordica balsamina*	Balsam Apple	yellow	IO	hhA	\$0 05
charantia*	Balsam Pear	yellow	IO	hhA	5
Morning-glory	See Convolvulus.				
Musa Ensete.	Abyssinian Banana		IO	tP	25
Myosotis alpestris	Forget-me-not, Alpine	blue	1/2	hhP	10
-Victoria	Double Blue	blue	1/2	hhP	25
azorica	Dark Blue	blue b. & w.	1/2 3/4	hhP hhP	10
dissitiflora	Large Blue	blue	74 I	hhP	10
Myrsiphyllum asparagoides*	Smilax Vine.	green	6	tP	IO
Myrtus communis	Broad-leaved Myrtle	white	2	tP	Io
Nasturtium.	See Tropæolum.				
Nemophila discoidalis.	Love-grove, Bordered	blk.&w.	3/4	hhA	5
insignis	Bright Blue	blue	1/2	hhA	5
—alba	White	white	3/4	hhA	5
maculata	Spotted	div.	3/4	hhA	5
in varieties	Mixed	div.	div.	hhA	5
Nicotiana affinis	Flowering Tobacco	white	3	hhA	10
Nierembergia gracilis	Graceful Nierembergia	w. & li.	1	hhP	10
Nigella Damascena	Love-in-a-mist	blue	I	hA	5
Nolana prostrata	Trailing Nolana	b. & bk.	tra.	hA	5
Obeliscaria pulcherrima	Showy Obeliscaria	cr. & y.	3 _	hhP	5
Oenothera biennis	Evening Primrose, Fragrant	yellow	2	hB	5
bistorta Veitchii Lamarckiana	Spotted	y. & cr. vellow	I.	hA hB	5
Oxalis rosea.	Light Yellow	rose	3	hhP	5
delicata.	Oxalis, Rose	ro.&sal.	1/2 1/2 3/4	hhP	10 10
Valdiviensis	New Sweet	vellow	3/4	hhP	10
Tropæoloides	Yellow-brown foliage	,	1/2	hhA	10
Pansy, or Heart's-ease	See Viola tricolor.		12	111121	10
Papaver glaucum	Poppy, Tulip	scarlet	1 1/2	hA	IO
album.	Double White	white	2	hA	5
coccineum	Double Scarlet	scarlet	2	hA	5
umbrosum	Rich Vermilion, Black Spot	ver.	I ½	hA	5
Fairy-blush	Double White, Rose-tipped		2	hA	10
The Shirley	Mixed Single	div.	2	hA	10
Mikado	Mixed	div.	2	hA	IO
ranunculiflorum	Mixed French Double	div.	2	hA	5
Somniferum fl. pl	Mixed Carnation	div.	2	hA	5
The Bride.	Pure White, Single	white	1 1/2	hA	10
nudicauleorientale	Iceland Poppy	div.	2	hP hP	IO
bracteatum	Brilliant Scarlet		2 I ½	hP	IO
Collection	Large Orange-scarlet See page 53.		1/2	111	10
Passiflora in varieties*	Mixed Passion Flower	div.	IO	tP	IO
Pelargonium zonale	Geranium, Mixed	div.	div.	tP	10
odoratissimum	Apple-scented	pink	1/2	tP	25
hybridum in varieties	Finest Mixed	div.	div.	tP	25
Pentstemon gentianoides	Pentstemon, Bicolor	pur.&w.	2	hhP	10
—cœruleus	Hartweg's	blue	2	hhP	IO
—in varieties	Mixed	div.	2	hhP	IO
Perilla Nankinensis	Ornamental-leaved Perilla	purple	2	hhA	5
Petunia Phœnicea	Petunia, Purple	purple	tra.	hhA	5
nyctaginiflora	White	white	tra.	hhA	5
striata	Striped	striped	tra.	hhA	10
Countess of Ellesmere	Rose	ro. & w.	tra.	hhA	10
varius	Mixed.	div.	tra.	hhA	. 5
hybrida grandiflora	Finest Mixed	div.	tra.	hhA	25
——inimitable	Mixed Blotched	div.	tra.	hhA	25
——nana compacta	Dwarf Striped	striped	1/2	hhA	10
	Yellow-throated	yellow div.	tra.	hhA hhA	25
— —flore pleno	mixed Dodble		tra.		25
— —fimbriata fl. pl	Fringed Double	div.	tra.	hhA	50



Botanical Names, etc.	Common Names, etc.	Color	Height in Feet	Duration and Hardi- ness	Price per Paper
Phaseolus multiflorus*	Scarlet-flowering Bean	scarlet	10	tA	\$0 05
Phlox Drummondii alba	Phlox Drummondii, White	white	I	hA	10
-alba fl. pl.	Double White	white	I	hA	10
-oculata.	White, Purple-Eyed	white	I	hA	10
—Leopoldiana.	Pink, White-eyed	pink	Î	hA	10
—coccinea	Deep Scarlet	scarlet	ī	hA	IO
—Isabellina	Pale Yellow	yellow	Î	hA	10
—Chamois Rose	Light Rose	rose	ī	hA	10
—Black Warrior	Dark Red	1050	I	hA	10
—Princess Royal	Lilac, White-edged.		ī	hA	IO
-compacta	Dwarf Blood-red	red	1/2	hA	IO
—cuspidata	Star of Quedlinburg	div.	ī	hA	10
—Heynholdi	Brilliant Scarlet	scarlet	I	hA	10
—varius.	Fine Mixed	div.	I	hA	
—grandiflora	Large Mixed.	div.	I	hA	5
decussata	Mixed Perennial	div.	div.	hP	IO
Collection		div.	CIIV.	111	10
Physalis Francheti	See page 53. Chinese Lantern Plant	scarlet	2	hP	T ~
	See Dianthus.	scariet	2	111	15
Pinks	G 114 · D	vellow		hA	_
Platystemon Californicum		blue	I .	hP	5
Polemonium cœruleum	Jacob's Ladder, Blue White.		1/2	hP	5
album		white	1/2		5
Polycalymma Stuarti†	Bicolor Everlasting	y. & W.	I 1/2	hhA	IO
Polygala, in varieties	Fine Mixed Polygala	div.	div.	tP	25
Poppies	See Papaver.	11	-/	1. 4	
Portulaca splendens aurea	Sun Plant, Yellow	yellow	1/2	hA	5
—purpureus:	Purple	purple	1/2	hA	5
—albiflora.	White	white	1/2	hA	5
—Thellusoni	Scarlet	scarlet	1/2 1/2 1/2 1/2 1/2 1/2	hA	5
—aurantiaca	Orange	orange	1/2	hA	5
—rosea	Rose	rose	1/2	hA	5
—varius.	Mixed Single	div.	1/2	hA	5
—flore pleno	Mixed Double	div.	1/2	hhA	IO
Collections	See page 53.	1.			
Potentilla, in varieties	Mixed Potentilla	div.	I	hP	10
Primula elatior	Mixed Polyanthus	div.	1/2	hhP	10
auricula	Fine Mixed Auricula	div.	1/2	hhP	25
Japonica	Primrose, Purple	purple	I	hhP	10
obconica	Everblooming	white	1/2	tP	25
vulgaris.	English Yellow	yellow	1	hP	10
fimbriata alba	Chinese Primrose, Fringed	white	3/4	tP	25
-rosea	Fringed Rose	rose	3/4	tP	25
—flore pleno	Fringed Double	div.	div.	tP	50
—varius	Fringed Single	div.	div.	tP	25
Collection	See page 53.				
Pyrethrum parthenium	Feverfew, Double	white	1 1/2	hhP	10
auratum	Golden-leaved	yellow	2	hhP	10
roseum	Rose-flowered Pyrethrum.	rose	2	hP	IO
Reseda odorata	Mignonette, Sweet	buff	1	hA	5
—grandiflora	Large Sweet	buff	1	hA	5
—ameliorata	Pyramidal	rose	1 1/2	hA	5
—grandiflora aurea	Golden Queen	gol. y.	1	hA	. 10
—Defiance	Allen's	r. & w.	I	hA	IO
—Machet	Dwarf Pot	red	I	hA	10
—Gabrielle	Robust, large spike	red	3/4	hA	10
—gigantea	Crimson Giant	crim.	2	hA	5
—Miles' Hybrid	Spiral	buff	I ½	hA	5
eximea	Parsons' White	white	ı	hA	5
Rhodanthe Manglesit	Everlasting-flower, Rose	rose	1	tA	10
maculata†	Three-colored	y.r.&bk	2	tA	10
	White	white	11/2	tA	IO
alba†					
alba† varius†.	Mixed	div.	div.	tA	IO
		div.	div.	tA tA	10 5

Ricinus Cambodgensis giganteus Gibsoni Gibsoni Dark Red Mixed div. tA div. tA Mixed Rose, Dwarf Perpetual. div. div. tA Mixed Salpiglossis hybrida Salvia patens Splendens ————————————————————————————————————	Price per Paper
Gishoni	\$ 0 10
Name	IC
Rose, Dwarf Perpetual. div. hP Asalpiglossis hybrida Salpiglossis hybrida Salvia, Light Blue. blue splendens blue scarlet Bonfire. d. scarlet blue ft tP purple Clary purple ft hA tra. hA t	10
Salpiglossis hybrida	5
Salvia patens Salvia, Light Blue. blue splendens Splendens Brilliant Scarlet Scarl	25
Splendens	25
——compacta erecta ——Lord Fauntleroy horminum. Sanvitalia procumbens ——flore pleno Saponaria calabrica. Sazifraga in varieties Mixed Saxifraga Mourning Bride, White. Carmine ——coccinea nana Caucasica ——Lilac ——liliac ——	10
Dwart, flaming scarlet. Scarlet 1/2 tP	15
Aborninum. Sanvitalia procumbens —flore pleno —flore pleno Saponaria calabrica. Saponaria calabrica. Savilraga in varieties Mixed Saxifraga Mourning Bride, White. Caucasica Caucasica Caucasica Caucasica Coccinea nana Collection See page 53 Schizanthus Grahami. Schizanthus Grahami. Schizanthus Grahami. Schizanthus Grahami. See page 53 Schizanthus, Red and Orange. Piresti. Pure White. White I hA hA hA hA hA hA hA hA pink tra hA hA hA hA hA hA hA hA hA h	25
——flore pleno Double. yellow tra hA Saponaria calabrica. Bouncing Bet pink I hA New Scabiosa candidissima Coccinea nana Caucasica Lilac	5
Saponaria calabrica Bouncing Bet pink Ta hA hhP	5
Saxifraga in varieties	5
Scabiosa candidissima Mourning Bride, White. white. 1½ hA Cocccinea nana Carmine. car. 1½ hA Caucasica Lilac lilac 1½ hA Varius. Dwarf Mixed. div. 1 hA COLLECTION See page 53. Schizanthus, Red and Orange. r. & o. 2 hA Priesti Pure White white 2 hA in varieties Schizanthus, Red and Orange. r. & o. 2 hA Priesti Pure White white 2 hA Sedum azureum. Stonecrop. yellow ½ hP Maximowiczii Golden. yellow ½ hP Semetic elegans alba Jacobaea, White white 1 tA -purpurea. See Minosa pudica. Catchfly, Lobel's. pink 1½ hA Sensitive Plant See Minosa pudica. pink 1½ hA Silene armeria Catchfly, Lobel's. pink 1½ hA Solaum melongen Egg-Plant, White whi	5
Coccinea nana	IC
Caucasica varius Dwarf Mixed div T	5
Dwarf Mixed. div. I	IC
Schizanthus Grahami. Priesti Priesti In varieties Sedum azureum Maximowiczii Senecio elegans alba —purpurea Sensitive Plant Selene armeria —compacta —compacta —coccineum. Statice Bonduelli. Statice Bonduelli. Stavia serrata Stocks Sweet Peas Sweet Peas Sweet Sultan Tacsonia ignea* Passion Flower-like Purpila See Centaurea. Passion Flower-like Purpila See Colden Pure White Fine Mixed Stonecrop Sellow Golden. yellow yellow yell	5
Priesti	
Fine Mixed div. 2	5
Sedum azureumStonecropyellow½hPMaximowicziiGoldenyellow½hPSenecio elegans albaJacobaea, Whitewhite1tA—purpureaSensitive PlantSee Mimosa pudica.purple1tASilene armeriaCatchfly, Lobel'spink1½hA—compacta.Rose-Purplel. pur.½hASolanum melongenaEgg-Plant, Whitewhite1tA—coccineumScarlet3tAStatice BonduelliStatice, Goldenyellow1hhPSuworowiRoserose1hhPincana hybridaHybrid Mixeddiv.1½hPStevia serrataVanilla-scented Steviawhite3tPSweet PeasSee Mathiola.See Mathiola.y. & br.1½hASweet SultanSee Centaurea.Passion Flower-likediv.10tp—striata fl. pl.Double Stripedy. & br.1½hA—striataGolden Ringorange1hAPumilaGolden Ringorange1hALittle BrownieSingle-flowering Yellowy. & cr.½hAvarius fl. pl.Golden Yellow Africanyellow1½hA—erecta citrina fl. pl.Golden Yellow Africanyellow1½hA—Nugget of GoldGolden Yellow Africanyellow1½hA—Erecta citrina fl. pl.Orange Africanyellow <td>5</td>	5
Maximowiczii Golden yellow yell	- 5
Senecio elegans alba —purpurea Purple Sensitive Plant See Mimosa pudica. Catchfly, Lobel's Rose-Purple Egg-Plant, White Statice Bonduelli Statice Bonduelli Suworowi Statice, Golden Stevia serrata Vanilla-scented Stevia Sweet Peas Sweet Peas Sweet Sultan See Cantaurea. Passion Flower-like Passion Flowe	10
Purple Sensitive Plant See Mimosa pudica. Catchfly, Lobel's. Dink 1½ hA	IO
Sensitive Plant Silene armeria —compacta. Rose-Purple Egg-Plant, White —coccineum Statice Bonduelli Suworowi incana hybrida. Stevia serrata Stevia serrata Sweet Peas Sweet Peas Sweet Sultan Tacsonia ignea* Tagetes patula aurea fl. pl. —striata fl. pl. —striata fl. pl. Little Brownie varius fl. pl. —aurantiaca fl. pl. —aurantiaca fl. pl. —aurantiaca fl. pl. —Nugget of Gold —El Dorado. signati pumila COLLECTION Thunbergia Bakeri* Aurantiacea* Torenia edentata Torenia edentata Statice, Colden Statice, Golden Statice, Golden Statice, Golden Rose Rose Preple L. pur. 1/2 Natice Rose-Purple L. pur. 1/2 Natice Rose-Purle Rose-Purle Rose-Purle Rose-Purle Rose-Purple Rose-Purle Rose-Pur. Rose-Purle Rose-Pares Rose-Purle Rose-Pares R	5
Silene armeria Catchfly,Lobel's. pink Rose-Purple I. pur. ½ hA Rose-Purple I. pur. ½ hA Scarlet I. pur. ½ hP Stocks I. pur. pur. pur. pur. pur. pur. pur. pur	3
Tacsonia ignea* —corata fl. pl. —striata fl. pl. —striata fl. pl. —cortine Brownie —cortine fl. pl. —striata fl. pl. —cortine fl. pl. —cortine fl. pl. —cortine fl. pl. —aurantiaca fl. pl. —aurantiaca fl. pl. —corcine white —Egg-Plant, White —Scarlet —Scarlet —Scarlet —Scarlet —Scarlet —Scarlet —Scarlet —Statice, Golden —Statice, Golden —Hybrid Mixed —Hybrid Mixed —Hybrid Mixed —Hybrid Mixed —Hybrid Mixed —Hybrid Mixed —In prose —In hhP —Tose —In hhP —Tose —In hhP	5
Solanum melongena —coccineum. Statice Bonduelli. Suworowi incana hybrida. Stevia serrata Stevet Peas Sweet Peas Sweet Sultan Tacsonia ignea* Tagetes patula aurea fl. pl. —striata fl. pl. striata. Pumila. Little Brownie varius fl. pl. erecta citrina fl. pl. —aurantiaca fl. pl. —aurantiaca fl. pl. —El Dorado. Signati pumila COLLECTION Thunbergia Bakeri* aurantiaca* alata* In Vanilla-scented Stevia See Mathiola. See Mathiola. See Mathiola. See Mathiola. See Centaurea. Passion Flower-like. Double Golden. Double Golden. Vy. & br. 1½ hA yellow 1 bhP White White I tA 3 tA 14 3 tA 14 15 14 3 tA 15 14 15 16 16 17 16 17 16 17 17 18 18 19 11 19 11 11 11 11 11 11 11 11 11 11	5
Statice Bonduelli. Suworowi incana hybrida. Stevia serrata. Vanilla-scented Stevia. Sweet Peas Sweet Pass Sweet Sultan Tacsonia ignea* Passion Flower-like. Striata fl. pl. —striata fl. pl. —striata fl. pl. Pumila. Cloth of Golden Ring. Pumila. Little Brownie varius fl. pl. —erecta citrina fl. pl. —aurantiaca fl. pl. —Nugget of Gold. —El Dorado. signati pumila COLLECTION Thunbergia Bakeri* aurantiaca* alata* in varieties* Torenia edentata. Statice, Golden. Rose rose div. yellow y the div. Uno tp White Wings I hhP hhP hhP div. I ½ hP II hhP div. I ½ hP II hA vrose I mhP hhP div. I ½ hP II hA viv. I value I hA y. & br. I ½ hA Striped I hA Vy. & br. I hA y. & br. I hA y. & cr. ½ hA div. I hA yellow y	5
Suworowi. Hybrid Mixed. div. 1½ hP Stevia serrata. Vanilla-scented Stevia. white Stocks Sweet Peas Sweet Sultan See Lathyrus. See Centaurea. Passion Flower-like div. 10 tp Marigold, Double Golden. yellow 1 hA Striata Double Striped. y. & br. 1½ hA Cloth of Gold Striped orange 1 hA Cloth of Golden Ring. Orange 1 hA Single-flowering Yellow y. & cr. ½ hA Single-flowering Yellow y. & cr. ½ hA Golden Ring. Orange 1 hA Lemon African. yellow 2 hA Orange African orange 2 hA Orange African orange 2 hA Orange African yellow 2 hA Orange African orange 2 hA Orange African yellow 2 hA Orange African div. 2 hA Orange African orange 2 hA Orange African div. 2 hA Orange African orange 2 hA Orange African div. 2 hA Orange African div. 2 hA Orange African div. 2 hA Orange Dark-eyed orange 4 hhA Orange, Dark-eyed orange 4 hhA Orange African div. 2 hA Orange, Dark-eyed orange 4 hhA Orange African div. 4 hhA Orania edentata Superb Mixed. Fournier's New Torenia white 1 tP	5
incana hybrida. Stevia serrata Vanilla-scented Stevia See Mathiola. See Mathiola. See Lathyrus. See Centaurea. Passion Flower-like Passion Flower-like Double Golden. Striata fl. pl. Striata Pumila Little Brownie varius fl. pl. erecta citrina fl. pl. —aurantiaca fl. pl. —Nugget of Gold —El Dorado. signati pumila COLLECTION Thunbergia Bakeri* aurantiaca* alata* in varieties* Torenia edentata White Winte Hybrid Mixed. Vanilla-scented Stevia white See Mathiola. See Mathiola. See Mathiola. See Mathiola. See Mathiola. See Centaurea. Passion Flower-like Marigold, Double Golden. yellow I hA yellow y. & br. I½ hA div. Io tp yellow I hA yello	10
Stevia serrata Vanilla-scented Stevia white 3 tP Stocks See Mathiola. See Lathyrus. See Lathyrus. Sweet Peas See Centaurea. Passion Flower-like. div. 10 tp Tagetes patula aurea fl. pl. Passion Flower-like. div. 10 tp —striata fl. pl. Double Striped. y. & br. 1½ hA Striata. Cloth of Gold striped 1½ hA Pumila. Golden Ring. orange 1½ hA Golden Ring. orange 1½ hA Vanilla-scented Stevia. White div. 10 Typelow 1 hA yellow 1½ hA Double African. Orange In A yellow 1½ hA Collection Golden Yellow African. Yellow 1½ hA Double African. Yellow 1½ hA Collection See page 53. Thunbergia, Pure White. White 4 hhA Torenia edentata. Fournier's New Torenia Webrur yellow 4 hhA Torenia edentata. Fournier's New Torenia White 1 1P	IO
Stocks Sweet Peas Sweet Sultan Tacsonia ignea* Passion Flower-like See Centaurea. Passion Flower-like Obuble Striped Pumila Little Brownie varius fl. pl. Single-flowering Yellow Varius fl. pl. Variu	IO
Sweet Peas Sweet Sultan Tacsonia ignea* Tagetes patula aurea fl. pl. —striata fl. pl. Striata. Pumila. Little Brownie varius fl. pl. —erecta citrina fl. pl. —aurantiaca fl. pl. —Nugget of Gold. —El Dorado. signati pumila COLLECTION Thunbergia Bakeri* aurantiaca* alata* in varieties* Therein See Lathyrus. See Centaurea. Passion Flower-like. Double Golden. yellow I hA Vy. & br. 1½ hA Striped I½ hA Cloth of Gold. Striped Vy. & cr. ½ hA	10
Sweet SultanSee Centaurea.Tacsonia ignea*Passion Flower-like.div.10tpTagetes patula aurea fl. pl.Marigold, Double Golden.yellow1hA—striata fl. pl.Double Striped.y. & br.1½hAStriata.Cloth of Goldstriped1½hAPumila.Golden Ring.orange1hALittle BrownieSingle-flowering Yellowy. & cr.½hAvarius fl. pl.French Double Mixeddiv.1hAerecta citrina fl. pl.French Double Mixeddiv.1hA—aurantiaca fl. pl.Orange Africanyellow2hA—Nugget of GoldGolden Yellow Africanyellow1½hACollectionSee page 53.Thunbergia, Pure White.y. & br.1hACollectionSee page 53.Thunbergia, Pure White.white4hhAOrange, Dark-eyedorange4hhABuff, Dark-eyedbuff4hhATorenia edentataFournier's New Toreniaw. &pur½tPWhite WingsWhiteIIP	
Tacsonia ignea* Tagetes patula aurea fl. pl. —striata fl. pl. striata. Pumila. Little Brownie varius fl. pl. —erecta citrina fl. pl. —Aurantiaca fl. pl. —El Dorado. Signati pumila COLLECTION Thunbergia Bakeri* aurantiaca* alata* in varieties* Torenia edentata. Torenia edentata. Torenia geles patula aurea fl. pl. Arigold, Double Golden. Double African. Cloth of Gold Striped Orange Colden Ring. Orange Single-flowering Yellow Vy. & br. I hA Orange African Orange Afric	
Tagetes patula aurea fl. pl. —striata fl. pl. —striata fl. pl. Pumila Little Brownie varius fl. pl. —erecta citrina fl. pl. —aurantiaca fl. pl. —El Dorado signati pumila COLLECTION Thunbergia Bakeri* aurantiaca* alata* In varieties* Torenia edentata White Wings Marigold, Double Golden. Jellow I 1/2 hA Vy. & br. I 1/2 hA Vy. & cr. I/2 hA Vy	25
striata Cloth of Gold striped orange I hA Golden Ring Single-flowering Yellow y. & cr. 1/2 hA orange I hA erecta citrina fl. pl. Lemon African yellow 2 hA orange I hA yellow African yellow I 1/2 hA orange I hA yellow African yellow I I/2 hA div. I hA orange I hA yellow African yellow I I/2 hA div. I hA orange I hA yellow Striped (for edg'g) y. & br. I hA orang	
Pumila. Golden Ring. orange I hA y. & cr. ½ hA div. I hA div. I hA Lemon African. yellow 2 hA Orange African orange 2 hA yellow African. yellow 2 hA Orange African orange 2 hA yellow African orange 2 hA yellow Stignati pumila See page 53. Thunbergia Bakeri* Thunbergia, Pure White aurantiaca* Buff, Dark-eyed orange 4 hhA in varieties* Superb Mixed White Wings Single-flowering Yellow y. & cr. ½ hA div. I hA div. I hA Orange African yellow 2 hA yellow 1½ hA Orange African orange 2 hA yellow Stignati pumila yellow Striped (for edg'g) y. & br. I hA Orange, Dark-eyed orange 4 hhA Orange, Dark-eyed orange 4 hhA Orange African orange 4 hhA Superb Mixed div. 4 hhA Gurania edentata Fournier's New Torenia w.&pur ½ tP white Wings	5
Little Brownie varius fl. pl. Single-flowering Vellow y. & cr. 1/2 hA div. 1 hA Lemon African. yellow 2 hA Orange African orange 3 hA Orange African orange 4 hA Orange African orange 5 hA Orange African orange 6 hA Orange African orange 7 hA Orange African orange 1 hA Orange African orange 2 hA Orange Orange 1 hA Orange Orang	5
varius fl. pl.	5
erecta citrina fl. pl. —aurantiaca fl. pl. —Nugget of Gold. —El Dorado. signati pumila Collection Thunbergia Bakeri* aurantiaca* alata*. in varieties* White Wings Lemon African. Orange African Orange African Orange African Orange African Vellow African Vellow African Vellow Frican Orange African Orange African Orange African Vellow I1½ hA Vellow Striped (for edg'g) Vellow Frican Orange African Vellow Vellow Frican Orange African Vellow Orange African Vellow Vellow Vellow Vellow Vellow Vellow Vellow Vellow Vellow Vellow Vellow Vellow Vellow Vellow Vellow Vellow Vellow Ve	5 5 5 5 5
-aurantiaca fl. pl. -Nugget of Gold -El Dorado. Signati pumila COLLECTION Thunbergia Bakeri* aurantiaca* in varieties* Torenia edentata White Wings Orange African Orange yellow Golden Yellow African Double African Yellow Striped (for edg'g) Yellow Striped (for edg'g)	5
-Nugget of Gold Golden Yellow African Vellow divEl Dorado. Double African div. Signati pumila Yellow Striped (for edg'g) COLLECTION See page 53. Thunbergia Bakeri* Thunbergia, Pure White orange 4 hhA orange, Dark-eyed orange 4 hhA bin varieties* Superb Mixed div. Torenia edentata Fournier's New Torenia white It P	5
-El Dorado. Double African div. 2 hA Yellow Striped (for edg'g) y. & br. 1 hA Yellow Striped (for edg'g) y. & br. 1 hA Yellow Striped (for edg'g) y. & br. 1 hA Yellow Striped (for edg'g) y. & br. 1 hA Yellow Striped (for edg'g) y. & br. 1 hA	10
COLLECTION See page 53. Thunbergia Bakeri* Thunbergia, Pure White white orange 4 hhA aurantiaca* Buff, Dark-eyed buff 4 hhA in varieties* Superb Mixed div. 4 hhA Torenia edentata Fournier's New Torenia w.e.pur White Wings the Aurantia See page 53. Thunbergia Pure White white orange 4 hhA hhA hhA hhA torenia edentata Fournier's New Torenia w.e.pur white the torenia w.e.pur white w.e.pur white the torenia w.e.pur white the torenia w.e.pur white w.e.pur white w.e.pur white the torenia w.e.pur white w.e.pur w	- 10
COLLECTION See page 53. Thunbergia Bakeri* Thunbergia, Pure White white orange 4 hhA aurantiaca* Buff, Dark-eyed buff 4 hhA in varieties* Superb Mixed div. 4 hhA Torenia edentata Fournier's New Torenia w.e.pur White Wings the Aurantia See page 53. Thunbergia Pure White white orange 4 hhA hhA hhA hhA torenia edentata Fournier's New Torenia w.e.pur white the torenia w.e.pur white w.e.pur white the torenia w.e.pur white the torenia w.e.pur white w.e.pur white w.e.pur white the torenia w.e.pur white w.e.pur w	5
aurantiaca*. Orange, Dark-eyed. orange 4 hhA alata * Suff, Dark-eyed. buff 4 hhA in varieties * Superb Mixed. div. 4 hhA Torenia edentata. Fournier's New Torenia w.&pur 1/2 tP White Wings the Alam Superb Mixed white 1 tP	
alata* Buff, Dark-eyed buff div. 4 hhA in varieties*. Superb Mixed div. 4 hhA Torenia edentata Fournier's New Torenia w.&pur white I tP	5
in varieties*. Superb Mixed. div. 4 hhA Torenia edentata. Fournier's New Torenia w.&pur y/2 tP White Wings tP	5
Torenia edentata	5 5
White Wings white I tP	25
	25
Trifolium odoratum Sweet-scented Clover white 3 hA	5
Tropaeolum, Tom Thumb King Nasturtium, Dwarf Carmine . car. 1 hA	5
	5
——Bronze color Dwarf Bronze bronze 1 hA	5
Pearl Dwarf Blush cream I hA Dwarf Rose. I hA	5 5 5 5 5

Botanical Names, etc.	Common Names, etc.	Color	Height in Feet	Duration and Hardi- noss	Price per Paper
Tropaeolum, Tom Thumb-					
——Ruby King	Nasturtium, Dwarf Ruby	red	I	hA	\$0 05
— —Golden King	Dwarf Golden	golden	I	hA	5
— —King Theodore	Dwarf Purple	d. pur.	I	hA	5
———Empress of India	Dwarf Crimson		I	hA	5
— —Lilliput,	Dwarf Lilliput	div.	1/2	hA	10
— —varius	Mixed Tom Thumb (finest	div.	I	hA	5
majus Schillingi*	Light Yellow	li. yel.	6	hA	5
—The Pearl*	Cream-White		6	hA	5
—Rose*	Brilliant Rose		6	hA	5
—Dunnetti*	Bright-Orange	orange	6	hA	5
—King Theodore*	Dark Crimson	d. cr.	6	hA	, 5
—atrosanguineum*	Crimson	crim.	6	hA	5
—Mad. Gunter Hybrids*.	Mined Denomial	div.	6	hA AD	IO
—Lobbianum*	Mixed Perennial	div.	6	tP hA	IO
-varius**	Mixed Tall (finest)	div.	6	hA	5
—peregrinum*	Canary-bird Flower	yellow	8	IIA	10
Valeriana in varieties	See page 53. Mixed Garden, Valerian	div.	2	hP	-
Greek	Sweet-scented	white		hP	5
Venidium calendulaceum	Orange, Brown Center	winte	2 I	hhA	5
Verbena hybrida alba	Verbena, Pure White	white	tra.	hhP	IO
-striata	Italian, Striped	striped	tra.	hhP	IO
—coccinea	Bright Scarlet	scarlet	tra.	hhP	IO
—Defiance	Dark Scarlet	d. s.	tra.	hhP	10
—cœrulea	Bright Blue	blue	tra.	hhP	10
-Mammoth	Mammoth Mixed	div.	tra.	hhP	IO
—in varieties	Finest Mixed	div.	tra.	hhP	10
—varius	Fine Mixed	div.	tra.	hhP	5
tencroides	White, Sweet	white	tra.	hA	10
CHOICE COLLECTION	See page 53.	Willie	crea.	****	
Veronica Syrica	Dwarf Blue Veronica	blue	1/2	hhA	10
Vinca alba rosea	Periwinkle, Madagascar	w. & ro.	I	tA	10
—nova	Pure White	white	I	tA	IO
rosea	Rose, Dark-eyed	rose	ı	tA	IO
varius	Mixed	div.	1	tA	IO
Viola tricolor cœrulea	Pansy, or Heartsease, Blue	1. b.	1/2	hhP	10
-Bugnot's	Superb strains	div.	1/2	hhP	25
—Faust	King of the Blacks	black	1/2	hhP	10
—alba	White	white	1/2	hhP	10
—Prince	Yellow	yellow	1/2	hhP	IO
—striata	Belgian or Fancy	div.	1/2	hhP	25
—Emperor William	Dark Purple	b.&pur.	1/2	hhP	10
—Odier	Five-blotched, extra	div.	1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2	hhP	25
—Lord Beaconsfield	Violet and Lavender		1/2	hhP	10
Mahogany-colored	Reddish Brown	4:	1/2	hhP	IO
—Trimardeau	Extra Large Mixed	div.	1/2	hhP	25
—maxima, in varieties	Finest Mixed English	div.	/2	hhP	25
-varius	Fine Mixed	div.	/2	hhP	10
Choice Collection	See page 53.	div.	1/	hhP	
Violets, in varieties	Mixed Sweet Violet	pk. &s.	1/2	hA	10
			I	hA	5
elegans pictavarius.	Painted	cr. & w.	div.	hA	5
Wahlenbergia grandiflora	Blue Bellflower	blue	I	hhP	5 10
Waitzia grandiflora†	Large-flowered Waitzia	vellow	2	tA	25
Whitlavia grandiflora	Whitlavia, Violet-blue	blue	I	hA	
—gloxinioides	Gloxinia-like.	w. & b.	I	hA	5
Wigandia Vigieri,	Ornamental-leaved	W. CC D.		tP	15
Xeranthemum annuum†	Everlasting Flower	purple	4 2	hA	5
—album†	White	white	2	hA	5
imperalis fl. pl†	Dark		2	hA	10
	A	Preside V.	- Au	3344	10
varium†	Mixed.	div.	2	hA	5

Botanical Names, etc.	Common Names, etc.	Color	Height in Feet	Duration and Hardi- ness	Pric. per Paper
Zea Japonica	Striped-leaved Japanese Maize	w. & gr.	5	hhA	\$0 O5
Zinnia elegans alba	Zinnia, Double White		2	hA	10
—coccinea	Double Scarlet		2	hA	IO
-aurea	Double Yellow		2	hA	10
—purpurea	Double Purple	purple	2	hA	10
-violacea	Double Violet	violet	2	hA	IO
—grandiflora robusta	Double Large-flowering.	div.	2	hA	IO
—zebra	Double Carnation, Striped	striped	2	hA	IO
—in varieties	Double Mixed	div.	2	hA	IC
—Tom Thumb	Dwarf Double Mixed	div.	1	hA	IC
—New Pompon	Double Cone-shaped	div.	1	~hA	IC
Haageana fl. pl	Mexican Double	golden	1 1/4	hA	IC
Collections	See page 53.		7		

ORNAMENTAL GRASSES

Per pkt.	Per pkt.
Agrostis pulchella (hA) \$0 10	Coix lachrymæ (Job's-Tears) (hA) \$0 05
Agrostis nebulosa (fine) (hA)	Eragrostis elegans (Love-Grass) (hA). 5
Anthoxanthum gracilis (hhP) 10	Erianthus Ravennæ (hP)
Arundo Donax (hhP)	Eulalia Japonica (hP) 10
Avena sensitiva (Animated Oats) (hA). 5	Festuca rigida (hP).
Bromus brizæformis (hA)	Gynerium sp. (Pampas Grass) (hhP) . 10
Briza maxima (Quaking Grass) (hA). 5	Hordeum jubatum (hA) 5
Briza gracilis (hA) 5	Lagurus ovatus (Hare's-Tail) (hA) 5
Brizopyrum siculum (hA) 5	Setaria macrochæta (hA) 10
Chrysurus aureus (Lamarckia) (hA) 5	Stipa pennata (Feather-Grass) (hP) 10

Collections of Flower Seeds

German and French Flower Seeds

Raised and put up by celebrated cultivators in Europe, and sold in the original packets as received.

ASTERS

Truffaut's French Pæony-flowered Perfection, 12 distinct varieties. \$0 75	Rose-flowered German, extra fine, 8
rection, 12 distinct varieties. \$6.75	varieties. \$0 75
Truffaut's Imbricated Pompon French,	Cocardeau, or Crown (white center),
12 varieties	6 varieties 50
Quilled Double German, 12 varieties . 75 New Dwarf Bouquet German (<i>Boltz</i>),	Giant Comet Asters, 6 distinct va-
To varieties 75	rieties
Globe, or Uhland German, 10 varieties. 75	Betteridge's Prize, 12 varieties
Dwarf Chrysanthemum-flowered Ger-	New Victoria German, 8 distinct va-
man, 6 varieties 50	rieties 50

BALSAMS

Miniature, or Dwarf German, 10 varie-	Carnation-striped, double, 8 fine varie-
ties \$0 75 Camellia-flowered, extra double, spot-	ties
ted, 12 varieties 1 60	rieties

STOCKS

Dwarf German Ten-Weeks, 12 varieties. \$0 75	Wallflower-leaved Ten Weeks, 10 su-
New Large-flowering Dwarf Ten-	perb varieties
Weeks, 12 varieties	Winter Large-flowering German, 8 va-
Perpetual Emperor, 12 varieties 75	rieties

MISCELLANEOUS COLLECTIONS

Alpine, or Rock Plants, 8 varieties \$0 75	Ornamental Grasses, 12 varieties \$6 75
Amarantus (Ornamental Sorts), 8 va-	Pansy, or Heartsease, 12 distinct varie-
rieties 50	ties
Antirrhinum (Snapdragon), 12 varieties. 75	Papaver (Double Poppy), 12 varieties . 75
Aquilegia (Columbine), 12 varieties . 50	Petunia fimbriata fl. pl., 6 varieties 1 50
Begonia, Tuberous-rooted, 6 varieties 1 00	" Double, 6 distinct varieties 75
Canna (Dwarf French), 6 varieties 50	" Single, 6 distinct varieties 75
Calliopsis (Coreopsis), 8 varieties 35	Phlox Drummondii, 12 named varieties . 75
Campanula (Canterbury-bell), 6 varieties 50	Pinks, Carnation, 12 fine varieties 1 00
Celosia cristata (Cockscomb), 6 varieties 50	" Perpetual, or Tree, 6 fine varieties 1 50
Chrysanthemums, Annual, 12 varieties 50	Portulaca, Double, 8 varieties
Climbing, or Running Plants, 12 varieties 75	" Single, 10 varieties 50
Coleus, Superb Mixed, 12 varieties . 1 50	Primrose, Fringed Chinese, 6 varieties 75
Delphinium (Larkspur), 10 varieties . 75	Salpiglossis hybrida, 12 varieties . 75
" Candelabra-formed, 6 va-	Scabiosa (Sweet Scabious), 10 varieties 75
rieties 60	Tagetes (French and African Mari-
Dianthus Chinensis (Annual Pinks), 12	gold), 8 varieties 40
varieties 1 00	Tropaeolum (Nasturtium), Tom Thumb,
Everlasting, or Eternal Flower, 12 varie-	12 varieties
ties	" (Nasturtium), Tall, or Climb-
Ferns, Fine Mixed, 12 varieties 1 50	ing, 12 varieties
Fuchsia, 12 varieties 1 25	" Lobbianum, 8 varieties 50
Herbaceous Hardy Plants 1 00	Verbena hybrida, 6 varieties
Hollyhocks, German Double, 12 varieties 1 00	Wallflower, German Double, 6 varieties . 50
Iberis (Candytuft), 8 varieties 40	Zinnia elegans, Tall Double, 8 varieties . 75
Lathyrus (Sweet Peas), 16 varieties 75	" Dwarf Double, 8 varie-
Lupinus (Lupins), 8 varieties 40	ties 50

OUR OWN SELECTION

The packets are beautifully illustrated with a chromo-lithographed portrait of the flower, as true to nature as it can be made. Cultural directions in English, German and French accompany each packet.

100	Packets 1 4 1	of Annuals,	Biennials and	Perennials,	best assorted								. \$	8 00
100		66			good assorted.									
	3.8,		44		best assorted									
			6.6	6.6	good assorted.		۰		۰		۰			2 00
20			good assorted							۰				1 00
12	**	~66	best assorted											I 00
10	66	4.6	good assorted											50
12	: "	44	new and favor	ite kinds				٠	٠			۰		1 50

FLOWER SEEDS BY WEIGHT

For other varieties, see pages 33 to 54.

Per oz.	Per oz
Ageratum Mexicanum, blue \$0 50	Ipomoea (Cypress Vine), Scarlet \$0 40
Althaea (Hollyhock), Double Mixed . 75	" White
" Double White I oo	Star
Alyssum, Sweet, white 40	Lathyrus (Sweet Peas), White 15
" compacta 50	Scarlet
Amarantus tricolor 30	Painted Lady
Aquilegia (Columbine) Mixed 50	Mixed Finest per ib., \$1. 15
	Lobelia gracilis, Blue
Aster Chinensis, Fine Mixed 50	" speciosa, Crystal Palace 1 50
"German Quilled, Mixed 50 "Truffaut's White 2 co	" " compacta 2 50
" Blood-Red 2 00	Lupinus (Lupins), Mixed Annual 25
" cœruleus	Malcolmia (Virginia Stocks), Lilac 30
"Blood-Red. 2 00 "cœruleus. 1 75 Perfection, Mixed. 1 75	Mathiola (Stocks, Ten-Weeks), English
Balsamina (Balsam) Paris, Mixed 50	Mixed
" Camellia-flowered, Mixed 1 00	Finest Mixed 3 oc
" Double White 1 00	" Cut-and-Come-Again, White . 2 50
Cacalia (Scarlet Tassel Flower) 30	Mimosa (Sensitive Plant)
	Mirabilis (Marvel of Peru) 25
	Myosotis (Alpine Forget-me-not), Blue. 75
# 444 A / C	Myrsiphyllum (Smilax Vine) 75
	Nemophila insignis, Blue 30
Canna (Indian Shot), Crozy's Mixed 50	" Fine Mixed 25
Cardiospermum (Balloon Vine) 25	Papaver (Poppy), French Mixed 30
Centaurea gymnocarpa	" (The Shirley)
" candidissima 1 75 (Sweet Sultan), Yellow 50	Perilla Nankinensis, Purple-leaved 25
	Petunia, Purple 50
Cheiranthus (Wall-flower), Double 3 00	" White 50
Coboea scandens, Purple 75	" Mixed 75
Coix lachryma (Job's Tears) 25	" Extra 4 00
Cosmos in varieties 50	Phlox Drummondii, White
Convolvulus major (Morning-glory) 20	" Scarlet I oo
" minor, Fine Mixed 25	I IIIC MIACU 50
· ·	Portulaca (Sun Plant), White 50
	Scarlet 50
Delphinium (Larkspur), Tall Branch-	Mixeu 50
" Dwarf Rocket 30	
Dwarf Rocket 30	Pyrethrum aureum (Golden Fcather) 75
Dianthus Chinensis (Indian Pink), Mixed 50	Reseda (Mignonette, Sw't), per lb., 75c. 15
" barbatus (Sweet William),	"Large per lb., \$1 . 20 "Giant Pyramidal . per lb., \$1 . 20 "Macket
Mixed 50	"Giant Pyramidal . per lb., \$1 . 20 "Machet 60
" Carnation Pink, Common	
Mixed 75	Ricinus (Castor Bean), Fine Mixed . 15 "sanguineus, Red 25
Digitalis (Foxglove), Mixed 40	
Dolichos (Hyacinth Bean)	, ,
m + + + + + + + + + + + + + + + + + + +	Scabiosa (Mourning Bride), Mixed 50
	Tagetes (Marigold), French Mixed 50
Euphorbia, Variegated-leaved 40	" African Mixed 50
Gaillardia picta 25	Thunbergia Vine, Fine Mixed 50
Gilia, Fine Mixed 30	Trifolium (Sweet-scented Clover) 20
Gomphrena (Globe Amaranth), White . 40	Tropaeolum (Canary-Bird Vine) 50
Crimson 40	" Nasturtium, Tall, Mixed 20
Helianthus (Sunflower), Double Dwarf 25	Tom Thumb, Mixed 20
Hibiscus Africanus (Bladder Ketmia) . 25	Verbena, Fine Mixed
Iberis (Candytuft), White 25	" Extra Fine Mixed 1 50
"Crimson. 30	Viola (Pansy) Fine Mixed 2 00
" Empress, Large White 60	" Extra Fine Mixed 4 00
" Mixed 25	Zinnia elegans, Double Mixed 40

SEEDS ADAPTED TO GREENHOUSE CULTURE

The annexed are adapted to culture in the dwelling-house or greenhouse, though many varieties will answer for the border during the summer months. The kinds mentioned will be found under their scientific names in the descriptions of Flower Seeds.

Abutilon, in varieties. Acacia, in varieties. Alstroemeria hybrida. Angelonia grandiflora. Asparagus plumosus nanus. Sprengeri. Azalea Indica. Begonia hybrida. Calceolaria, in varieties. Campanula pyramidalis. Centaurea Clementei. " gymnocarpa. Chorizema, in varieties. Cineraria hybrida. Convolvulus mauritanicus. Coronilla, in varieties. Cuphea platycentra. Cyclamen persicum giganteum. Dianthus caryophyllus (Carnation). Dracaena, in varieties. Dracocephalum (Balm of Gilead). Epacris hybrida. Eupatorium, in varieties. Euphorbia pandurata. Ferns, in varieties. Fuchsia, in varieties. Glaucium corniculatum. Gloxinia, in varieties.

Heliotropium (Heliotrope). Humea elegans. Impatiens Sultani. Ipomoea Learii. Kaulfussia, in varieties. Kennedya, in varieties. Lantana, in varieties. Lophospermum, in varieties. Mathiola (Stock Gilli). Maurandya, in varieties. Mimulus (Monkey Flower). Myrsiphyllum (Smilax). Myrtus (Myrtle). Nierembergia gracilis. Oxalis, in varieties. Passiflora (Passion-flower). Pelargonium (Geranium). Petunia, in varieties. Polygala, in varieties. Primula Sinensis (Chinese Primrose). Reseda (Mignonette). Salvia splendens. Senecio, in varieties (Jacobæa). Stevia serrata. Tacsonia ignea. Torenia edentata. Tropaeolum Lobbianum, in varieties. Vinca (Madagascar Periwinkle).

USEFUL ORNAMENTAL FOLIAGE PLANTS

(Sultable for Borders and Subtropical Cardening)

Amaranthus salicifolius. bicolor ruber. tricolor. 5.6 Henderi. Aquilegia (Columbine). Bocconia Japonica. Canna (Indian Shot) Cannabis gigantea (Giant Hemp). Carduus benedictus. Celosia cristata (Cockscomb). Centaurea candidissima. Cineraria maritima. Datura meteloides. Erythrina (Coral Plant). Eryngium Leavenworthi. Euphorbia marginata. pandurata. Glaucium (Horned Poppy).

urevillea robusta.

Helianthus (Russian Sunflower).

"argophyllus.
centrochlorus fl. pl.

Humea elegans.
Liatris (Gay Feather).
Martynia fragrans.
Nicotiana affinis (Tobacco).
Ornamental Grasses.
Perilla Nankinensis.
Pyrethrum aureum.
Musa ensete.
Ricinus (Castor Oil Plant).
Salvia argentea.
Solanum coccineum.
Statice incana.
Trifolium odoratum.
Wigandia Vigieri.
Zea Japonica.

Annuals, Etc., for Vases and Hanging Baskets

Ageratum, in varieties.
Alonsoa, in varieties.
Alyssum maritimum.
Asparagus Sprengeri.
Aubrietia deltoidea.
Brachycome (Swan River Daisy).
Calandrinia umbellata.
Callirhoe pedata.
Centaurea candidissima.

Cineraria maritima.
Clintonia elegans.
Convolvulus minor.
"mauritanicus.
Eschscholtzia mandarin.
Fenzlia dianthillora.
Gilia tricolor, in varieties.
Iberis odorata, in varieties.
Leptosiphon, in varieties.

Linum (Flax)
Loasa lateritia.
Lobelia gracilis, in varieties.
Lophospermum, in varieties.
Malcolmia (Virginian Stock).
Maurandya, in varieties.
Mimulus (Musk Plant).
" (Monkey-flower).
Nemophila (Love-grove).
Nierembergia gracilis.

Nemophila (Love-grove). Nierembergia gracilis. Nolana prostrata. Pelargonium, Zonale (Geranium). Petunia, in varieties. Portulaca, in varieties.
Reseda odorata (Mignonette).
Sanvitalia procumbens.
Saponaria (Soapwort).
Saxifraga, in varieties.
Sedum (Stonecrop).
Thunbergia, in varieties.
Tropaeolum (Nasturtium).
Verbena, in varieties.
Vinca (Madagascar Periwinkle).
Viola tricolor (Pansy).
Viscaria (Rose of Heaven).
Zinnia Haageana.

ANNUALS, ETC., FOR BOUQUETS AND NOSEGAYS

Abronia umbellata. Ageratum, in varieties. Alyssum (Sweet Alyssum). Antirrhinum (Snapdragon). Aquilegia (Columbine). Asperula azurea. Aster Chinensis, and varieties. Balsamina camelliaeflora. Cacalia (Tassel-flower). Celosia kermesina. Centaurea (Sweet Sultan). cyanus (Biuebottle). Centranthus, in varieties. Chrysanthemum, in varieties. Clintonia pulchella. Collinsia, in varieties. Cosmos. Cuphea. Cynoglossum (Venus' Navelwort). Dianthus Chinensis (Pinks).
"barbatus (Sweet William). caryophyllus (Carnation). **Delphinium** (Larkspur). Didiscus coerulea. Erysimum (Hedge Mustard).

Gilia, in varieties. Gomphrena (Globe Amaranth). Gypsophila, in varieties. Heliotropium (Heliotrope). Hesperis (Sweet Rocket). Iberis odorata, in varieties. Lathyrus (Sweet Peas). Leptosiphon, in varieties. Lychnis chalcedonica. Mathiola (Ten-Weeks Stock).
Myosotis (Forget-me-not). Nigella (Love-in-a-mist.) Phlox Drummondii, in varieties. Reseda (Mignonette). Salpiglossis hybrida. Scabiosa (Mourning Bride). Senecio (Jacobæa). Silene Armeria (Catch-fly). Smilax asparagoides. Tropaeolum (Nasturtium). Verbena, in varieties. Viola tricolor (Pansy). Viscaria, in varieties. Zinnia elegans, fl. pl.

> Botanical Name . Campanula. . Saponaria. Anoda. . Platystemon. . Humea. . . Iberis. Tropæolum. . Campanula. . Calendula. . . Dianthus. . . Lobelia. . . Ricinus. . . Silene. . Dianthus. . Abutilon. Primula. Delphinium. Physalis. . Cuphea. . Salvia horminum. Cyclanthera. . Dianthus. . Celosia.

INDEX TO COMMON NAMES

Common Name	Botanical Name	Common Name
African Marigold .	Tagetes.	Bell-flower
African Daisy		Bouncing Bet
Allegheny Vine	Adlumia.	Blue Hibiscus
Amethyst		Californian Poppy
Animated Oats	Avena.	Calomaria
Arabian Primrose .	Arnebia.	Candytuft
Armeria	Statice.	Canary-bird Flower .
Aster	Aster.	Canterbury Bells
Auricula	Primula.	Cape Marigold
Baby's Breath		Carnation Pink
Balsams		Cardinal-flower
Balsam Apple	Momordica.	Castor Bean
Balsam Pear	Momordica.	Catch-fly
Balm-of-Gilead	Dracocephalum.	China Pink .
Balloon Vine	Cardiospermum.	Chinese Bell-flower .
Banana	Musa.	Chinese Primrose
Bachelor's Buttons	Globe Amaranth.	Chinese Larkspur
Beans	Phaseolus.	Chinese Lantern Plan
Bearded Pentstemon	Chelone.	Cigar Plant
	. Delphinium.	Clary
Bladder Ketmia		Climbing Cucumber .
Bluebottle	Centaurea.	Clove Pink
Boston Ivy	Ampelopsis	Cockscomb

Common Name.	Botanical Name.	Common Name.	Botanical Name.
Columbine	Aquilegia.	Marvel of Peru	. Mirabilis.
Coral Plant	Erythrina.	Mexican Poppy	
Cordyline	Dracæna.	Mignonette	. Reseda.
Coreopsis		Mock Orange Monkey-flower	Cucurbita.
Cosmos		Monkey-flower	. Mimulus.
	Primula veris.	Monk's-hood	
Cucumber Vine		Morning-glory	
Cypress Vine	Ipomæa.	Mountain Fringe	
Dahlia Daisy	Dahlia.	Mourning Bride Musk Plant	. Scabiosa.
Daisy	Bellis.		
Dame's Violet	Hesperis. [mum.	Myrtle	. Myrtus.
Dew Flant	. Mesembryanthe- . Cineraria.	Nasturtium	Vince
Dutchman's Pipe	Aristolochia	Pansy	Viola
Feeremocarnus	Calampelie	Passion Flower	Passiflora
Foonlant	Solanum	Passion Flower	Anemone
Eternal-flower	. Helichrysum.	Petunia	. Petunia.
Evening Primrose	. Œnothera.	Pheasant's-eve	Adonis.
Everlasting Peas	Lathyrus.	Pheasant's-eye Pink	. Dianthus.
Fever-and-Ague Plan	Solanum. Helichrysum. Chothera. Lathyrus. Eucalyptus.	Phlox	. Phlox.
reveriew	Fyleunum.	Pinks	. Dianthus.
Feather Grass	Stipa.	Polyanthus	. Primula.
Flax		Poppy	. Papaver.
Forget-me-not	Myosotis.	Pot Marigold	. Calendula.
Foxglove	Digitalis.	Primrose	
Four-O'clock	. Mirabilis.	Prince's Feather	
French Marigold	Tagetes.	Quaking Grass	
Gas Plant	Dictamnus.	Rock Plant	
Gay-feather	Liatris.	Rose, African	
Gilliffarror	Pelargonium.	Rose-of-Heaven	. Viscaria,
Gilliflower Globe Amaranth	Matinola.	Rose Campion	- Agrostellina.
Glory Vine	Clienthus	Satin Flower	I unaria
Gourds	Cucurbita	Scotch Broom	Cytisus
Heartsease	Viola	Sensitive Plant	Mimosa
Heartsease Heath	Erica.	Silk Oak	
Hedge Mustard	Ervsimum.	Slipperwort	
Hedgehog	Hedysarum.	Smilax	Myrsiphyllum.
Heliotrope	Heliotropium.	Snake Cucumber	. Cucumis.
Hollyhock	Althæa.	Snapdragon	. Antirrhinum.
Honesty	Lunaria.	Spider Flower	
Honeysuckle		Stock Gilli	
Horn of Plenty	Datura.	Stonecrop	. Sedum.
Horned Poppy	Glaucium.	Sun Dial Sunflower	. Lupins.
Hyacinth Bean	Dolichos. [mum.	Sunflower	. Helianthus.
Ice Plant	Mesembryanthe- Xeranthemum.	Sun Plant	. Portulaca.
Immortal-Hower	Aerantnemum.	Snow-on-the-mountain .	A colonica
Imperial Pink Indian Shot	Canna	Swallowwort Swan River Daisy	Brachycome
Jacob's Ladder	Polemonium	Sweet Clover	Trifolium
Japan Hop	Humilis	Sweet Clover	Lathyrus
Japanese Maize		Sweet Rocket	. Hesperis.
Janan Pink	Dianthus	Sweet Sultan	. Centaurea.
Job's Tears Joseph's Coat	Coix (grass).	Sweet William	. Dianthus.
Joseph's Coat	Amarantus.	Tassel-flower	
Lady's Slipper	Balsamina.	Tobacco	. Nicotiana.
Larkspur	Delphinium.	Tobacco	
Lemon Verbena	Aloysia.	Variegated Spurge	Euphorbia.
Lobelia	Lobelia.	Venus' Looking-glass .	. Campanula.
London Pride	Dianthus.	Venus' Navelwort	. Cynoglossum.
Love-grove	Nemophila.	Verbena	. Verbena.
Love-grass Love-in-a-mist	Eragrostis.	Virginian Stock Virgin's Bower	Maicoimia.
Love-in-a-misi	Nigeria.	Wallflower	Cheiranthus
Love-in-a-puil	Cardiospermum.	Wild Cucumber	Echinocyetie
Maiden Pink	Dianthus	Windflower	Anemone
Love-lies-bleeding . Maiden Pink Marigold	Tagetes.	Youth-and-old-age	. Zinnia.







AQUILEGIA

COREOPSIS

PHLOX

Hardy Perennial Plants

FOR PERMANENT PLANTING IN OPEN BORDERS

Prices for any of the following, 25 cts. each, \$2.25 per doz.

Varieties	Height	Color	Time of Bloom
Aconitum napellus (Monkshood)	3 ft.	Blue	June
Achillea, "The Pearl"	11/2 "	White	All Summer
" tomentosa (Downy Yarrow)	I "	Yellow	Summer
Adonis vernalis (Spring Adonis)	I "	Yellow	May
Ajuga reptans rubra (Dark Foliage)	6 in.	Blue	Summer
Alstromeria aurantiaca (Peruvian Lily)	2 to 3 ft.	Orange	All Season
Alyssum saxatile (Golden Tuft)	1 ft.	Yellow White	Early Spring
Anemone Japonica alba	2 "	Red	Fall Fall
" Pennsylvanica	1 "	White	Spring
Anthemis tinctoria (Yellow Chamomile)	1 "	Yellow	July to Nov.
Anthericum (St. Bruno's Lily)		White	Summer
Aquilegia (Columbine).	3 "	Assorted	Early Summer
Arabis albida (Rock Cress)	6 in.	White	May
Armeria maritima (Sea Pink)	I ft.	Rose	Spring
Artemisia abrotanum (Southernwood)	2 "	Yellow	Fragrant fol.
Asclepias tuberosa (Butterfly Flower)	2 "	Orange	Tune
Asperula odorata (Woodruff)	ī "	White	Summer
Asphodelus luteus (Asphodel)	3 "	Yellow	May to July
Aster Novae-Anglae (New England Aster)		Purple	Fall
Astilbe Japonica (Japan Astilbe)	3 "	White	Early Summer
Baptisia Australis (Blue False Indigo)	3 to 5 ft.	Blue	Early Summer
Bocconia cordata (Tree Celandine)	6 ft.	Cream	Summer
Boltonia asteroides (False Chamomile)	4 "	White	All Summer
Callirhoe involucrata (Creeping Mallow)	4 in.	Crimson	All Summer
Campanula (Canterbury Bells)	2 ft.	Assorted	Early Summer
Cassia Marilandica (American Senna)	4 ''	Yellow	July
Centranthus ruber (Red Valerian)	2 ''	Red	All Summer
Clematis Davidiana (Hyacinth Clematis),	2 ''	Blue	Summer
Coreopsis lanceolata	1 1/2 "	Yellow	All Season
" rosea (Rosy Coreopsis)	ı "	Rose	All Season
Delphinium alba (White Larkspur)	3 "	White	June to Nov.
" formosum (Blue Larkspur)	3 ,,	Blue	All Summer
Desmodium penduliflorum (Pea Shrub)	4	Carmine	All Season
Dianthus barbatus (Sweet William)	1 /2	Assorted	Summer
Dicentra	1 1	Rose	Summer .
spectabilis (Bleeding Heart)	2 "	Pink	May, June
Dictamnus fraxinella (Gas Plant)	2 "	Red White	Summer
	1 -	Assorted	Summer
Digitalis (Foxglove). Dodecatheon media (Shooting Star)	3 to 5 ft.	Rose	July and Aug. May and June
Doronicum Caucasicum (Leopard's Bane)		Yellow	Early Spring
" plantagineum excelsum		Yellow	May to Sept.
Eryngium amethystinum (Sea Holly)	2 "	Blue	July, Aug.
Eupatorium ageratoides (Snake Root)	3 "	White	Summer
Department ageratorics (Shake Root)	1 3	Wille	Summer

Varieties	Height	Color	Time of Bloom
Euphorbia corollata (Flowering Spurge)	ı ft.	White	Summer
Funkia Sieboldii, var. (Variegated Lily)	2 ''	Variegated	Foliage
" subcordata (White Plantain Lily)	2 "	White	Summer
Gaillardia grandiflora (Aurora Flower)	11/2 "	Orange	June to Nov.
Glechoma (Variegated Ground Ivy)	6 in.	Blue	Summer
Constillation (Pales (Poby's Proofh)	I ft.	White	Summer
Gypsophila paniculata (Baby's Breath)			
Helenium Autumnale	5 "	Yellow	Fall
Helianthus Maximiliani (Sunflower)	4 "	Yellow	November
Helianthus Maximiliani (Sunflower)	4	Yellow	All Season
Heliopsis i itcherianus	3	Yellow	All Season
Helleborus niger (Christmas Rose)	J "	White	Spring
Hemerocallis Dumorieri (Day Lily)	2 ''	Orange	Summer
" flava (Yellow Day Lily)	2 ''	Yellow	Summer
Heuchera sanguinea (Alum Root)	I "	Red	All Summer
Hibiscus (Crimson Eye), (Mallow)	4 to 6 ft.	Wh. & crim.	Aug. to Oct.
Iberis Gibraltarica (Candytuft)	ı ft.	White	Spring
Iris, Japanese. See page 61.			1 0
Liatris pycnostachya (Gay Feather)	4 "	Carmine	Aug. to Sept.
Lobelia Cardinalis (Cardinal Flower)	2 66	Red	Aug. to Oct.
Lobelia Cardinalis (Cardinal Flower) "syphilitica (Great Blue Lobelia)	7 11	Blue	September
Lunique nelunhullur (Lunin)	3 "	Blue	June
Lupinus polyphyllus (Lupin) Lychnis (Double Rose, Ragged Robin)	3 "	Rose	
Lychnis (Double Rose, Ragged Robli)			All Season
" chalcedonica (Maltese Cross)	2 to 3 ft.	Scarlet	June and July
Lysimachia (Moneywort)	2 in.	Yellow	Summer
Malva moschata alba (Musk Mallow)	5 ft.	White	Summer
Mertensia Virginica (Lungwort)	2 "	Blue	May and June
Monarda didyma (Oswego Tea)	1½ "	Red	Summer
Myosotis palustris (Forget-me-not)	I "	Blue	Summer
OEnothera Fraserii (Dwarf Day Primrose)	I "	Yellow	All Season
" Missouriensis (Evening Primrose)	4 "	Yellow	Summer
Paeonias, Herbaceous. See page 61.			
Papaver bracteatum (Oriental Poppy)	3 "	Blood-red	Summer
" Orientale (Oriental Poppy)		Scarlet	Summer
Pardanthus (Blackberry Lily)	3 "	Orange	Aug., Sept.
Pentstemon barbatus (var. Torrevii)	A **	Scarlet	All Summer
Phlox Amoena (Lovely Phlox)	1 "	Light rose	Spring
" subulata (Moss Pink)	6 in,	Pink	Spring
" alba	6 "	White	Spring
Phloxes, assorted.			- Pring
Platycodon grandiflorum (Bell Flower)	2 to 3 ft.	Assorted	June to Aug.
Plumbago larpentae (Blue Leadwort)	I ft.	Purple	All Summer
Polemonium ceruleum (Jacob's Ladder)	I ii	Blue	Spring
		White	
Polygonum (Mountain Fleece)	4 to 5 ft.		Summer
Primula elatior (Cowslip)	1 It.	Assorted	Spring
Pyrethrum hybridum (Persian Daisy)	I 1/2 "	Assorted	Summer
Rhexia Virginica (Meadow Beauty)	1	Rosy purple	Late Summer
Rudbeckia (Golden Glow)	3 "	Yellow	September
Salvia pratensis (Meadow Sage)	I " ·	Blue	All Summer
Scabiosa Caucasica (Blue Scabiosa)	I "	Lilac	All Summer
Silene Pennsylvanica (Catchfly)	1/2 "	Pink	May and June
Spirea filipendula (Dropwort)	2 "	White	Summer
" palmata (Palmate Spirea)	3 "	Rose	Summer
" ulmaria (Meadow Sweet)	2 "	White	Summer
Stachys lanata (White Foliage)	T 66	Purple	Summer
Thalictrum aquilegifolium (Columbine Meadow Rue)	2 "	Purplish	Summer
Tradescantia Virginica (Spiderwort)	2 "	Purple	Summer
Tricyrtis hirta nigra (Toad Lily)	I "	Spotted	Fall
Tritoma (Red Hot Poker Plant)	3 to 4 ft.	Scarlet	Fall
Valeriana officinalis (Garden Heliotrope)	2 ft.	Lavender	Summer
Verbascum nigrum (Dark Mullein)	3 "	Yellow	July to Fall
Veronica subsessilis (Speedwell)	2 "	Blue	August
	3 "	Blue	All Summer
" spicata. " alba	3 11	White	All Summer
Vinca (Creaning Murtle)	13 "	Blue	
Vinca (Creeping Myrtle)	3 " 1/2 " 1/2 "	White	Spring
Vesse Silamontone (Adamsta Nicadia)	/2		Spring
Yucca filamentosa (Adam's Needle)	5 to 8 ft.	White	July, Aug.

Bulbs and Tuberous Roots

The following are kept in stock, or supplied to order



TUBEROUS-ROOTED BEGONIAS.

Tuberous=Rooted Begonias

The Tuberous-rooted Begonias are among the handsomest of our summer-flowering bulbs.

Single Finest Mixed. 10 cts. each, \$1 per

doz., \$5 per 100.

Double Finest Mixed. 20 cts. each, \$2 per doz., \$10 per 100.

Gladiolus, French Hybrid

Superb fall-flowering bulbs of easy growth; flowers are of much beauty and brilliancy.

Groff's New Hybrids. Doz. 75 cts., 100 \$4. Extra Choice Mixed. 5 cts. each, 50 cts. per doz., \$3.50 per \$100.

Double Tuberoses

One of the most fragrant and beautiful of summer flowering bulbs.

Italian Double. 5 cts. each, 50 cts. per doz. Pearl. The value of this over the preceding consists in its flowers being double the size, imbricated like a rose, and especially in its dwarf habit. 5 cts. each, 50 cts. per doz., \$3.50 per 100.

Astilbe Japonica (Spiraea Japonica)

One of the most beautiful of hardy border plants; grows about 2 feet high, with branching spikes of pure white, feather-like flowers; excellent for forcing. 15 cts. each, \$1.50 per doz.

Amorphophallus Rivieri

A very remarkable plant, of striking growth. Extra large bulbs, \$1 each; second size, 60 cts. each.

Amaryllis

Splendid greenhouse bulbs, and also well suited for house culture.

Belladonna. Violet and white. 20 cts. each, \$2 per doz.

Formosissima. 30 cts. each, \$3 per doz.

Johnsonii. 75 cts. each. Vittata rubra. 50 cts. each.

Calla Aethiopica (Lily-of-the Nile)

A well-known house plant of easy management. 25 cts. each, \$2.50 per doz.

Convallaria Majalis (Lily=of=the=Valley)

The most charming of spring-flowering plants. Large clumps, 50 cts. each.

Caladiums, Fancy

Leaves spotted with various colors in the richest manner; superb for summer decora-

Distinct Sorts. For pot culture. 25 cts. each, \$2.50 per doz.

Caladium Esculentum

One of the most attractive ornamental foliage plants in cultivation. 25 cts. each, \$2.25 per doz.

Dwarf French Cannas

Tropical in effect, with rich foliage and large, bright flowers. 15 cts. each, \$1.50 per doz.

Dahlias

Well-known summer and fall-blooming plants, affording grand flowers of the brightest colors.

Single, Pompon, Large-flowering and Cactus varieties. 20 cts. each, \$2 per doz.

Dielytra Spectabilis (Bleeding Heart)

A good companion to Astilbe Japonica; has lovely pink and white flowers in June, gracefully borne. 30 cts. each, \$3 per doz.

Erianthus Ravennae

A fine ornamental grass, similar in habit of growth to Pampas Grass; attains a height of 4 to 5 feet, producing feathery plumes in profusion, which are very attractive. 25 cts. to 50 cts. each.

Funkia (Hemerocallis) (Day Lily)

Handsome perennial plants. They are quite hardy, and require a moist soil and shady situation. 30 cts. each, \$3 per doz.

Eulalia

Japonica zebrina. A remarkably ornamental grass, the long foliage being distinctly striped with white *across* the leaf. The flowering spikes, which are borne in the fall, have the form of ostrich plumes. Very valuable for massing. 75 cts. each.

able for massing. 75 cts. each.

Japonica var. Ornamental grass, of easy culture; perfectly hardy. Flowers fine for parlor ornaments, remaining fresh a long time. 50 cts. each.

Gloxinias

A charming class of summer-flowering bulbs; plants of dwarf habit, with very handsome flowers, which are borne in great abundance. 15 cts. each, \$1.50 per doz.

Helianthus Multiflorus Plenus (Double Golden Sunflower)

Perfectly hardy, and flowering from July until frost. The flowers are of a rich golden yellow, and last a long time after being cut. 20 cts. each, \$2 per doz.

Hyacinthus Candicans

A magnificent hardy plant, producing in July and August a flower stem about 4 feet high, surmounted by a spike of numerous pendent bell-shaped, snow-white flowers. 10 cts. each, \$1 per doz.

Japanese and German Iris

Iris are among the most beautiful of our summer-flowering plants, and are destined to become more popular every season. Extra choice varieties. 25 cts. each, \$2.50 per doz., \$15 per 100.

Lilium (Lily)

These magnificent bulbs are favorites everywhere. The beauty and delicacy of the flowers cannot be excelled.

Auratum. 15 cts. each, \$1.50 per doz.

Candidum. 15 cts. each, \$1.50 per doz.

Lancifolium rubrum. 20c. each, \$2 per doz.

"roseum. 20c. each, \$2 per doz.

Tidrinum II nl. 20 cts. each \$2 per doz.

Tigrinum fl. pl. 20 cts. each, \$2 per doz.

" splendens. 15 cts. each, \$1.50 per doz.

Madeira, or Mignonette Vine

A beautiful climbing vine, of rapid growth. 5 cts. each, 50 cts. per doz., \$3.50 per 100.

Manettia Vine (Manettia bicolor)

A rapid-growing plant, with scarlet and yellow flowers. An excellent pot plant. 15 cts. each, \$1.50 per doz.

Montbretias

The Montbretias are one of the brightest and best of summer-flowering bulbs. The bulbs should be planted from April to June in groups of three to a dozen or more. They are perfectly hardy, and once planted can be left to care for themselves. 30 cts. per doz., \$2.50 per 100.

Myrsiphyllum Asparagoides (Smilax)

A very graceful climbing plant; can be used either to climb or droop; one of the most valuable plants for vases or hanging baskets. 25 cts. each, \$2.25 per doz.

Peony, Hardy Herbaceous

Large flowers, ranging from the purest white to the richest crimson. Large roots, 50 cts. each, \$5 per doz.

Pampas Grass (Gynerium argenteum)

A species of grass from South America, growing about 6 feet high, with plumes of yellowish white about 2 feet in length. 30c. each, \$3 per doz.

Richardia Alba Maculata (Summer Calla)

Has white-spotted leaves and purplish flowers; very ornamental. 15 cts. each, \$1.50 per doz.

Tigridia (Tiger-flower)

Extremely handsome, producing many magnificent flowers in the open ground.

Conchiflora. Yellow. 5 cts. each, 50 cts. per doz., \$3.50 per 100.

Pavonia. Red. 5 cts. each, 50 cts. per doz., \$3.50 per 100.

Grandiflora alba. 10c. each, 75c. per doz.

Tritoma Uvaria Grandiflora (Red-Hot Poker Plant)

Very showy; produces long spikes of bright scarlet flowers—hence its common name. Large roots, 30 cts. each, \$3 per doz.

Vallotta Purpurea

(Scarborough Lily)

Related to the Amaryllis family; produces very handsome flowers, but is rather tender. 30 cts. each, \$3 per doz.

Gladiolus Hybridus

Princeps

Hybrid between the rare African Gladiolus cruentus and a selected Childsii seedling



TRITOMA UVARIA GRANDIFLORA.

Childsii seedling.
Grows 4 feet high, with broad, healthy foliage.
Spike erect and often 18 inches long, bearing
16 to 22 immense broad-petaled circular
flowers, opening flat and perfect, 5 to 7 inches
across. Color true Salvia scarlet, with
cream-white feathering on lower petals.
Endures the sun and wind well, and opens
perfectly to the last bud in water. Blooms
normally in August, but may be had late in
October by delaying planting. Forces splendidly. 25 cts. each, \$3 per doz.

Small Fruits

FOREIGN GRAPE VINES FOR VINERIES

I-year-old Vines, \$1; 2-year-old Vines, \$2.

Alicante, or Black Tokay. H. C. A large, showy black Grape; fine late variety.

Black Barbarossa. H. C. Berries round, very large; a late variety.

Buckland Sweetwater. H. C. Berries round, large; when ripe, of a pale amber: habit vigorous and vine a good bearer.

Canon Hall Museat. H. White seedling of Muscat of Alexandria, but liable to crack.

Charlesworth White Tokay. H. C. Berries round and large, juicy and sweet. Charlesworth White Tokay. H. C. Berries oval and large; bunch very large, juicy and rich.

Frontignae, White. H. Berries round, medium size very rich; a good bearer.

Gros Colman. H. Handsome; berries and bunches enormous; hangs very late.

Hamburg, **Black.** H. C. Large, sweet and juicy; a well-known and leading variety. Lady Downs' Seedling. H. C. Berries large, oval, firm, sweet and richly-flavored. One of the best late black Grapes.

Madrasfield Court. H. Black. Bunches and berries large, very handsome; flavor vinous and true Muscat; a superb Grape of the greatest merit.

Muscat of Alexandria. H. C. Berries large, oval, sometimes varying in size; pale amber when ripe; firm and rich.

Museat Hamburg. H. Black. An excellent Grape, with the berry and flesh of Black Hamburg, and a fine Muscat flavor; requires heat.

Trentham Black. H. C. Berries oval; large, juicy and rich. A great bearer.

West's St. Peter's. H. C. A late black Grape; keeps well.

P. S.—Those marked H. are suitable for Hot Graperies. Those marked H. C. will grow well in either Hot or Cold Graperies.

HARDY AMERICAN GRAPE VINES

Agawam. One of the most reliable hybrid Grapes; bunches and berries large, dark red; ripens with or soon after Concord; is of peculiar aromatic flavor. 50 cents each.

Brighton. Very early, large, red; equal to Delaware in flavor and richness. 75c. each. Catawba. Late, red; somewhat pulpy, very sweet and rich, of an aromatic, musky flavor. Best in sandy soils. 30 cents each.

Concord. Early, large, black; tender, pulpy, with a sweet, foxy flavor. Does well

everywhere, and is always reliable. 50 cts. each.

Delaware. Early, small, light red; juicy with very soft pulp; very productive, and requires a rich soil. 50 cents each.

Diana. Late; reddish lilac, juicy and sweet; very vigorous and very good. 35c. each. Duchess. Whitish green; berries and bunch medium size; fine flavor. 50 cents each.

Eldorado. A very beautiful Grape, clear golden yellow and of best flavor; ripens 10 days before Concord. 50 cents each.

Elvira. Medium early; pale green, juicy and sweet. 40 cents each.

Hartford Prolific. Extra-early, large and very productive. 50 cts. each.

Iona. Deep, reddish bronze; one of the best where it succeeds. 50 cents each.


Niagara. Large, white, tender and sweet; bunches very compact; a popular early white sort. 50 cents each. Isabella. Medium early; large purplish black; with little pulp. 30 cents each.


Lady Washington. White; bunches and berries quite large and of good flavor. 75c. Lindley (Rogers' No. 9). Light bronze, berries medium size; of rich aromatic flavor. 50 cents each.

Martha. Very early, large, pale yellow; pulpy and very sweet. 35 cents each.

Merrimae (Rogers' No. 19). Early, large, black; one of the most vigorous and productive. 40 cents each.

Moore's Early. Berries large, black; bunches large and very compact. 50 cts. each. Prentiss. Bunch large; berries of medium size, yellowish green, sometimes tinted rose color. 75 cents each.





BRANDYWINE.

GREENVILLE.

STRAWBERRIES

Strawberries may be grown in any soil that will produce good garden vegetables. A light clay loam, well enriched with rotten barnyard manure, is the most favorable soil for most varieties. (Prices are for pot-grown plants. Layer-plants at one-half the prices affixed.)

P	er doz.	100
Brandywine (new). Perfect flower. Fruit of large size, quite firm and		
shapely. Foliage large and thrifty, entirely free from scale or blemish. Season	#0 ==	#1 00
medium to late	DO 12	\$4 00
Bubach. Pistillate. A leading variety; berries large and handsome; plant of strong growth and exceedingly productive	50	2 50
	50	3 50
Charles Downing. Perfect flower. A well-known and popular family berry of fine flavor; the plants do well in most soils and locations	F 0	
	50	3 50
Cumberland Triumph. Perfect flower. An excellent early variety; berries of fine color, large, and of delicious flavor	5 0	2 50
	50	3 50
Gandy. Perfect flower. The berries are of mammoth size and shape, of a bright crimson color; one of the best and finest late sorts introduced; flavor of		
superior quality	75	4 00
Glen Mary. Perfect flower. Plants robust, strong growers, with clean	13	4 00
foliage. Fruit nearly round, of a light red color, and of excellent flavor	75	4 00
Greenville (new). Pistillate. Plants good, strong, healthy growers,	13	4 00
with a compact dark rich foliage. Fruit large and firm of a dark crimson		
with a compact, dark, rich foliage. Fruit large and firm, of a dark crimson color; quite regular in shape, and ripens evenly. Very productive. Midseason		
to late	75	3 50
Lovett's Early. A vigorous, healthy grower; fruit large, firm, enormously	10	3 0 -
productive; blossoms perfect	75	3 50
McKinley (new). Perfect flower. Berries large, round, inclining to	, ,	0 0
conical; flesh firm, and quality excellent; a great yielder	I 00	5 00
Michigan. Perfect flower. Berries handsome and firm, equaling in size		
the Gandy; of high flavor, and ripening 10 days later; color bright crimson,		
with distinct yellow seeds; plants strong and very prolific	I 00	4 00
Parker Earle. A robust grower, with perfect flowers and good-sized fruit		
of fine quality; rather late	75	3 50
Sharpless. Perfect flower. Berries very large, solid and of fine flavor;		
plants hardy; very large and vigorous.	50	3 00
Marshall. Bi-sexual. Fruit large and perfect, of a dark, rich crimson		4
color, with large green hull	1 00	4 00
Timbrell. Pistillate. The plants are large and strong; foliage of a dark, rich, healthy color; the fruit stalks are usually strong, and hold the fruit quite		
free from the ground. Medium to late	75	4 00
Van Deman. Perfect flower. The fruit is large, of a dark, glossy crimson,	13	4 00
and fine quality; ripens extra early, and is valuable as a pollenizer for early		
pistillates	50	3 00
Wm. Belt. Perfect flower. Fruit conical in shape, of a brilliant glossy		
red, and as near perfection as was ever seen in a berry; ripens very evenly,		
without the green tips. Season medium	I 00	5 00



RASPBERRIES	
Golden Queen. Large; fruit of a beautiful buff or amber color. One of	100
the richest flavored berries	\$6 oo
very productive	6 00
Cuthbert. Fruit red, large and sweet; very hardy 1 00	6 00
Gregg. A new black-cap of the largest size; very productive, and of excellent quality.	6 00
Loudon. Fruit very large and firm, of fine rich color and flavor; quite	
Miller Red. Berry as large as Cuthbert; color bright red, and ripening	6 00
very early; very productive	6 00
BLACKBERRIES	
Per doz.	100
Erie. Fruit large, firm, sweet and high-flavored; a vigorous grower; perfectly hardy \$1 00	\$6 oo
Kittatinny. A stout, erect, and vigorous-growing kind; fruit large and	"
New Rochelle, or Lawton. Fruit very sweet and delicious when well	6 00
ripened	6 00
Wilson's Early. Very good; large, firm and sweet; hardy and productive, and one of the earliest in fruit	6 00
CURRANTS	
Cherry. A strong-growing variety; fruit of the largest size, deep red \$\frac{\text{Pr} \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	\$6 oo
mense size; a popular red Currant	6 00
Red Dutch. The most prolific and best flavored of the old red varieties. I oo	6 00
Versailles. Foreign; vigorous grower; fruit of the largest size, dark red. 1 oo White Grape. Best white variety; berry large, beautiful; best quality. 1 oo	6 00
Victoria. Late red; of good quality	6 00
GOOSEBERRIES Per doz.	100
Downing. Pale green; large, prolific and good. Best for both home and market use	\$6 00
Houghton's Seedling. Small to medium; fruit oval, pale red; very productive, and free from rust	6 co
Red Jacket. The most prolific and most valuable Gooseberry in Amer-	
ica; as large as the largest; berry smooth. Very hardy. Quality best, and foliage best of any Gooseberry known	12 00

ORNAMENTAL SHRUBS AND VINES

HARDY VINES AND CREEPERS

Ampelopsis quinquefolia (Virginia or Strawberry Creeper). Leaves crimson in autumn; very strong grower. 30 cents each.

Veitchii (Japanese Ivy). Leaves smaller than the preceding, and of regular size; a superb vine, and perfectly hardy; foliage is richly colored in autumn. 50 cents each.

Akebia quinata. Small sub-evergreen leaves; brownish flowers. 50 cents each.

Aristolochia sipho (Dutchman's Pipe). Large heart-shaped leaves; very ornamental flowers. \$1 each.

Bignonia radicans (Trumpet Creeper). Scarlet flowers in August; handsome. 40 cents each.

- " grandiflora. Very large flowers, of a splendid orange color. 50 cents each. Clematis coccinea. Flowers scarlet; very choice. 50 cents each.
 - " flammula (Virgin's Bower). White; very fragrant. 50 cents each.
 - " Jackmanni. Large purple flowers; a great favorite. 75 cents each.
 - "
 paniculata (Japanese Virgin's Bower.) This handsome hardy climber is one of the choicest and most satisfactory climbing flowering plant we know. The plant is of strong, rapid growth, with small, dense, cheerful green foliage, giving it a grace and elegance possessed by no other hardy climber. The flowers appear in the greatest profusion during August, and continue until late in the fall, are of a white color and most deliciously fragrant. Strong roots, 50 cents each.

roots. 50 cents each.

Dolichos Japonicus. A strong-growing large-leaved vine, which for rapidity of growth has no equal; strong plants will run 50 feet in a season. 75 cents each.

Hedera helix (Evergreen Ivy). Leaves large and luxuriant; a standard vine. 25 to 75 cents each.

helix tricolor (Tricolor-leaved Ivy.) Leaves green, white and rose; very pretty. 50 cents each.

Humulus lupulus (Hop Vine). A rapid grower; very ornamental. 30 cents each.

Lonicera Belgica (Honeysuckle). Flowers all summer; very fragrant. 50 cts. each.

"Sinensis (Chinese Honeysuckle). Dark green foliage; one of the best. 50 cts.

" reticulata aurea (Golden-leaved Japan Honeysuckle). Remarkably ornamental, with leaves of a distinct yellow effect. 50 cents each.

Menispermum Canadense (Moon Seed.) A slender-growing vine, producing berries; ornamental in fall. 50 cents each.

Periploca Graeca (Virginia Silk Vine). Foliage long, narrow and shining. 50 cts. each.
 Wistaria Sinensis (Chinese Blue Wistaria). Flowers pale blue, in June; a superb climber for any place. 75 cents each.

' Sinensis alba. The best white variety. \$1 each.

DECIDUOUS HARDY SHRUBS, ETC.

Amygdalus fl. pl. alba (Double White-flowering Almond). A beautiful early-flowering shrub. 75 cents each.

fl. pl. rubro. A variety of the preceding with rose-colored flowers. 60 cts.

Andromeda Mariana. A native shrub, blooming about the last of May, bearing beautiful white flowers tinged with red. 50 cents each.

Berberis vulgaris (European Barberry). A handsome shrub; yellow flowers, followed in fall with scarlet fruit. 50 cts. each.

" atropurpurea. A purple-leaved variety of the above. 50 cents each.

"Thunbergii (Japan Barberry.) Of close, compact growth; the flowers come in May, and the fruit becomes ornamental in July, continuing up to winter time. 50 cents each.

DECIDUOUS HARDY SHRUBS, etc., continued.

Clethra alnifolia. Leaves light green; flowers white and very fragrant. 40 cents each. Calycanthus floridus (Sweet-scented Shrub). Flowers chocolate color; fragrant, like strawberries. 50 cents each.

Chionanthus Virginica (White Fringe). Leaves large, pointed and shining; flowers pure white, feathery or fringe-like. A useful lawn tree. 75 cents each.

Colutea Haleppica. A rapid-growing and attractive shrub, producing reddish bladder-like pods. Very ornamental. 50 cents each.

Cornus florida flore-rubro (Red-flowering Dogwood). A variety of white Dogwood, but having a deep rosy pink-colored flower; the leaves also are of a darker green than the old variety; it makes a good, upright, bushy growth. \$1 to \$2 each.

var. pendula (Weeping Dogwood). Its pendulous habit, large white flowers, scarlet fruit and foliage in the fall, place it in the foremost rank. \$1 to \$2 each.

" alba sanguinea. Remarkable in winter for the red color of its branches.

50 cents each.

sanguinea variegata. Having very ornamental green foliage, striped with white during the whole season. 50 cents each.

Corylus (Hazel.) A distinct, very ornamental shrub; the leaves are of a deep, dark red color, almost black. 75 cents each.

Crataegus alba plena (White-flowering Hawthorn). Foliage and flowers very ornamental. 75 cents each.

mental. 75 cents each.

coccinea fl. pl. Flowers double red, very large. 75 cents each.

Cotoneaster rotundifolia. Low-spreading shrub, bearing white flowers. 60 cents each.

Cydonia Japoniea carnea fl. pl. (Japan Quince). Flesh-colored double flowers, produced early in spring. 75 cents each.

" rubra grandiflora (Red Japan Quince). Large red flowers; very showy. 50 cents each.

Cytisus laburnum (Golden Chain). Drooping yellow flowers; a handsome small tree. $\mathfrak{s}\iota$ each.

Daphne eneorum. A choice low-growing bush, bearing its sweet-scented rosy white flowers for several weeks of midsummer. 75 cents each.

Deutzia crenata fl. pl. alba. Flowers double white, tinged with pink. One of the best shrubs in cultivation. 50 cents each.

" gracilis. Dwarf, compact; pure white. 35 cents each.

" seabra (Rough-leaved Deutzia). Bearing beautiful white spiral flowers. 50 cents each.

Euonymus Americanus. Shining green foliage, scarlet berries; fine in fall. 50 cts. each.

"Iatifolius (Burning Bush). Vigorous growing; scarlet berries, larger than the preceding. 50 cents each.

Fagus cuprea (Copper Beech). Leaves purple, early in the season. \$1.50 to \$5 each.

'' laciniata (Cut-leaved Beech). Cone-shaped and compact; leaves showy. \$1.50 to \$3 each.

Forsythia viridissima (Golden Bell). The best early-flowering shrub. 75 cents each. Genista scoparius (Scotch Broom): Yellow; flowers in May. 40 cents each.

Hibiseus Syriaeus atrorubens (Althæa, or Rose of Sharon). Showy purple flowers. 35 cents each.

"foliis variegatis. Variegated foliage; highly ornamental. 60 cents each.

Hydrangea paniculata grandiflora. Immense white flowers; one of the finest shrubs in cultivation. 75 cents to \$2 each.

"hortensis. Changeable rose-colored flowers; very popular. 50 cents each. **Itea Virginiea.** A very pretty shrub, bearing large erect spikes of white flowers, making a fine appearance for a long time. 50 cents each.

Ligustrum tricolor (Privet). Stands the sun well, and forms a good bush; the leaves are golden yellow, changing to white and green as it develops. 50 cents each.

Lonicera Tatarica (Upright Honeysuckle). Pink flowers in May; handsome. 4oc. each.

"" alba. A pretty upright shrub; white flowers in spring. 5oc. each.

Magnolia conspicua. A Chinese tree, producing large white flowers in spring. \$2 to \$5 each.

Soulangeana. Like above, but flowers are purple and white. \$1.50 to \$5 each.





MOCK ORANGE, or SYRINGA.

WEIGELA.

DECIDUOUS HARDY SHRUBS, etc., continued.

Paeonia Moutan (Tree Pæony). Very large flowers, of gorgeous colors. \$2 to \$3 each.

Philadelphus coronarius (Mock Orange, or Syringa). Strong-growing; pure white fragrant flowers in June. 50 cents each.

Prunus Sinensis (Double White-flowering Plum). Very pretty. 75 cents each.

" myrobolana (Pissardii). A purple-leaved Plum; there is always a rich purple foliage till autumn. 50 cents each.

Ribes aureum (Missouri Currant). Shining glabrous leaves; early yellow flowers, 35 cents each.

Rubus eotinus (Purple Fringe, or Smoke Tree). A beautiful low-growing tree, covered with dark seed-vessels like a purple mist; very showy. 75 cents each.

" glabra laciniata (Cut-leaved Sumac). Leaves of large size, deeply cut and drooping gracefully. Foliage scarlet in autumn. 50 cents each.

Salisburia adiantifolia (Maiden-hair Tree). A Chinese tree of slow growth and distinct leaves. One of the most beautiful trees in cultivation. \$1 each.

Spiraea Billardii. Pink-flowered; a late blooming species. 50 cents each.

" prunifolia fl. pl (Plum-leaved Spiræa). Double white flowers. 40 cts. each.

"Reevesiana fl. pl. Clusters of double white flowers, early in spring. 50c. each.

Symphoricarpus racemosus (Snowberry). White waxy berries in autumn; very ornamental. 50 cents each.

Syringa vulgaris (Common Lilac). Purple, sweet-scented flowers. 50 cents each.

" alba. White, sweet-scented; very delicate. 50 cents each.

Persica (Persian Lilac). Small-leaved; purple flowers of a different shade. 50 cents each.

Tamarix Africana. Beautiful feathery foliage; makes a fine small tree. 50 cents each.

Viburnum plicatum (Double Japan Snowball). Distinct and good; of upright growth, with plaited leaves, and many heads of pure white flowers. 50 to 75 cents each.

Weigela amabilis. Pink flowers; free bloomer. 50 cents each.

" alba. White; very showy. 50 cents each.

" variegata. Beautiful variegated foliage. 50 cents each.


" floribunda. The flowers are crimson, with projecting white stamens; quite distinct and valuable. 50 cents each.

Vitex Agnus-eastus. A handsome-leaved shrub, bearing panicles of lilac-blue flowers, and the foliage is nicely scented. 50 cents each.


Also supplied to order, all the leading varieties of standard and dwarf Roses, Hardy Perennials, Bedding and Flowering Plants, Fruit, Shade and Ornamental Trees.

Horticultural Implements

	Each
Asparagus Knife, English	.\$1 50
Ax, Handled\$r t	O I 75
Bill Hooks, Socket Switching	
" Yorkshire Strapped	
" " Dunse Switching	
Bellows, Powder	-
" Liquid	-
Dibble, Garden. (See cut.)	
Flower Gatherers, English. In 4 sizes	
·····75 cts. t	
Flower Pot Brackets40 cts. to	
Fruit Pickers	
Forks, Spading, Short-handled	
" ' Long-handled	_
" Manure, Short-handled	
" Hay	
" Ladies' Weeding, English	• 75
····· 50 cts. t	
Fumigators—	O I 00
Eureka No. 1, house 10 x 12	. I 50
" No. 2, " 12 x 40	
" No. 3, " 15 x 100	
Assessing the second se	. 2 30
Carallana Managari	
Admitted billion Sugar Latin	3
Garden Barrow.	
Garden Barrows. No. 1 (boys')	. 3 50
" No. 2	
" No. 3	4 25
" No. 4 · · · · · · · · · · · · · · · · · ·	. 5 00
	b



Garden Reels, English. 10-in	1 00
Garden Lines. Best braided, 100 ft	75
Gooseberry Pruner, English	I 25
Blackberry Pruner, ''	I. 25
Garden Pencils, "	15
Gardeners' Gloves pair, \$1.50	
Grafting Waxlb., 40 cts	
Glaziers' Pointsbox of 1,000, 75 cts	
Grubber, Daisy, English	I 25
Hoes, Draw50 cts. to	75
" Dutch (English). 4- to 10-in	
40 cts. to	90
" Warren	75





HORTICULTURAL IMPLEMENTS, continued

Hoes, potato or Prong	р
	P
Hatchets\$1 to 1 50	
Hose Menders (Hudson's)	
Box of 6 Tubes, 20 Bands, 1 pr. Pliers 75	
Knives, Budding, English. (See cuts.)	
75 cts. to 1 25	
" Pruning, English. (See cuts.)	P
\$1 to 2 00	
" Grass Edging, English. 10-in. 2 00	
Lawn Mowers, Imperial High Wheel:	
,14-in. cut net, 8 oo	
16-in. " " 9 00	P
18-in. " " 10 00	
20-in. " " II 00	
Horse Lawn Mowers, Coldwell's Im-	
proved:	
30-in. cut, completenet, 60 00	F
35-in. "	
35-in. " " " 75 °° 40-in. " " " 90 °° 90 °°	F
Horse Boots set of four, \$9	S
Lawn Weeder, Cleveland 50	
Mole Traps, Olmsted's Improved. (See	
cut.) 1 50	
	C
" English. For frames 50	S
English, Pol frames 50	S
" English. For frames 50 Moss, Sphagnum bbl., \$2 " Peat " \$2	S
Moss, Sphagnum bbl., \$2. " Peat " \$2. Pumps, Spraying 1 75	S
Moss, Sphagnum bbl., \$2 " Peat " \$2	S
Moss, Sphagnum bbl., \$2. " Peat " \$2. Pumps, Spraying 1 75	S
Moss, Sphagnum bbl., \$2. " Peat " \$2. Pumps, Spraying I 75 " Acme, Hand Force 5 00	S

PLEMENTS, continued
Per 100
Plant Labels, Wooden, Pot and Garden:
4-in., painted
5-in., "
6-in., " 1,000, \$1.50 25
8-in., "
12-in., "
Plant Stakes, Round Green Tapering:
Per 100 1½ feet \$1 00 3½ feet \$4 00
2 " 2 00 4 " 5 00
2½ " 2 50 5 " 6 00
3 " 3 50
Plant Stakes, Heavy or Dahlia:
Per too Per too
3 feet\$5 00 5 feet\$8 50
4 " 6 50 6 "
Bamboo Canes 1,000, \$9 1 25
Rakes, Cast Steel 50 cts. to I oo
" Wooden Lawn 50
Raffia. For tying plantslb. 20 cts
Scissors, Bow Pruning, English . 75c. to 1 25
" Grape or Thinning. (See cut.)
\$1 to 1 50
Shears, Hedge, Pruning Notch, fly nut:
7½-in., English 2 25
8-in 2 50
9-in 2 75
" Grass Border, English. 9-in 2 75
" " " To-in 3 00
" Lawn Surface Cutting 3 25
" Branch or Looping \$2.25 to 3 50

HORTICULTURAL IMP	
Each	Rach
Shears, Slide Pruning, Wood Handle	Sprinklers, Lawn
" Hand Pruning 3.55 to 3.50	Trowels, English Garden 50 cts. to 1 25
Trand Truming 2.23 to 3 30	" Transplanting I 00
" Ladies' Garden 1 75	" Cleves' Angle 20 cts. to 35
" Sheep 1 00	Tree Scrapers 50
Syringes, English. 12½-in. barrel 4 00	Turfing Iron, or Sod Cutter 4 50
" " 16¼-in. " 6 00	Tree Pruners. 6-ft 1 00
" 18½-in. " 7 50	"
" " 18-in. " 7 00	" " 10-ft
" Reid's Patent 8 oo	Thermometers, Tin Case 40
" Knuckle Joint 10 00	" Self-registering 2 50
" Amer. No. 0, 12½-in. barrel. 2 50	" Hotbed, Brass-tipped I 50
" " No.00, 14-in. " 3 00	Trellis, Fan-shaped10 cts. to 1 00
" No. 2, 14½-in. " 3 75	_
" No. 3, 18-in. " 6 oo	Tubs, No. o. Outside diameter 27 in 5 30
" " No. 5, 18-in. " 6 50	25 111 . 4 00
Saws, English, Pruning 75 cts. to 2 00	10. 2. 23 111. 4 25
" Socket or Pole 'I co	" No. 3. " " 21 in. 3 50
" Double Edge 75	" No. 4. " 18 in. 2 75
Spud, Garden 50	" No. 5. " " 16 in. 2 50
" With Weeding Hook 50	Vases, For Displaying Cut-flowers (see
" Thistle 60	cut):
T 1' 1	13-in. deep 60
Scythes, Best English \$1.50 to 2 00	10-in. " 50
	9-in. " 45
Scythe Snaths80	6-in. '' 35
" Stones, English	4½-in. " 25
Kines	Watering Pots, Long-spouted. 4-qt 1 50
Spades, Ames' Short-handled 1 25	" " 8-qt 2 00
" Long-handled I 25	" " Ordinary Green. 10-qt. 85
Shovels, "Short-handled I 25	" " " 12-qt. 1 00
" " Long-handled pointed. 1 25	" " " 16-qt. I 50
Sets, Ladies' Garden, English. 27-in 2 25	10-qt. 1 50
" " 36-in 3 00	20-qt. 2 00
45-111 4 00	Weeders, Excelsior Hand. (See cut.) 15
Sprinklers, Rubber 1 00	" Noyes' 25
" Angle-neck I oo	" Cleveland's Lawn • 50
Lengtl. of Barrel, 18	CLANT SERIPRET
WATERS [MPROVED TREE PRUNER. Pro CLEVES' ANGLE TROWEL.	uning Shears.
	Fumigator.

"Planet Jr." Farm and Garden Tools

Space will not permit our showing and describing all the "Planet Jr." tools, but we will send a fully illustrated catalogue, free for the asking, to any who desire it; and we can supply promptly anything ordered. "Planet Jr." goods are standard machines, the best on the market. In sending your orders to us you can rely on getting bottom prices.

No. 4 Combined Hill and Drill Seeder, Single Wheel Hoe, Cultivator PRICE, COMPLETE, \$10; AS A DRILL ONLY, \$8

This admirable tool combines in a single convenient implement a capital hill-dropping seeder,


in his small crops.



implement the small farmer can do practically all the work

No. 12 Double Wheel Hoe, Cultivator and Plow PRICE, \$7

This tool will do the work of six to ten men with ordinary hand-hoes, and is the best machine made for all who





No. 16 Single Wheel Hoe, Cultivator, Rake and Plow PRICE, \$5.75

This latest and best single wheel hoe combines lightness, great strength, variety and adjustability of tools. The rakes and cultivator teeth, in combination with the hoe and plow, enable the operator to per-

in field or garden. The wheel is 11 inches high, with broad face; frame changes in height, and the wheel may be attached to the other side of the frame, when both sides of the row may be hoed at one passage. It is the best single wheel her way to the passage. at one passage. It is the best single wheel hoe we know of.

Farmers' No. 19 Single Wheel Hoe, Cultivator and Plow PRICE, \$3,50


This new and attractive implement is espethis new and attractive implement is especially designed for the farmer's garden work, though it offers to every one with either field or garden a cheap and effective tool for all hand-wheel hee operations. The wheel is extra

high, the wheel arms are steel, and the frame attached so that the height of the handles may be readily changed to suit man or boy. All the attachments are tempered and polished steel. Strength, variety of tools and cheapness are its great virtues.



The "Fire-Fly" Garden Plow PRICE, \$2.25

This tool is most useful in small gardens, opening furrows for manure or seeds, and covering them quickly. Chicken-raisers will find it very useful in plowing up the scratching yards. The moldboard is of tempered and polished steel; the depth is quickly changed.



FINEST MIXED LAWN GRASS

PER QT., 25 CTS.; PER PECK, \$1.25; PER BUSHEL, \$4.50

Contains a mixture of the finest dwarf-growing kinds for Croquet Grounds, Lawns, Cemeteries, etc. These Grasses will produce a constant verdure throughout the growing season, and have given the most perfect satisfaction.

One quart will seed about three hundred square feet; four bushels are required for an acre.

Grass seed may be sown in April or May, and again in September. The ground should be very carefully prepared, and made fine to receive the seed. After the seed is well up, and again at frequent intervals, the lawn should be rolled, which will greatly improve the turf. For other Grass Seeds, see page 26.

BRIDGEMAN'S SEED WAREHOUSE

37 E. Nineteenth St., New York

Neponset Flower-Pots


Made from the well-known Neponset Waterproof Fabric, and for lightness, cleanliness and cheapness have no equal.

Size														/												1	Per	100	1,000		
21/4																										. \$0 30		30	\$2	\$2 50	
21/2					٠							a		,			c									1		40	3	56	
3																												50	4	50	
3 1/2																												60	5	50	
4						2																						80	7	50	
5																															
6																															

"Acme" Lawn-Mower Sharpener

The Only Practical Article ever Invented for the Purpose

Not necessary to take Mower to pieces.




Directions with each one tells you how to do it.

EACH, = 50 CENTS

Carnation Supports, Model Extension

The best Wire Carnation Support yet offered. It affords the greatest light and best circulation of air. Can be raised easily as the plant grows. Per doz., 50 cts.; per 100, \$3.50; per 1,000, \$32.50. With extra ring, per doz., 60 cts.; per 100, \$4.



BRIDGEMAN'S HIGH-GRADE SEEDS

37 EAST 19TH STREET NEW YORK CITY